PS

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX

ISSUES 1 - 93

Stolen from the shop of M/Sgt Half-Mast, PS Magazine. Raritan Arsenal, Metuchen, N.J.

	PS	Page
A		
AA ARTILLERY		
Sites--Tips & fixes to make things easier.	31	36
AAA OIL (See also Oil and Major Item)		
Recoil reserve--Checking, refilling	21	991
ABBREVIATIONS		
OVM, OVE, OEM, MAPI, OCE, BIIL	91	39
ACCELERATOR		
Tank, Keep a light foot.	34	49
ACCUMULATOR		
Gun tube--Low pressure, all tanks	22	18
Hand pump, emergency, only when needed	51	5
Have Ordnance check regularly	14	604
Piston type M47 decal.	23	39
Shut-off valve--Leave on M48	51	6
ACQUISITION ANTENNA (SEE FIRE CONTROL SYSTEM M33)		
ADAPTER ASSEMBLY		
Trailer towing, Attach to different receptacles	49	19
ADAPTER-DETECTOR, COMPRESSED AIR M3		
Use to recharge M15 compressed air breathing apparatus.	76	26
ADAPTER KIT		
Use with timing light	45	11
ADAPTERS, PRESSURE RELEASE		
Use when lubing bottom track rollers of crawler tractors.	65	38
ADJUSTMENT		
Level using stabilizing assembly.	65	23
Wheel Bearing	70	29
ADMINISTRATIVE VEHICLES (SEE VEHICLES, COMMERCIAL)		
A-FRAME KIT		
How to requisition	44	38
	66	43
AIDS, MAINTENANCE		
Graphic, visual training aids	23	19
AIMING CIRCLE, M1		
Compass needle, Lock in place	56	4
AIRBORNE--De-rigging	72	60
AIR CLEANER		
Dirt varies according to conditions.	39	44
Fill with used oil	87	14
Tank M48--Tops and oil reservoirs clean	19	875
AIR COMPRESSOR		
Clark Mod HO-6-4C--Safety relief valve Improper seating	49	40
Clark Mod HO-6-5C1--Use 80 octane or higher	93	21
Davey--Lubricants	87	23
Davey RPC-15--PM Services	89	50
DeVilbiss wheels added	33	45
Jaeger Rotary Compressors--Right lubes	87	23
Joy		
Capping	59	50
Before, during, after	59	50
Joy, Model 15H		
Battery Cable Rubs.	92	41
LeRoi model 210G1--Maintenance and Operation.	74	52
Oil Filter--Installation, maintenance	47	41
Receipt, Initial care, assembly	34	44
Rix		
Checking for leaks	64	36
Filter elements--change	51	44
Removal of activated alumina	49	42
Rotary		
Lubricants	87	23
Right oil to use	78	57

	PS	Page
AIR CONDITIONER		
Model BAF 55118--Gaskets, duct adapter kit	78	53
AIR CONDITIONER, KECO MODEL F-9		
Publications--How to get	66	43
AIRCRAFT, ARMY, GENERAL		
Aluminum Alloys--New numbers	88	57
APU Tug	89	61
Battery		
Acid--Neutralize immediately	86	57
Capacity check	86	59
Chocks		
All usable	88	56
Use for runup	86	57
Cold Weather Equipment Preparation	83	56
Conversion of manuals	72	51
Danger of Cockpit	78	59
Don't fly when ill	80	45
Dusty operations	91	56
Ear Plugs	80	43
Engine		
Radial engines--Push rod packing-gland nut	64	2
Return spark plug with failed engine	72	51
Fire Extinguisher Type A-20--Can damage eyes	86	53
Follow torque valves	86	55
Forms		
DA Form 468--Communications equipment	68	52
DA Form 1890	69	55
DD Form 781-2--Use descriptive words in Block 27	85	42
DD Form 1275--How to fill out	93	54
When to use 468 or 2028	83	59
Fuel		
Additives (TCP) prevent fouling	78	61
Fueling		
Do's and Don'ts	87	47
Hold the hose	66	50
Use right grade gas	86	53
Gloves		
Protect from burns	88	53
Ground safety	71	53
Hangar--Safety	70	50
Harness, Shoulder--Protection	85	49
Instruments--Altimeter error	91	53
Light gloves improve stick grip	89	58
Lights, cockpit--Keep tight	91	55
Maintenance		
Detector Kit--Carbon monoxide	87	46
Don't switch men in middle of job	89	58
General	89	29
Tools and Equipment work stand	66	53
Wall sign	66	51
Manuals		
Supply--New 20P	77	47
Use them	81	50
Modifications--AR 750-712 gives authority	71	54
New shipment manual designation -- "S"	90	62
Oil--No high detergents	86	60
Oil Consumption--Keep running check	86	52

	PS	Page
AIRCRAFT, ARMY, GENERAL (Cont'd)		
Overhaul Program		
SCAMP		
DA Form 811 replaces DA Form 477	85	44
Review records before scheduling	81	48
Paint for nearby aluminum surfaces	90	65
Painting -- Dry days only	87	50
P. E. -- Staggered Scheduling	84	29
Plastic Areas--Cleaners and polishers for Preflight	79	23
Check gas before takeoff	85	49
Publications		
Conflict in	80	42
Multi-part TM 55's	93	60
Radio part procurement	73	59
Rig static grounds overhead	86	56
Safety		
Fueling rules	87	47
H21 (Shawnee) -- Emergency landing gear	87	48
Order detector kit	87	46
Spark Plugs		
Care of	79	18
Fuel additives (TCP) prevent fouling	78	61
Stop Nuts, Elastic--Use properly	88	52
Supply		
AOCP, parts requisition	68	52
Colored system marking tapes	87	46
Common hardware kit with steel container	83	63
EDP		
Missing fire extinguisher not EDP	85	40
General--AR 715-630 authorizes local procurement	73	59
Modification kits	66	52
Quick turn-ins prevent EDP's	88	60
TC supply letters 30-59 and 31-59 (Apr)	84	65
Urgent--procedure	76	59
Taxi Accidents	77	46
Tools		
Torque Wrench--Color coding	87	44
UER		
L20(Beaver) -- Brakes	85	44
Use on new hardware kit	83	63
UER Digest	72	50
Windy Windsock--Army aircraft info	18	856
AIRCRAFT, ARMY		
Fixed Wing		
Clean brake master cylinder daily	65	48
Engine--Correct marks on oil gage (dipstick)	65	49
L19 (Bird Dog)		
ARC-44 Harness	77	47
Check for soaked heater ducts	82	19
Engine 0-470-11--Authority for 1200 hrs between changes	84	38
Five failures listed	15	704
Fuel drains--Bare hand check for freezing weather	83	56
Fueling	66	50
Lubrication--Of rudder pedal bearings	72	54
Rear stick seat check	86	59
L19A--Keep replacing bad tailwheel springs	85	43
Tire Pressure 30 PSI	71	53

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Fixed Wing		
L20 (Beaver)		
Battery--Keep drain hose in cup	83	57
Brakes		
Don't stockpile--use UER if they fail too often	85	44
Replace 4200 series valves with new ones	85	48
Brake cylinder forks--Use care adjusting	88	58
Care of air filters	64	3
Check inlet screw when replacing fuel pump	86	54
Control column -- ground check	81	50
Keep feet off fairings	83	64
L20A		
Portable oxygen system--Order from TC	81	51
Substitute tailwheel strut	88	59
L23 A & B(Seminole)		
Better landing light--Use UER	87	45
Engine--Overspeed change	66	52
Propellers--Painting of	72	53
U-1A (Otter)		
Don't push horizontal stabilizer	76	57
Rotary Wing		
Covers keep birds out	78	62
H13 (Sioux)		
Be your own inspector	82	20
Check out ARA-31 antenna mounts, weld cracks	83	57
Clutch shoes oily?	78	59
Engine mount checking	80	43
Ground handling	73	60
Grounding static electricity	76	58
Hub link check	73	58
Keep servos clean	86	55
Lubrication	71	55
Lubrication--Extra care for dusty conditions	86	58
Sun Shade	91	58
Swashplate bolts--Don't use wrench	87	49
Tail rotor drive shaft--Grease to prevent rust	87	49
TM 1-1H-13-537 (27 Dec 57) -- Canceled	72	53
Work Platform	90	63
H13C		
Control disk adjustment	78	58
Duck when walking under blade	89	59
Main rotor vibrations	79	21
Safety gear stowage	72	52
Spark plugs--Possible cause of fouling	84	39
Tail rotor inspection	80	44
Tight spacers--Main rotor droop restrainers	83	60
Trunnion cap adjustment	79	21
Lycoming engines--Start on right magneto only	85	46
H13H		
Modification stops clutch slippage	88	56
New Skid bolts	82	65
Oil change procedure	83	64
H19 (Chickasaw)		
Heater--Fuel line chaffing	64	3
Main rotor blade retaining nuts--new torque value for nylon nuts	83	62
Stop battery overflow hose kinking	82	65
Tail rotor gearbox input coupling--Hidden fitting	86	58
Tight spacers--Main rotor droop restrainers	83	60

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
H21 (Shawnee)		
Engine oil pump plug--Torquing	78	60
Fuel cap check	68	53
Mobile emergency landing gear	87	48
Shawnee--Rainshield boots draining transmission oil sumps	66	50
H34 (Choctaw)		
APU--Cold weather parts saver	83	58
Cargo hooks--Keep sand off.	85	48
Check pump-to-filter hose	85	47
Emergency exits--Don't wire	65	50
Main rotor blade retaining nuts--new torque value for nylon nuts	83	62
Oil pressure's measured at pressure gage pick-up point.	88	54
Proper mooring	71	52
Shroud rings chaffing	50	65
Tail rotor--Don't use to rotate main rotor.	83	62
Throttle Kit.	83	61
Use of handholds.	66	51
H34A		
Check pump-to-filter hose	85	47
Engines--cutting out	64	2
Primary servo now recoverable	86	54
Rotor blade cleaning	80	42
Stop oil hose chaffing	81	49
H37 (Mojave)		
Hydraulic oil	69	58
Tail shaft coupling--prevent grease lock	85	43
Tail Wheel--Lubing.	83	59
Throttle Servo Assy--cycle test for leakage	83	61
HU-1A (Iroquois)		
Don't touch stabilizer damper shaft nut	91	54
Mooring--High visibility tip socks	79	20
AIRCRAFT, ELECTRONIC EQUIPMENT		
Radio Sets		
Identify radio connections when removing	87	50
AIR FILTER		
M6 Filter Unit--Publications	54	39
Tractor--Keep it clean	21	996
AIR-HYDRAULIC SYSTEM		
Reservoir--Drain daily	24	49
AIRPLANE SMOKE TANK (See SMOKE TANK)		
AIR TANKS		
Reservoir--Drain in cold weather	25	14
ALCOHOL, DENATURED		
Chemical Corps Stock No.	29	49
ALINEMENT		
Tires, Signs of wear.	21	961
Wheels and tire wear	44	20
ALUMINUM ALLOYS		
New numbering system	88	57
AMMETER		
Replaced by voltmeters.	44	32
AMMUNITION		
Boxes, Keep rust off	33	10
Cleaning, stacking, storing	34	36

	PS	Page
AMMUNITION (Cont'd)		
Damaged, Report to Ordnance	51	32
Fixed, separated--Loading tank guns	69	43
Give it the right care	26	34
Misfires, Small arms--What to do	54	22
Mortar, Misfires not due to faulty ammo	10	442
Powder--Don't tamper with.	27	49
Stack and sort for accuracy	18	841
	47	49
Tank loading--Fuze	52	32
Tank Loading and Handling	92	29
Use right rifle grenade cartridge	16	702
ANCHOR, HOLMES GROUND		
Vehicle recovery, How to use.	54	6
ANTENNAS		
AS-813/TRC-47--Don't step on platforms	93	14
Beware of AN/GRC-19 Antenna	84	51
Don't Crack Insulators	88	47
Don't let touch wet surfaces	89	20
Keep Free of Ice	90	42
ANTI-FREEZE		
Check types when mixing	84	38
Cold weather operation	37	34
Degree requirements	37	24
Drain in spring, don't save	53	37
Draining, storage	43	32
Ethylene-Glycol		
For water-cooled machine guns	17	798
Needs right amount of water	16	730
Storage in 0°F. temperature	31	29
Use	24	49
How to use.	89	26
Hydrometer--Check temperature correction	65	42
Keep supply on hand	92	65
ANVIL		
Improvised scrap "I" beam	43	48
APRON, BATTERY WORKER--Authorization and use.	63	43
ARMORED PERSONNEL CARRIER (See CARRIER, PERSONNEL)		
ARTILLERY (See also HOWITZERS and GUNS)		
All firing info goes in Gun Book	80	65
Backlash tolerances	25	48
Check recoil oil	21	988
Cleaning subcaliber devices	54	33
Cold weather maintenance	49	32
	52	2
Gun Tube--Chrome plated gun or tube must be exercised.	83	39
Gunner's quadrant--Check accuracy	27	41
Gunner's quadrant--Spare	55	37
High Angle Cant	9	387
Keep recoil oil in potentiometer can	24	30
Maintenance--Inspect annually	30	29
Master gages--Accuracy check	51	31
Nitrogen--Reassure is important	39	49
Replace gas check pad.	25	34
Various ways to exercise	87	2
ASSEMBLIES		
Unserviceable, Turn 'em in	33	12
ASPHALT DISTRIBUTOR, GST MOD SDC		
Blower--Quick-disconnect fix	67	62
ATTACHMENTS, ENGINEER		
Cold weather operation, preparation	37	37

	PS	Page
AWARD, DISTINGUISHED DRIVER'S		
For top drivers or mechanics	18	818
	65	1
AXLES		
Breathers, Keep clean	41	16
TB Ord 529 gives adjustments	17	794
Two speed water-proof electric gearshift motors, rust, corrosion	33	43
AXLES, SHAFT, REAR		
Truck 1/4-ton, Measuring end play	57	31

B

BAKERY TRAILER, M1945		
MWO 10-1699A-3--New Lunette	64	16
BALLISTIC COMPUTER M13, M13A1		
Ammo selector handle--Operation	59	11
Goofs in operation	53	22
Keep ammo selector shaft from binding	73	26
Make right ammo selection	72	58
Test Set, Missile electrical system-- FSN for 6 1/2 Fuse	70	28
BARREL SKID, M1		
Three different lengths	60	39
BATH UNIT, MOBILE		
Keep it level	58	40
Safe operation	67	12
Use coupling spanner	70	28
BATTERY (See also Electrical System)		
Accessory 12-Volt accessory w/24V	17	792
All About It	85	58
BA-42 used in fuze setter M26	58	49
Bulging	54	16
Cable (See Cable)		
Capacity Test	42	6
Caps--Leave on when charging	57	29
Carriers--Give right PM	30	11
Carriers--Preparation for painting	75	63
Chargers--Engineer responsibility	36	31
Check		
Hydrometer Test--Temperature correction	65	42
Summer check list	44	30
Voltmeter method	19	867
Checking		
Reversed cells in 8T type	24	18
What to look for	42	5
Cleaning		
Care, Cleaning	17	763
	60	21
Responsibility	59	39
Use sodium bicarbonate	23	48
Cold Weather		
Care	19	868
	25	23
	37	23
	50	4
Proper care and maintenance of equipment	63	44

	PS	Page
BATTERY (See also Electrical System) Cont'd		
Corrosion		
Dirty battery unreliable	17	762
How to prevent	49	28
Paint for trays	90	65
Cover clamp for tracked vehicles	81	13
Cover clamps --Short circuit	77	17
Dry-Charged		
Maintenance	79	24
No extra charge needed	42	31
Reverse charging	30	32
Storage	44	34
Electrolyte--Don't try to adjust	63	31
Engineer Equipment		
Prepare for winter operation	37	36
Freezing		
Points	19	863
Points--Chart of	65	42
Temperature	61	31
To avoid	64	14
Ground Cables		
Handling	40	19
Remove	58	29
Tape before removing cover	39	49
Handling		
Removing, installing, maintaining	49	21
Hardware		
Lugs, cables data on	22	14
Hydrogen Gas		
Dangerous	54	16
Inactive Vehicles	20	920
Installation		
Cable lug	21	1000
Hold down rod	50	63
Loose connections	54	16
Marking holes for identification	69	28
Short connections with 6 TN's	25	48
Jumper Cable		
How to test	42	8
Leak		
Circuits, 24-volt Auto-Lite regulator	25	31
Lifter--Made from scrap metal	77	60
	22	16
	55	14
M-Series Vehicles--New TM	77	65
Matching	54	14
New cover clamps for SP guns	81	13
Operation--tips for hot ones	21	961
Regulator--Set high	54	17
Removal--How to take out	31	6
Repair--Authority for 2 HN, 6 TN's	35	49
Short Circuit	54	16
Signal		
BB-401/U		
Correct plug for cells	92	15
Maintenance	70	2
Matching	90	48
New wire numbers	78	47
Proper electrolyte level	78	47
Right number for	90	49

	PS	Page
BATTERY (See also Electrical System) Cont'd)		
Storage		
New TM for	79	65
Operation	19	861
Recharge regularly if not used	33	16
Setting on concrete floor	35	29
Sulfated--Report it	87	39
Testing		
Voltage of each cell	48	19
With old circuit tester	8	332
Troubleshooting		
Commercial-type vehicle	47	3
Vents clogged in caps	54	17
UER (DA Form 468)	55	16
Undercoat, Use of	33	11
Vent Holes--Keep open	25	48
Water--Added only when needed	18	816
Watercraft--Care of	65	51
Waterproof		
Electrical system--How it works	19	859
Give one reading	22	3c
How to charge	66	12
BATTERY, CHARGER		
Engine driven--Use of	66	12
BATTERY, MULTI-METER		
Weston, Simpson Models	46	29
BATTERY, RESISTOR		
Use with slave cable--Run vehicle without battery	53	23
BATTERY, SNIPERSCOPE		
Replace twist-type fuse holders	45	42
BATTERY, TACHOMETER		
Issue commercial type	39	17
Selection	37	30
BAYONET M1		
Grip--Plastic gets soft	28	30
Handle, scabbard--Not to be used as tool	18	856
Scabbard, Tie on to prevent injury	56	41
BAZOOKA (See Rocket Launcher)		
BEAD CLIPS (See Tires)		
BEARINGS		
Maintenance	32	2
	67	29
Roadwheels--Cones and cups match up	39	18
Water-Pump--Use ball bearing lube	32	43
BELLCRANK (See Steering, Bellcrank)		
BELLOWS SEALS (See Tractor D-8)		
BELT, V		
Adjustments--How to make	49	16
Care--Maintenance	64	21
Generator, Onan WC4-7, 55--Proper size	66	39
Maintenance--Check for wear	28	20
Performance chart	64	29
TB ORD 529 gives adjustments, specs	17	794
BINOCULARS (See Optical Instruments)		
BLACKOUT DRIVING LIGHTS (See Lights, Blackout)		
BLANK FIRING (SEE GUN MACHINE 30 CAL)		
BLOCKS, RIGGING		
Snatch--How to get	88	39
Use	54	2

	PS	Page
BOLT		
Drum cleaning machines--Replace rivets	54	40
How tight is tight?	90	29
Nike Ajax Missile--Using warhead retaining lug bolts	66	6
Tightening--Loosening by the clock	16	732
BOOK, GUN (See Weapon Record Book)		
BOOSTER COILS		
Magneto fired engine starting	59	15
BOOTS		
Use saddle-soap and elbow grease	57	44
BORE CLEANER		
Don't mix with water	38	2
Keep weapons clean	40	41
Used on small arms and artillery	61	36
BORESIGHTING		
Gun 40mm, M42, How to set guns	37	42
Tank FCS--Crew duties by the numbers	33	40
BRAKE		
Air--Trailer hose substitute for brake	26	46
Aircraft L19--Clean cylinder daily	65	48
Burning off grease and oil--taboo	74	38
Cold weather care	37	27
	63	46
Control linkage, Transmission CD-850	35	18
Cylinders--Check condition when relining	86	15
Cylinders--Rust locks truck wheels	28	31
Engine--Braking power helps brakes	30	2
F32F Convertible Bus--Stop, Fix	30	47
Hydraulic--Do not use OHC	64	34
Hydraulic line connection check for leaks	26	49
Hydraulic--Trailer release fix	83	27
Lining--Wet and frozen	63	46
Shoe washers M37	67	27
TB Ord 529 gives adjustments, specs	17	794
Trailer--Get right wheel cylinder	84	10
Wheeled Vehicle brakes--Care, cleaning replacing	74	19
BRAKING		
Chart--Reaction time, distance	6	244
	57	12
BREATHERS, AXLE (See Axle Breathers)		
BREATHING APPARATUS		
Compressed Air Adapter-detector M3	76	27
See Oxygen--Breathing apparatus	72	12
BRIDGE ERECTION BOATS--Cold weather care	72	24
BRUSH		
Channel type, Supply SNL	33	30
BRUSH, PAINT, OVAL (BRUSH, SASH, TOOL)		
In General Mechanics tool set	61	49
BULK MATERIAL		
Requisitioning--Order exact size	54	45
BULLDOZER		
Blades--Coat with oil to prevent rust	50	50
Cat D8		
Be Your Own Inspector	79	42
Cable Unit--Free play in clutch	62	60
Compression Lever--Position with rig shutdown	54	43
Hydraulic hoses take punishment	24	41
Mounted on low-boy--Clearance	53	61
Operation--How to clear ground	32	26
Operation--Tricks of trade	19	899

	PS	Page
BUS		
Dodge 37-Passenger--Battery, fix for protection	74	63
Identification--Signs near door	15	672
Passenger, ACF-Brill, generator shield	40	49
1957, 37-Passenger Dodge--Electrical system, replace light wire	69	14
37-Passenger, Fire extinguisher and Fire axe breakage	69	63
Towing the Fageol and Brill	88	41
C		
CABLE		
Air Cleaner	45	49
AN/MPQ-4 and AN/MPQ-10--Avoid sharp bends	86	26
Battery		
G742 Series--Replace with shorter lead	77	18
Make Cable to use old batteries	22	14
Short connections to 6 TN	25	48
Testing	42	7
Battery Jumper--How to test	42	8
Battery, Truck--Keep slack in check	31	14
Clamp--Use with load binder	92	12
Coaxial Connectors--Waterproof tape	78	43
Electrical, Insulated--Make worn insulation good as new	23	17
Firing--Stop accidental discharge	29	37
Generator--Repair rubber covering	46	30
Ground Circuit--How to test	42	9
Guy line for M62 to hold down boom	56	23
Handbrake, M52 5-ton tractors--Cable	22	30
Ignition--Replacement	17	808
Intervehicular--Fixed	86	37
Preventive Maintenance	53	56
Proper care of connectors	82	56
Proper care of cords on AN/GSA-6 Chest Sets	83	18
Proper handling in telegraph terminal equipment	83	16
Proper handling of Spiral 4 connectors	75	24
Repair--Make one if lug end breaks	24	48
Slave--(See slave cable)		
Spark Plug		
Pin-holes cause miss	24	13
Spring loaded	80	17
Starter--How to test	42	7
Trailer light cable adapters	49	19
Winch		
Lubrication	27	10
Maximum pull	27	7
Tensioner--To keep cable on sheaves	28	30
Tractor--Keep in good condition	43	44
CAN, GAS		
Coat with preservative oil	45	48
Prevent nozzle dripping	70	39
CAN, OIL		
Carrier for	67	63
CANVAS, TRUCK (ALSO SEE TARPAULINS)		
Cab top--How to reinforce	48	46
Canvas for M38, M38A1	60	14
Canvas for M170 Ambulance	69	17
Cover--(See Cover, Canvas)		
Preservation	65	37
Protector--Truck 2 1/2-ton 424	69	64

	PS	Page
CAP, FUEL TANK FORDING		
Keep closed	38	20
CAP, GAS TANK		
Don't switch	34	17
CAPACITORS		
New item issued without lead	18	814
CAPS, GAS		
Latest valve type	78	18
CAPS, WIRE HARNESS M-SERIES VEHICLES		
Spare plugs--Blow out after unscrewing	44	37
CAP-SCREWS		
Identifying characteristics	86	16
Wire--Lock together	13	568
	52	15
CARBINE		
Bolt		
Artificer can repair	29	30
Tool disassembling	25	46
Cleaning--Gas piston nut	44	42
Ejector--How it works	93	37
Flatten metal end clip on sling	72	59
Gas piston nut--Removal of	22	3c
	61	37
Housing Pins--Avoid losing	32	31
Locking lug--Look for crack	32	49
Parts--Replace old ones	19	896
Sling--Leave slight slack	65	58
Troubleshooting	36	36
CARBON MONOXIDE		
Poisoning--Ventilate vehicles	52	10
CARBON TET		
TB 9-268 gives safer substitutes for carbon tet	83	65
Toxic	34	41
	52	8
	53	44
CARBURETOR		
Air compressor--Keep fuel line open	21	997
Briggs & Stratton Engine--Removing Set	55	44
Chevrolet sedan--Loose air-cleaner	44	46
Dieseling--Correction	52	16
Governor Housing--Take off break-in stop	26	18
Holley--2 1/2 ton truck--Fix for fast idling in winter position	25	18
Icing	40	31
Idle-Adjusting screen--Handle with care	46	49
Interchangeability--2-1/2 Ton Trucks	86	14
Light Tanks--Pull power packs to remove carburetor	36	33
Maintenance--Prevention of butterfly valve icing	38	37
Repair kits--Trucks 1/4-ton	69	39
Selection--G744 series 5-ton--Which of three	49	12
Strainer--Use care with fuel filter strainer	45	36
Tank--Some are interchangeable	19	870
	45	33
Throttle adjustment--M-series vehicles	49	10
Troubleshooting--Commercial vehicle	47	6
Truck--5-ton, Diesel degasser	44	35
CARDS, STOCK RECORD		
Locator & Inventory Form 9-71--Add column for due-in	47	46
CARGO, LOADING		
Truck stowage	35	21

	PS	Page
CARRIAGE		
Gun M19A1--Pintle	32	16
Gun 40MM--Lube Order	31	49
M1A1 40-MM--MWO for portable generator	23	43
M2A2, Howitzer--Faulty bushing housings	35	33
M41, M41A1, M42--Tools, Crowbar stowage	22	17
M42 (Duster)		
Checking generator output	41	49
Fuel line quick disconnect coupler	68	23
Install tailpipe deflectors	45	6
Running the mount	45	2
Steering control oil cup	64	11
Steering cross bar	56	25
M42, M42A1--Hubcap repair	64	8
CARRIER, CARGO		
Otter (M76 Amphibious)--Shutter, cooling air duct covers run cool	28	19
Otter		
Fuel injection system	67	2
Road wheel arm lifter	69	12
Towing, On land, afloat	20	913
Wheels road--Use hydraulic jack	49	30
CARRIER, LIGHT WEAPONS M274		
Be your own inspector	70	52
Correct tire pressure	71	16
Correct way to put on wheels	71	16
Introduction to	68	2
Starter--Care and operation	70	57
Tailpipe--Fix to prevent clogged muffler	74	64
Towing	75	27
Towing--Prevent clutch damage	74	21
CARRIER, PERSONNEL, ARMORED, M59		
(M84--See CARRIER, SELF-PROPELLED MORTAR M84)		
Access Panels--Running engine without panels	54	49
Batteries--How to hook-up	46	17
Circuit breaker kit	66	22
Controlled Differential--Fix	84	64
Crankcase breather assembly--Keeping it tight	69	62
Cupola M13		
FSN's for trigger solenoid	80	3
Install sight link assembly right	83	23
Keep batteries up to strength	93	6
Keep retainer ring capscrews tight	80	5
Keep weapon with vehicle	92	17
Keep water out of slip ring	80	4
Loading 50 Cal ammo	80	2
Mounting machine gun	83	20
Projections	90	38
Protect hatch seal	83	24
Differential		
Reading the dipstick	86	39
Drain Plugs--Ramp	89	38
Drivers' Data Hull--Stiffeners cracking	58	49
Electrical harness lead chafing	76	25
Final drive--Location of dipstick	66	37
Fire extinguisher--Cautions	71	18
Fuel systems	70	42
Fuel System--How to increase fueling rate	71	64

	PS	Page
CARRIER, PERSONNEL, ARMORED, M59 (Cont'd)		
Hydraulic Pump--Don't change oil	70	37
Identifying engine tach shafts	76	65
Infra-Red Periscope Mount--info	80	4
Info on ordering seats	87	38
Life preservers	48	33
Litters (Stretchers)--How to install	74	20
Lubricant--Use angle fittings	31	7
Manifold--Correct torque	69	16
Manifold--Correct torque of knots	63	37
MWO Info--Fire extinguisher and fuel pump	86	13
Oil Level--Check in both engines	46	16
Operation		
Conserving vehicle life	74	26
How to operate, maintain	46	2
How to operate, maintain	84	12
Ramp seals	62	65
Painting the ramps	85	17
Parts Manual--New	92	17
Periscope		
M17 Allowances	88	20
Ramp Control Handle	90	23
Seals, Fire Extinguisher	90	39
Throttle-Rod--Check clearance at muffler baffle	30	11
Track tension adjustment--Care and lubing of adjusting nut	64	13
Transmission		
Abuses of	46	18
Control rods, bent by feet	55	17
Track pads--removing	92	63
CARRIER, PERSONNEL, ARMORED, M75		
Door stop--Fix	30	11
Engine frame, stop screws--How to tighten	69	14
Final Drives		
Drainage	71	40
Interchangeable	23	18
Fire Extinguisher--Safety plate cover fix	30	11
Lubricating--Pintle shaft	58	12
Parts Components--Not interchangeable with later models	30	40
Periscope--Kit for infra-red	33	49
Production Changes	24	15
Towing--Don't do it	41	30
Track tension adjustment--Care and lubing of adjusting nut	64	13
Vision Blocks--Defective	25	48
CARRIER, SELF-PROPELLED MORTAR M84		
Info on ordering seats	87	38
M13 Cupola		
FSN's for trigger solenoid	80	3
Install sight link assembly right	83	23
Keep batteries up to strength	93	6
Keep retainer ring capscrews tight	80	5
Keep water out of slip ring	80	4
Keep weapon with vehicle	92	17
Loading 50 Cal ammo	80	2
Mounting machine gun	83	20
Protect hatch seal	83	24
Watch that infrared periscope	93	6
Manifold--Correct torque	69	16
MWO, TB Info--Fire extinguisher and fuel pump	86	13
Ramp Control Handle	90	23
Use only first MAC	87	7

	PS	Page
CASE, GEAR, INTERMEDIATE, 120MM GUN		
(See Elevating mechanism)		
CASTOR OIL		
Shock absorber fluid--Use technical grade	52	49
CATERPILLAR (See Bulldozer)		
CHAIN, TAILGATE, RUBBER COVER		
Scrap canvas--A good replacement	29	16
CHAINS, TIRE		
Identification chart--Don't second-guess	28	38
How to get them	48	49
Installing	84	4
Requisitioning--Justification needed	37	17
CHARGER BATTERY		
Engine driven--Use of	66	12
CHARGING SYSTEM, 100-AMP		
Adjustment	70	65
Checking with volt-ohmmeter	43	5
Description--Operation--Checks	43	2
	59	41
Fan Belts	90	24
Kit--100 amp AC-DC M38, M38A1, G-741, G-742, G-749 trucks--Use with radio	59	41
Regulator Box--Remove resistor	63	31
Stock No. kits	48	20
Testing low voltage circuit-tester	43	12
CHART		
Vehicle--Mileage, fuel, maintenance	40	48
CHEMICAL CORPS, CHIEF		
Letter	48	1
CHEMICAL DETECTION KIT		
New item in kit	81	22
New requisition address	56	47
CHEST, TOOL, EMPTY		
Allowance--One per major item	46	31
CIRCUIT BREAKER		
(See CARRIER, PERSONNEL, ARMORED, M59)		
CIRCUIT BREAKER, REO TRUCKS		
Headlight circuit--Not in later models	45	32
CIRCUIT, CHARGING		
Resistance test--Using circuit tester	42	13
CIRCUIT TESTER, LOW VOLTAGE		
Ammeter leads--Use spade-type terminal	54	46
Generator--Polarize thru field	93	28
Testing 24-V tank system	65	2
Testing 24-V truck system	56	2
Testing 100-amp charging system--Use AC-DC voltohmmeter	43	12
CIRCUITS, WIRING		
List--Identified by number	38	4
CLASSIFICATION, VEHICLE NUMBER		
Bridge weight	45	19
	69	38
CLEANING		
Battery	17	763
Engine Cooling System--Use cleaning compound only when clogged	53	65
Hoses--Pressure damages instruments	47	16
Lenses	26	48

	PS	Page
CLEANING (Cont'd)		
Material--Lubes	24	35
Motor vehicles--Higher echelon repairs	70	27
Motor vehicles--Pre-summer check	44	23
Optical instruments--Lenses	20	941
Radios		
Don't use steel wool	78	42
Supplies--Use with optical instruments	59	10
Trucks--How to wash	3	102
Trucks M34-M35--Keep water away from air cleaner	29	49
Use sodium bicarbonate	23	48
CLEANING COMPOUND		
Engine Cooling system		
Easy on use	44	49
Use only when clogged	53	65
CLEANING ROD, M10 (SEE ROD, CLEANING)		
CLOTHING		
Insignia--Attach by sewing	89	64
Maintaining personal clothing	71	50
Removing stains	90	2
See AR 700-8400-1 for "unfair" wear and tear	87	39
See AR 746-10 for marking	76	65
CLUTCH		
Adjustments--See TB Ord 529	17	794
Double-sprag		
Check and adjust	13	566
Correct slippage and jumping out	37	14
Earthmoving equipment--Life	27	44
How to mark free travel	41	45
MWO--Install better seal	45	16
Oil cooler--Failure of	7	279
Pedal--Control rod too short	26	19
Release Lever--MWO, install jam nuts	45	16
Release rod--Replacement, how to make	43	48
Truck 5-Ton		
Adjust free pedal travel	20	3c
Measuring free-travel of clutch pedal	34	48
Minimize failures	19	872
Remove cap-screws used in assembly	27	15
Truck 5-Ton G744--Cap screws	54	14
"Velvetouch" Disk	40	33
COIL		
Commercial-vehicle--Troubleshooting	47	11
COLD WEATHER CARE		
Cold weather PM on communications gear	84	42
New cold weather TM, TB	89	65
Proper care and maintenance of engines	63	45
Starting Kit (Slave Kit)--Authority for	63	29
Starting Kit -- Use	84	5
COLLARS, THROTTLE WIRE		
Make your own	31	13
COLLECTIVE PROTECTOR M-7(See FILTER UNIT, GAS)		
COMBAT, PM		
Combat story--PM keeps you mobile	15	709
COMBAT VEHICLE		
Fuel tank--Replace filler tube collar bolts	67	65
Track pads--Care of	67	53
Track road wheels--Base separation	67	52

	PS	Page
COMMAND RESPONSIBILITY, PM	54	1
	23	1
	61	1
	75	1
COMMANDER'S OVERRIDE RELAY, TANK M-47		
Disconnect, save traverse gear-box	13	565
COMPARTMENT, TANK DRIVER'S		
Keep equipment off gearshift	26	48
COMPARTMENT, TOOL		
On Model 424--Drill drain holes	54	47
COMPASS, WRIST, LENSATIC		
Not repaired	60	45
COMPOUND, CLEANING (See cleaning, compound)		
COMPOUND, DC-4 (See Insulating compound, electrical)		
COMPOUND, INSULATING ELECTRICAL		
(See Insulating Compound, Electrical)		
COMPOUND, PROTECTIVE		
Protect tires	22	5
COMPRESSED GAS		
How to handle, identify	23	26
How to identify containers	62	26
COMPRESSION		
M-series vehicles--How to check	49	3
COMPRESSION, CYLINDER		
Engine AOS 895-3--Change in TM	25	30
COMPRESSION READING		
Add--TM 9-7002, para 103d	53	28
CONDENSER, IGNITION		
Commercial-vehicle--Troubleshooting	47	10
Waterproof electrical system--Function of	29	6
CONSTANT VELOCITY JOINTS		
Paint removing	57	48
CONTAINER, FOOD M1944		
Proper placement of gasket	74	24
CONTAINER, LIME		
Inspect from time to time	91	26
CONTAINER, METAL ASSY		
Installed on DUKW's--To hold gasket set	20	921
CONTROL BOX C-375		
Getting stop, electrical switch	93	10
CONTROL SWITCH		
Corporal XM2 erector--Use switch properly	66	9
CONVERSION KITS, TRAILER BRAKE		
Transport vehicles--SB 9-111 has info	28	49
CONVOY		
Use of headlights	54	29
COOLING SYSTEM		
Adjustments--See TB ORD 529	17	794
Care--How to master one	31	21
Cold Weather Operation		
Anti-freeze	89	26
Check for, Engineering Equipment	37	34
Cold weather care	25	23
Preparation for	37	23
Drainage		
Cleaning and flushing	18	830
Engineer Equipment--How to fill, drain	31	41

	PS	Page
COOLING SYSTEM (Cont'd)		
Drainage		
Flushing, Radiator	21	967
Procedure	38	35
Twice a year	53	37
Use of cleaning compound	68	28
Filling	77	7
Hot weather care--Summerizing cooling system	77	2
Hot Weather Operation		
Beat the heat	33	44
Fuel and Cooling system	78	18
Summer check list	44	30
Motor Vehicle--Seasonal Maintenance	43	21
Operation--Keep it working 100%	33	13
Overcooling--Causes and fixes	31	26
Overflow--Causes and fix	31	27
Overheating--Causes and fix	31	27
Pressurized--Remove cap	40	49
Troubleshooting	31	26
CORD, LIGHT EXTENSION		
How to use to light van, M109 and M220	29	31
CORPORAL		
Acid--Keep in tight drum	77	41
Acid Transfer Hose		
Stop leaks with sealing compound	92	22
Air hose--Check for wear	70	12
Conversion of FC's to MWO's	68	65
Drilling into missile component	69	27
Electronic Equipment		
Handling	77	61
Erector		
Adjusting the generator	87	16
Check relay actuator arms	79	15
Checking oil level in wheels	83	53
Keep gear assembly vents clean	87	19
Keep relay assemblies working	87	65
Use control switch properly	66	9
Use of spare tire	89	44
Firing Station		
Requisition rubber switch boots	87	18
Forms		
Completing DA Form 9-110	93	47
Launcher		
Make another maintenance platform	92	26
Launcher M27		
Be careful with electrical conduits	87	18
Grind point off launcher blast shield	73	43
Longer life for outrigger jack screws	87	17
Missile		
Treating for corrosion	92	65
Missile servicing platform--Maintenance	70	13
Motor Generator Set		
Keep track of operating time	81	56
Propellant tank--Rotate right way	69	26
Propellant transfer hose--Keep nozzle screens clean	67	19
Publications		
Field changes converted to MWO's	86	65
Rollin Model 80 generator--Return for modifications	64	40

	PS	Page
CORPORAL (Cont'd)		
Servicing Platform, M280		
Oil level plug needed	89	46
Operate platform with care	87	19
Shipping Container		
Handling track--MWO provides all	69	27
Watch Humidity Indicators	89	48
Signal Generators		
Thermistor now called Bolometer	83	17
Supply requisitioning--Exchanging parts	67	24
Tools--New adapter bar for stabilizer attaching bolts	65	65
CORROSION		
Battery--How to stop, prevent (See Battery, corrosion)	49	28
COUPLERS, R. F. (See Fire Control System M33)		
COUPLING RECEPTACLE		
Vehicle-to-trailer	53	24
COVER, CANVAS (SEE ALSO TARPAULINS)		
Howitzer, 155MM--Stamped wrong	42	49
Tank M48--Use to protect turret	46	33
COVER, GUN MUZZLE		
Barracks bag fix	50	17
COVER, PLASTIC		
To protect official publications	75	53
CRANE		
Boom		
Don't operate near power lines	35	44
Lubrication--Use GAA on pivot post housing	58	14
Operation	44	46
Operating--Moving equipment	39	45
Painting boom tips yellow	28	43
CRANE CARRIERS		
Adjust Lipe-Rollway clutch	35	43
FWD Model MUC 6x6		
Emergency Brake Locks	88	23
Get help when going's rough	83	42
Get help when stuck	48	45
Torque arm bolt rubs prop shaft	70	62
CRANE, FEDERAL, 5-TON		
General maintenance	62	44
MWO's 10-1694A1-A2	53	49
Operating hints that add up to good PM	84	16
CRANE, SHIELD BANTAM		
Move cab handrail	66	63
CRANE-SHOVEL, GARWOOD		
Be Your Own Inspector	85	20
Boom--Protect cradle with blocks	83	40
Guard for instrument panel lights	84	62
Leaky cab roof	73	57
M20B		
Operating Tips	92	42
Plug oil hole in pinion-bearing-housing	93	21
Relocating tach cable	92	44
Operation--Ground guide signals	17	802
Stronger ball joints available for crowd and retract linkage	30	42
Voltage Regulator Shield	81	45
Windshield wipers not authorized	30	42

	PS	Page
CRANE SHOVEL, LIMA		
Mod 802		
Fuel pump loses prime	45	44
CRANE, WRECKER, M62		
How to lube	21	982
CRANKCASE		
Clark Model HO-6-4C Air Compressor--Cleaning	47	41
Dilution		
Caused by overchoking	39	39
Solution to	48	21
Donaldson Valve (See Valve)		
Explosion--Safety tips	49	43
Tractors--Oil level, fill right	34	42
Truck, 1/4-ton		
Capacity, don't overfill	25	16
Capacity--Keep 'em full	84	40
Use right dipstick	26	29
Trucks, 5-ton--Fix Stops crankcase explosions	27	2
Ventilating system--Clean system connecting lines every six months	28	16
Ventilator valve--Maintenance of	5	200
CRANKSHAFT PULLEY		
Truck 1/4-ton--Split pulleys, rivet, weld	18	837
CREEPER		
For getting under higher vehicles	18	817
CURTAIN		
Canvas for M38, M38A1	60	14
Canvas for M170 Ambulance	69	17
Truck 1/4-Ton--Canvas closure kit	78	39
Truck 1/4-Ton Utility--Short rub plates	64	16
Truck 1/4-ton Utility-Stk Nos	40	49
CV JOINTS		
Front wheel--Check turning angle	27	15
Keep shiny clean	15	679
CYLINDERS		
Waterproof electrical system--Function	29	14

D

DECALS		
Application--Make them stick	54	26
Replacement--Use stencil, paint	40	39
Substitute--Use stencil	51	13
DECONTAMINATING APPARATUS		
Wooden tank replaces steel tank (MWO 3-223-1)	75	55
DECONTAMINATION		
CBR Shelters--Equipment for	82	65
Chemical, biological, Atomic Attack	33	2
Decon Unit		
Flush out slurry	67	55
Hose, spray	54	39
Hot weather agitation	56	46
M3, M4--Depreserving procedures	55	38
M3, M4--New mounts needed	55	39
M3A1, M3A2--Removing chain guard	49	39
M3A3--Be your own inspector	64	18
DEEP WATER FORDING		
Kits		
For wheeled vehicles	66	18
Reorder single components	43	32
Preparation of Vehicle	89	2

	PS	Page
DEPOT MAINTENANCE (See Maintenance)		
DESSICANT		
Use of (in tank telephone boxes)	64	10
DETECTOR KIT		
Chemical Agent--New requisition address	56	47
Chemical refills for M9A2	53	42
Chemical refills for M15	92	46
Correct M9A2 color code and instruction card	84	61
DETONATION SET, WAR GAS IDENTIFICATION, M1		
Keep track of nuts and bolts out of container	84	61
DIESEL FUEL (See Fuel)		
DIESELING (See Carburetor)		
DIFFERENTIAL		
Drive flanges G742 and G744	67	41
DIFFERENTIAL, TRANSFER CASE		
Prop shaft seals, flanges--Clean	22	15
DIPSTICK		
Diesel Engine--How to read	61	42
M38-M38A1--Jeep right one	59	22
DIRECT EXCHANGE		
Parts, Ordnance--How it works	15	682
DIRECTIONAL SIGNALS (See vehicle, administrative)		
DIRECTIVES		
How to interpret	78	29
DISPATCHING (See Form DD110)		
DISPENSERS, FUEL		
Don't override the governor	83	46
DISTRIBUTOR		
Adjustment--Spring tension method	21	998
Break Lever Spring--Adjustment	20	3c
Burned Points	91	37
Cap--Check for cracks	92	19
Cleaning	49	7
Felt Wick--Inspect, lube replacements	15	672
Function--In electrical system	29	3
Lubrication	16	742
Model 424, 3100 trucks--Cap to stop dust	64	17
Spring Tension--On rocker arm	15	673
DIVING EQUIPMENT SET #2		
15 CFM Air Compressor Removed	84	56
DOUBLE-CLUTCHING (See Truck, 5-ton)		
DONALDSON VALVE (See VALVE)		
DRAIN PLUG		
Flywheel housing M-series trucks	53	65
Ramp, M59 APC	89	38
DRAIN VALVE		
Tracked vehicles	66	65
DRIVER, TRAINING		
Award	65	1
Award, distinguished	18	818
Clutch--Keep feet off	26	20
Deep water fording	89	2
Guide Pole--Installation	43	47
Quiz--A self test	31	9
Traffic Signs--Recognize by shape	31	10
DRIVING, TANKS		
Starting RPM's	89	65
Tips on	7	277

	PS	Page
DRIVING, WHEELED VEHICLE		
Blackout		
How to do	65	29
Judging vehicle distance	31	4
Double clutching	64	41
Icy driving	11	486
	62	29
	57	13
	75	56
Mountain--Brake-engine holding power	30	2
Reverse--Don't shift while in forward motion	29	20
Safe braking distance	57	12
DRUM, 55 GAL		
The right plug	71	39
16-18 Gage	59	49
DRUM CLEANING MACHINE		
Cap bolts on can-cleaning handles	54	40
Rails and Skids--Caution: They break easily	81	12
DRY LOCKER		
Storage--Optics, leather cases	59	7
DUCTS		
Herman Nelson preheaters--Responsibility	87	20

E

ELECTRICAL CONNECTORS		
Compound for rubber connectors	77	14
Kits--Waterproof, repair	53	38
ELECTRICAL EQUIPMENT		
Fuses--Use right ones	85	65
Ground--For safety	52	12
Turn off-Before power on	89	11
ELECTRICAL SYSTEM, WATERPROOF		
Battery operation	19	859
Check waterproof connector if circuit shorts out	27	14
How it works	29	2
How the control box works	23	2
Inter-vehicle	63	38
Voltmeter quick check	15	674
ELECTRICAL SYSTEM (WV)		
Battery-Generator indicator	88	65
TB Ord--Gives adjustments, specifications	17	794
ELECTRICAL TESTING		
Old Circuit Tester--Using on new equipment	8	332
Tanks, Use of Model 128--Low voltage circuit tester	65	2
TB for 100-amp AC charging system	81	14
Testing	56	2
	65	2
Use of Mod TV-100 and Mod 128 low voltage circuit testers on wheeled vehicles	88	2
ELECTRONIC EQUIPMENT		
Handling	48	7
	77	61
Have test equipment checked	82	16
Identifying fuses	78	48
Timing use of tubes	89	42
ELEVATOR, NIKE		
Piston--Proper lubrication and adjustment	65	23

	PS	Page
ENGINE		
Intake manifold--Removing cap'screw	63	29
R1820-84--Engines, cutting out	64	2
ENGINE, AIRCRAFT		
L19--Correct markings on oil gage	65	49
Radial engines--Push rod packing gland nut	64	2
ENGINE, AUXILIARY (See Generator, Auxiliary)		
ENGINE, CATERPILLAR		
Fuel--Keep it clean	18	852
Fuel Injection Pump--Loses prime	45	44
Gasket, Head--Lube limits leakage	48	44
Governor--Don't depend on it too much	41	42
Idle Speeds--When used with generators	48	45
Overspeeding--Hold it down	41	42
ENGINE, DIESEL		
Accessories--Attachments	73	41
Air cleaning systems	72	55
Cummins--Reverse flush cleaning	87	21
Heater Tubes, Connections--Check for leaks	28	45
ENGINE, GASOLINE		
AOS 895--Fuel pump diaphragm failures	64	12
AOS 895-3--Normal compression	25	30
AV 1790--Clamp to hold air cooler lines in tank M46A1	23	16
AV 1790--Different dipsticks	17	780
AV 1790--Fuel pump diaphragm	64	12
AV 1790--Oil filler cap lock	24	12
AV 1790--Sling to handle	29	49
AV 1790--Spark plug gap	48	19
AV 1790 and AO-895--Spark plug leads	68	25
Effect of lean fuel--Air mixture	72	38
895 Series--Spark plug gap	48	19
M330 Series--Water Pump lube	32	43
Tuneup--Cold weather adjustment	63	48
ENGINE, Gray Marine Mod Six-244 Engaging clutch properly	26	43
ENGINE, LIQUID COOLED		
Thermostats--Use all year round	68	42
ENGINE MANIFOLD (See Manifold)		
ENGINE, MILITARY STANDARD		
Operation		
Keep them level	88	28
Overspeeding--Abuse of Equipment	90	28
ENGINE, STARTING		
Hoist--Improvised	42	42
Starting--Tips on	32	44
ENGINE, TRACTOR		
Cold Weather check	37	35
Common Goofs	57	38
ENGINE, TWO-CYCLE		
Spark plug fouling--Use proper oil and gas to prevent	66	10
ENGINE WHEELED VEHICLE		
Cooling System--Use cleaning compound only when clogged	53	65
Down--shifting--Not for braking	30	3
Knocks--Cause and cure	18	819
Starting--When stalled	2	58
Summer Check list	2	21
Timing	66	54
Troubleshooting	2	21
	29	21
Tune-up	9	378
Winter Operation--Tips on	25	19

	PS	Page
ENGINEER EQUIPMENT		
Asphalt mixer	71	57
Cost of Equipment--Stencil on rig	28	42
Forms		
DA Form 5-73, 5-73A--Use of	80	46
Instruction--Needless engine idling	22	42
Inventory		
Change in Tech Service	90	40
Forms and procedures	75	40
Lubrication		
Cold Weather Operation--Right Lube	37	35
Converting LO Symbols to Hours	93	23
LO's Mandatory	42	45
Lube Guide Kit	39	45
Reading Diesel Engine Dipstick	61	42
Lubrication holder	73	55
Operation		
Check for debris	80	50
Leave on high, dry ground	52	45
Parts Support	54	44
Standard--Special lubes and their uses	25	44
ENGINEER REGIONAL MAINTENANCE OFFICE ERMR's		
Ready to assist with problems	30	43
ENGINEER, CORPS OF		
Added to PS Magazine	17	803
ENVELOPE		
Waterproof--For carrying vehicle forms	53	64
EQUIPMENT		
Deadline--Time cut	51	43
Exercising--As needed	63	48
Operation--Unauthorized	53	53
EXHAUST		
Cold Weather Care	37	26
EXTRACTOR RUPTURED CARTRIDGE		
Modification of	65	62

F

FAN BELT		
100-Amp--How to requisition	74	41
	90	24
Vehicle, tank recovery M74--Substitute	67	39
FANS, OIL COOLER		
Tanks--Check for faulty performance	38	41
FASTENERS		
Instrument Cluster--Dashboard	40	33
FIELD MAINTENANCE (SEE MAINTENANCE)		
FIELD RANGE, M1937		
Operating tips	65	52
Stems--Line up with knobs	48	41
FIFTH WHEEL, STANDARD		
How to Adjust	32	17
FILLER CAP, TANK		
Pressurized fuel systems	61	46
FILTER DISK		
Air Maze--A new way to clean	7	271
FILTER, NIKE PIT HYDRAULIC SYSTEM		
Cleaning fix for better filtering	67	23
FILTER, OIL		
M38		
Cuno Type--Servicing	85	15

	PS	Page
FILTER, OIL, FAGEOL BUS		
Breather Assy oil level change	36	32
FILTER UNIT, GAS		
Collective Protector, new name, pubs	48	38
FILTER UNIT, TANK M8A1 (See TANK, GENERAL)		
FINAL DRIVE, TANK, M46-46A1-47		
Gear Boxes--Match Gear Ratio	7	278
FINAL DRIVE, TANK, M47, M48		
Parts--Mate, don't mix 'em	21	969
FIRE CONTROL EQUIPMENT		
Read TM 9-3305-2 for info	72	65
FIRE CONTROL SYSTEM, M33		
Acquisition Antenna		
Antenna Assembly		
Control unit--Lubrication	46	33
	49	47
Dust filter, fiber-glass, check frequently on drive unit	31	38
Hydraulic fluid pump, remove drain plug	24	36
Painting---Use synthetic enamel	22	6
	40	39
	49	47
Radome		
Keep gaskets from getting beat	34	46
Lifting handles strengthened	22	9
Painting, maintenance	47	49
Patching, use caution	29	38
Patching kit, fiber glass	20	933
Personnel safety straps protect it when lifting	22	4
Sling, for hoisting radome	40	41
Tighten filler plug snug	32	49
Wave Guide assembly		
Blow dust out	36	48
Mate flanges properly	22	5
Stop arcing	32	35
Barbette		
All weather seal used in	17	800
Coupler, RF handy table fix	34	46
How to move onto parts trailer	29	47
Lift high when placing on coupling housing	22	4
Missing Calibrations	61	34
Modulator--New electron tube available	72	58
Pressurization unit--Use right fuse	72	41
Prevent Condensation	46	33
Service air filter with other filters	22	11
Weatherproofing	17	800
Wrap braces	33	48
Acquisition Antenna Derrick--Refer to Form 44-33A before using derrick	65	28
Battery		
Adjust the charging rate	22	8
	30	38
Ventilation Unit--Radar cabinet, insulate hold-down hooks	46	41
Battle Shorts--Use care when operating	7	299
Blower Motor Impeller--Check blade angle	70	11

	PS	Page
FIRE CONTROL SYSTEM, M33 (Cont'd)		
Cable--Bury	52	34
Cable--Protect with plastic coating	57	49
Condenser vacuum--Put on by Field Change 262.	64	38
Datum Point--How to get	60	46
Decibel Figures--In record book	32	39
Distance Between Guns--Setting up	36	38
Drain Plugs--M242, M244 Van--Open monthly	31	40
Dust		
Can foul up works	38	42
	46	32
Grease Seal--Replacing anti-freeze	25	32
Electrical Insulating Compound--Where to use	58	6
Engine--Gas supply from 55-gal drums	22	10
Field Change 373--Ball, gap spacing adjustment after FC is applied	64	38
Filter		
Dust causes balance converter failure	22	9
Dust--Replace when clogged	31	38
Gas (See Gas Supplies)		
Generator		
Disconnect switch jumpers	47	44
Failures	8	348
Hobart HF 30G--Sign "high voltage" needed	20	3c
Insulation Kit--To protect gas tank	17	801
Shop Truck--3-pole receptacle needed	43	49
Handling--Tips	12	540
Indicator Panel--Install plexiglass cover	22	12
Installation--How to	48	4
Leg Braces		
Anchor against wind	48	5
Sandbag protection against	38	42
Wrap Braces.	33	48
Lubrication		
Antenna control unit--How to oil	46	33
Antenna control unit lube--Change	49	47
Clean corroded spots & lube	31	38
Don't overlook track-antenna azimuth drive-ring	22	12
Grease--Aircraft instrument	41	32
Use grease aircraft, instrument, for magnesium surfaces	22	7
Magnetrons		
Cathode connectors contact	60	35
Check weekly	41	37
Checking power.	66	2
Don't clean with steel wool	85	65
Field changes needed for use of 5795	22	7
Maintenance--Check	48	2
Maintenance Records--Show serial No. 7	54	49
Nos. 709-735--Need attention by Ord	48	6
Replacing	26	36
Shorted by dampness	54	37
Tune Control--Go easy with adjustment	79	15
Turn in magnetron containers	63	49
MWO--Some modifications eliminated	79	65
Oil, Preservative		
Lubricating--Use on magnesium surfaces	22	7
Operation--Hints and tips	22	2

	PS	Page
FIRE CONTROL SYSTEM, M33 (Cont'd)		
Paint, Antenna		
Antenna Radomes--Use non-metallic	49	47
Enamel--Thinner	40	39
Magnesium surfaces	22	7
Right paint to use	70	65
Thinner needed for antenna	25	34
Use synthetic enamel on acq. antenna	22	6
Parts Failure--Return to WE Co	22	11
Parts Repair--Turn them in	41	36
Patching Radome--Calls for caution	29	38
Periscope--Tracking--Replacing optics	22	5
Potentiometers		
Annual check	22	7
Drain, fill annually	22	7
Insulating Oil--Bayol D	42	49
	54	35
Maintenance of	54	35
Power Measurement Reading	50	65
Radar Circuits--Check leads before replacing diode tubes 5C22	22	13
Radar Van M 33D--Receptacle strain	42	48
Radome--Painting, maintenance	47	49
Rail Guide--Failure, replacement	22	9
Rectifier		
Trouble	24	36
Tubes--Keep 'em warm	24	37
Replacement Parts--Differ from FCS T33	24	31
Safety Switch--Turn off before working on antennas	22	12
Servo System--Adjust for best results	36	39
Tracking Antenna		
Azimuth drive turntable--Water leak	31	30
Elevation-Drive--Hand lines to hoist	22	4
High Wind protection	48	6
Missing Calibrations	61	34
Modulator--New electron tube available	72	58
Spare the grease	26	36
Stow platform under radar van	22	5
Tracking Console--Changing TFI focus knob setscrew	63	49
Tracking Periscopes		
Focusing	31	38
Use plastic-type gasket cement	22	5
Trailer		
Brake buzzer fans	46	33
Keep it on level	38	43
Safe maximum speeds	36	39
Tubes 393A--How to get them started	35	47
Tubes, Electron--Radioactive--How to handle, dispose of	51	21
Vacuum Cleaner--Household model	22	9
Van		
Left side of system van is heavy side	22	4
Light--Blackout	55	49
Open drain plugs once a month	31	40
Spring bridging links	22	12
Tire pressure	46	33
Wheels--Rotation, marking system	22	5
Water Leaks		
Track antenna--Azimuth drive turntable, how to correct	31	30

	PS	Page
FIRE CONTROL SYSTEM, M33 (Cont'd)		
Winterization		
Winter Operation--Dust seal greases replacing anti-freeze	25	32
FIRE CONTROL SYSTEM, M38		
Azimuth Servo-motors--Failure	38	44
Bellows--Keep it clean	56	64
Generator--Shop truck, 3-pole receptacle	43	49
Log Book--Reproduce locally	60	36
MWO--Some modifications eliminated	79	65
Parts--Repair, Turn them in	41	36
Radar, Computer--No step on seat arm	60	36
Reports--Electronic failure	41	29
Sighting System--Pull regular PM	51	49
FIRE EXTINGUISHERS		
Authority for use on vehicle	27	43
Check, weigh, refill	89	37
Lock Wire--M103 tank	92	18
Which types to use	81	43
FIRE STARTER M1		
Clean glop off--Match head	70	27
FIRE TRUCK		
Primer Pump--Corrosion	87	20
Walter 1500GPM--Tech Assistance	87	21
FIRING LOCK T95		
Howitzer 155mm Self Propelled M44--Gun mechanic requistions and install lock	66	65
FIRING PLUNGER, AA GUN, 90MM		
Only one up-to-date plunger can be used	35	49
FIXTURE ASSY, TRACK TENSION ADJUSTING		
New tool for track adjusting	35	16
FLAME FUEL MIXER		
New coupler	59	43
FLAME-THROWER, M2A1		
Be your own inspector	71	48
Check pressure regularly	65	54
Check the O-ring	65	60
Pressure Group--Replace as unit only	57	42
Pull Trigger--Quick, fast, hard	73	25
Test Firing--Don't use water	93	7
FLAME-THROWER, M7-6		
Pubs--Marine Corps	48	39
FLAME THROWER MIX		
How to prepare	92	47
FLANGE, WHEELS, TRACK SUSPENSION		
Wear--Turn in worn wheels	45	8
FLASHLIGHT		
PM on MX-991/U	84	46
FLOATING SMOKE POT (See Smoke Pot, Floating)		
FLOOR, TRUCK, REMOVABLE		
Protects cargo body	20	951
FLUID, HYDRAULIC, BRAKE		
Use--Only on hydraulic brake systems	28	16
FLYWHEEL HOUSING		
2 1/2-ton truck, M34-M35--Blind-tapped boss	23	49
FOCUSING		
Optical instruments--Diopter adjustment	20	936
FOOD TESTING AND SCREENING KIT (See KIT)		

	PS	Page
FORDING KITS, DEEP-WATER		
Can reorder single components	43	32
For wheeled vehicles	66	18
How to use	89	2
FORDING VALVE HANDLES		
Don't play with 'em	37	47
FORMS, DA, DD, SF, ETC.		
Chemical Corps Form 3938	53	44
DA Form 5 Series		
5-22--How to fill out	40	43
5-73, 5-73A--FSC Code	89	38
5-73, 5-73A--How to use	80	46
	84	58
5-73, 5-73A, 5-77--How to fill out	75	40
5-73A--Tech Service change	90	40
DA Form 9-7--Fire Control System record book	22	6
DA Form 9-13 and 9-13-1 (Gun Book)		
Container	86	11
How to use new one	24	2
If lost check gun tube with pullover gage	15	702
Notations	59	19
Note blank rounds fired from artillery weapons	80	65
One Part II for each barrel	82	38
Record all info	76	25
Retain--With weapon	52	35
Weapon Record Book	24	2
Where to keep	37	32
DA Form 9-68--Send with vehicle when repaired	25	17
DA Form 9-71	4	150
	22	11
	26	8
DA Form 9-75		
How to use	57	21
Keep for 2 months	57	21
Replaced by DA Form 55-169	91	40
DA Form 10-46--MHE record	53	48
DA Form 10-103--It covers all QM SPE and SPV	83	47
DA Form 12		
Distribution	76	2
DA Form 17	1	24
	45	30
DA Form 55-169		
Filled out the same as DA Form 9-75	91	40
DA Form 285--For compiling accident records	54	44
DA Form 446--How to fill out	4	149
	21	984
	30	40
DA Form 460--Record oil changes	83	44
Destroy after 6 months	44	39
Improving a mileage chart for PM	18	828
PM rosters--Tech service using	46	41
Record oil changes	83	44
Scheduling equipment services	27	29
Show vehicles in limited storage	15	706
DA Form 461		
Acetate overlays	55	46
Inspection wheel, half-track vehicles	16	750
Overprint	62	64

	PS	Page
FORMS, DA, DD, SF, ETC. (Cont'd)		
DA Form 462		
PM service--Inspection for full-track vehicles	16	748
Send with vehicle for repair	25	17
DA Form 464		
Recording PM Services, TI's	82	14
Use with DD 110.	66	41
DA Form 464-B(R)		
PM Services, Nike elevator	82	14
DA Form 468		
Aircraft		
Communications equipment	68	52
L23 (Seminole) -- Landing Light	87	45
How to use during warranty period.	80	15
No conflict with DA Form 2028.	92	2
UER	2	3c
	25	41
	33	49
	45	2
	81	1
	82	1
	82	29
	83	1
UER, Aircraft--Digest of	65	49
UER--Batteries	55	16
UER--Chemical items--Change in address	49	39
UER--Clothing	87	65
UER--How to report defects	9	402
UER--Info on filling it out	24	21
UER--New AR	42	45
UER--Send to Ch. Engrs, Ch. Ord.	22	35
UER--Submit on Atomic Materiel	88	65
UER--Submit on transportation items	65	51
DA Form 478		
Care of.	93	29
Fire control--Item entry not necessary	22	40
Goes with equipment to which it belongs	44	39
Organizational Equipment file	52	21
Record jacket--Send with vehicle	25	17
Record MWO's	35	40
Rundown on forms in jacket	15	706
DA Form 1546		
Correct Usage	81	2
New supply forms	62	2
Requesting unauthorized or excess items	90	51
Use on TC items	84	65
DA Form 1890--Aircraft engine reports	69	55
DA Form 2028		
How to fill out.	71	12
No conflict with DA Form 468.	92	2
DA Form 2145		
How long to keep	82	40
Dispatcher's signature	82	39
DD Form 6--Equip damaged by shipping	25	41
DD Form 110		
Dispatch--How to	57	21
Dispatching--During maintenance servicing	66	41
How long to keep	82	40
	44	39
	32	40

	PS	Page
FORMS, DA, DD, SF, ETC. (Cont'd)		
DD Form 110		
Trip ticket	39	21
Trip ticket--Engineer equipment	53	54
Trip ticket--One for each vehicle	38	29
Trip ticket--Road-testing a vehicle	26	38
Use with TM	40	33
Use on Nike elevator	58	42
When to fill in destination	73	38
DD Form 313--Operator's permit	25	38
DD Form 314--PM schedule and record	4	174
DD Form 317		
Change entry	87	62
PM service due	29	31
DD Form 787--Electronic failure report	41	29
	59	25
DD Form 787-1--Electronic failure report--Signal	41	29
DD Form 787-1--Electronic failure report (Signal)	81	26
DD Form 1275		
How to fill out	93	54
Disposition of forms	44	39
	59	25
	80	6
Eng Form 1853--Depreservation guide	24	44
Keep with publication	71	65
Required in pocket or vehicle glove compartment	25	38
Required on vehicle protector for	64	33
SF 91--Accident report	25	38
Used in motor pool	47	33
FRAME, GENERATOR		
M8E2 Cargo tractor--Frame too large to carry	48	30
FRAME, TENT, MAINT., SHELTER		
Transportation of	51	39
FRAME, TRAILER 1/4 TON		
Cracks when old shock absorbers used	57	11
FUEL		
Diesel--Can be dangerous	53	61
Diesel--Out of dirt and water	18	852
FUEL CAN		
Drum cleaning machine--Cap bolts on can-cleaning cradles	54	40
FUEL DISPENSERS		
Don't override the governor	83	46
FUEL FILTER		
For commercial-type vehicles	59	37
FUEL FILTER (WV)		
Clean every 6 months	17	808
Emergency--Fix	64	15
FUEL INJECTION SYSTEM		
M-76, Otter	67	2
FUEL INJECTION SYSTEM, DIESEL		
Check for contaminated fuel	18	853
Description and adjustment	67	2
FUEL LINES		
Tank M46, M46A1, M47--Quick disconnect fix to prevent battered lines	17	777
FUEL PUMP		
M-Series vehicles--Output pressure	49	9
Refueling rate	76	27

	PS	Page
FUEL SYSTEM		
Cold weather care	25	27
Commercial-type troubleshooting	47	5
Engine	29	23
TB Ord 529 gives adjustments, specifications	17	794
FUEL TANK FILLER CAP		
Tank M41, M41A1, M42--Keep dirt out	31	16
FUEL TANK		
Flame thrower	49	38
Truck--1/4-ton, remove annually	49	15
FUELING		
Tracked vehicles	93	27
FUZE SETTERS		
M22-M23--Check Ord for MWO	31	49
M22-M23--Use with right fuzes	48	34
M23--Guns, 90mm, Turn 'em in	30	49
M26--Batteries	58	49
M26--Direction to turn fuze	54	34
M26--Operation	60	32
M27--Requisitioning	72	59

G

GAGE, AIR, DASHBOARD		
Check erratic readings	21	3c
GAGE, BATTERY-GENERATOR INDICATOR		
Check wiring	88	65
GAGE, OIL, BAYONET		
Dipstick	26	29
GAGE, OIL LEVEL		
For chain--How to install	46	45
GAGE, OIL PRESSURE		
Only an indicator	58	30
GAGE, TIRE PRESSURE		
How to get	65	40
How to requisition	37	19
GAGE, TIRE TREAD DEPTH		
How to use	76	37
GAP, SPARK PLUG (See Spark Plug)		
GAS CAN (See Can, Gas)		
GAS DISPENSERS		
Fix for muffler	55	41
GAS MASK (See Protective Mask)		
GAS MILEAGE		
Truck, Dump, 5-ton, M215--Average	24	31
GAS SUPPLY		
Underground lines from 55-gal drums	22	10
GAS TANKS, WV		
Operation--Loosen cap when you park	31	12
Overfilling	39	48
GASKET, FLANGE, DRIVE, AXLE		
Requisition the right one	27	13
GASKET, FLYWHEEL		
Hydramatic, torus cover--How to get	45	35
GASKET, NEOPRENE		
Air cleaner--Used on truck, 1/4-ton, M38A1	38	20
GASKET, SOLID COPPER		
Medium tank series--Correct Stock No., type	23	13

	PS	Page
GASOLINE		
Consumption--Increases with operation in mud	60	31
Pumping	72	28
Unleaded--Use in two-cycle engines to prevent fouling	66	10
GASOLINE (FUEL)		
Cold weather hazards--Condensation, prevention of	63	47
Leftover gas--Get rid of it with a rope wick	85	15
GASSING		
The right way	38	21
GENERATING SYSTEM (See Charging System 100 AMP)		
GENERATOR		
Lubrication--Oil bath air cleaners	35	41
PE 95--TM for	76	37
Pioneer GE Motor Corp--Right model number FSN	71	58
Testing (See Testing, electrical)		
24-Volt Delco-Remy		
Commutator bars	65	17
Tighten pulley	87	64
24-Volt system--Auto Lite-Delco		
Remy are interchangeable	13	561
Voltage test, WV--How to	42	15
Waterproof, Electrical system--24 volt	23	2
Waterproof--Inspection of	39	19
GENERATOR, AUXILIARY		
Engine--Grounding magneto	77	63
45KW--Roosa-Master fuel pump leaks	90	26
Maintenance	67	54
Tank--Tape positive cable when unhooked	58	15
Tank, M41--Spark plug, gap setting	41	48
Tank, M46-M47--Spring for oil-drained valves	22	47
GENERATOR, BUS		
Shield--For C-37M, ACF-Brill	40	49
GENERATOR, CHEVROLET SEDAN, 1951		
Brush tension--Change in	48	18
GENERATOR, CONSOLIDATED DIESEL 45KW		
Overspeed Cutout Switch	92	43
GENERATOR, DETROIT DIESEL, MODEL 4907A		
Publications--How to get	66	43
GENERATOR, DIESEL ENGINE		
Cummins		
Fuel Filter	71	59
Fuel Filter--The right one	80	50
Troubleshooting	53	58
Hol-Gar, 60 KW		
Shield for switches	81	46
Operating 45-KW	74	28
Safety--Guards installation	67	22
GENERATOR, ELECTRIC		
Echelon maintenance	32	42
GENERATOR, ELECTRIC, REINER		
Part No.--Commutator end bearing	33	46
GENERATOR, HOBART		
Exhaust blast fix	26	40
Exhaust pipe--Keep clear	34	43
Installation tip	17	804
Models HF 30G and HF 30GM--Fix to eliminate draining coolant when removing magneto	69	60

	PS	Page
GENERATOR, HOBART (Cont'd)		
Nike, FCS M-33--Local-remote operation switch jumpers	47	44
Oil filter--When to change	38	34
Publications	19	904
Spark Plug--Improvised wrench	38	34
Spark Plug--Removing	38	34
Warm Up--Before loading	50	51
GENERATOR, HOL-GAR CE 600		
Lining up the fan idler pulley	93	18
Lubing overspeed cutout switch	93	18
Shim the hand primer bracket	93	19
GENERATOR, HOLLINGSWORTH, 45KW		
Model JHMX-45B--Improved relays	80	51
Use a safety stop	83	42
GENERATOR, HOMELITE		
Rod bearing--Add oil to gas to lube	43	42
GENERATOR, KOHLER		
Fix and MWO--40mm AA	23	43
MWO--For parts	48	43
GENERATOR, 45KW, KURZ & ROOT		
Bearing brackets loose	91	63
Rotating Element--Out of Line	90	25
GENERATOR SET ONAN MODEL WC4-7.5S		
Belt V--Proper size	66	39
GENERATOR, SMOKE (See Smoke Generator)		
GENERATOR, SZEKELY		
Model 501--Stop short circuits	76	42
GENERATOR, TANK		
M41--Reversing polarity	14	649
M48--Control box, change over from 150 to 300 amps	55	32
M48--Shipping tape, remove	27	49
Testing--With low voltage circuit tester	34	5
GENERATOR, TELEPHONE		
Care in checking G-42/PT	90	47
GENERATOR, TRANSPORT VEHICLE		
25-Amp system--Three wire circuit	34	14
GENERATOR, WINPOWER		
Model G1528--Starting	76	41
Model G1528--Clean engine fins	76	40
GLASS		
Replacement inspection	72	37
GOVERNOR		
Adjustments--TB Ord 529	17	749
Diesel engine--Overspeeding	41	42
Truck, 2 1/2-ton, Reo--Keep oil on shaft	17	767
Truck, 2 1/2-ton 5-ton M-series--Keep connections tight	41	12
Truck, 5-ton--RPM setting	26	48
	41	48
	45	16
Truck, 5-ton M62--Installation of restrictor	48	18
GRADER		
Austin-Western 99H		
Breather, vent plug clogged	42	45
Fuel tank drain plug	76	43
How to flush blade rams	93	64

	PS	Page
GRADER (Cont'd)		
Blade circle--Don't grease reverse gear	44	45
Cat 12		
Center-shift rail--fix	55	45
New battery cover	81	38
Motor--Preparation for rail shipment	23	44
Squeegee--Add a homemade one	26	41
GRAPHITE		
Don't use on clutches and drums	62	53
Lubricant--For tank gun tubes	54	37
GREASE (See Lubrication)		
GREASE, AIRCRAFT, INSTRUMENT		
Use on FCS M33	22	7
Requisitioning	41	32
GREASE, GAA (Also see Lubrication, GAA)		
All weather type	1	39
Amendments 1, 2, 3	54	18
GREASE, SEAL		
Need some lube	25	48
GRENADE		
Container--Tape stays on	69	65
M15WP Grenade--Change in specs	79	14
Safety pins	59	44
GRENADE, RIFLE		
Duds--Handle with care	36	49
Gas cylinder lock--Use right one on M1	36	34
GUIDE POLE		
Truck, 5-ton, M62 Wrecker	43	47
GUIDED MISSILES		
Don't use drill on fueled missile	89	49
GUNS AA		
Gun Book--Check after rebuild and before firing	29	35
Keep Recoil Oil in Potentiometer can	24	30
Outriggers use	35	35
Revetments--Installation	47	47
GUN BACKLASH		
Tolerance--Manuals being revised	25	48
GUN BOOK (See Weapons Record Book)		
GUN BORE		
Cleaning--Cold weather care	49	32
GUN, CARRIAGE, M1A1, M2A3, 40MM		
Fix--MWO Kohler portable generator	23	43
GUN, FILLER, RECOIL OIL		
Faulty check valve--MWO to correct	48	49
GUN, 40MM		
Ammunition Boxes--Keep rust off	33	10
Breechblock--Check	53	65
Carrier--Info on lube order	31	49
Computing Sight--Remove cover before traversing	30	37
Deflectors, Tail Pipe--Installation kit	45	6
Drive Shaft, Flexible Computing Sight--Grease rings	33	49
Elevating Drag-Link Pin	29	41
Flash Suppressor--Rounds limited on	48	49
Flash Suppressor--Rounds limited on	86	65
Generator--Checking output	41	49
Lubrication--Info on	31	49
Mount--Operation	45	2
Oil Gears--Starting	29	42
Operation of	66	48
Operation--Tips	29	39

	PS	Page
GUN, 40MM (Cont'd)		
Periscope, Infra-Red--Included in OVM	45	49
Publication--Weapon record book	63	49
Sights--Synchronization	37	38
Slew Clutches--Synchronize them	30	37
Synchronization--Computing sight	29	40
GUN, 75MM M51 (Skysweeper)		
Bogie Cables--Protect from weather	53	14
Breech--Faulty interlocks	26	48
Breechblock--Original block limit	32	35
Breech Interlock--Replacement	22	3c
Breech-Ring Assembly--Check often	30	36
Control Assembly--Lubrication	53	11
Rear Wedge Handle--Don't bend	72	62
Emplacing Hook--Protect	55	36
Fuses--Don't bang VT fuses	23	41
MWO--Some modifications eliminated	79	65
Plug & Cable Assembly--Do's and Don'ts	53	7
Power Junction Box--Check	53	15
Preservation		
Keep it clean	23	40
Oxide finish--Prevents rust	22	3c
Recoil Assembly--Easy on the nipples	40	40
Recoil System--Malfunctions	30	49
Shear Pins--Preservative lube	53	10
Trunnion Tilt--Avoid excess angle	11	11
Valve Extension--Remove handles before traversing	35	35
	67	57
GUN, 76MM		
Protect rear followers, breech ring	31	34
GUN, 90MM AA		
Batteries--Handle fix	49	44
Breechblock		
Interchangeable	42	39
Platform for removing	47	37
Switching M1-M2	48	34
Cleaning--Use soap in certain places	67	57
Datum Point--How to get	60	46
Detent Pin--Check alinement	29	37
Drain Plug--Check weekly for dampness	31	34
Electric brake--When to disconnect	25	35
Extractor--Modification required	37	46
Extractor Plunger		
Easy on locking screws	30	49
Tighten locking screws	52	34
Firing Lock--Use all season lube	51	15
Firing Plunger--Use latest one	35	49
Fuze Setter-Rammer		
Breech rammer interlock	59	65
Check w/inert fuzes	31	31
Fuze Setters--Turn in M23	30	49
Lubrication		
Correct lubes and oils	18	842
Electric motor bearings	50	65
Motor, electric--Use GL in bearing fills	50	65
Protect rear follower, breech ring	31	34
Recoil Mechanism--Correct oil	18	842
Slide, gear teeth of fuze setting, operating shaft rack, pinion	54	31

	PS	Page
GUN, 90-MM AA (Cont'd)		
Lubrication		
Tools		
Improvised to trip extractors	58	47
Left out of Ord SNL	18	842
Ramming-extracting	61	36
Prime Mover	63	39
Traversing Mechanism--Water in leveling sockets	30	31
Troubleshooting--Check list	43	40
GUN, 120MM		
Breechblock Removal--Make a two-section hoist	42	46
Cable Receptacles--Color coding	50	65
Cables--Hurt by high pressure steam hoses	17	797
Elevating Mechanism--How to lube	35	34
Hydraulic Jacks--Need larger oil tanks	38	43
Intermediate Gear Case--Correct oil	57	33
Lubrication		
Don't over-oil	17	797
Side cover tubes	35	34
Use GL in bearing fills	50	65
Measure hydraulic oil	57	32
Motor, Electric--Lubing bearings	50	65
Motor, 5 HP--Run at top speed	52	35
Mount--Level tolerance	27	41
New firing-plunger cap lock-nuts	76	38
Palmatex--Plugs, groves in	17	796
Recoil--Check	54	48
Recoil Oil Guns--Check valve needed	37	46
Recoil Oil, Reserve--Correct amount	44	49
Remote Control--Water, keep out	27	38
GUN, MACHINE 30 CAL		
Attachment	68	65
Barrel		
Bearing, cleaning	57	14
Locking spring	52	37
Be Your Own Inspector	79	54
Blank Firing		
Attachment	43	37
	53	2
	59	65
	77	19
Two parts one FSN	73	65
Breech Lock Cams	79	13
Break	23	41
Ord checks breech lock cam screw	79	13
Buffer Tube--Needs no stiffener	19	894
Flash Hider		
Bipod Head--Check for dirt, grime	44	40
Booster Cap	47	31
Keep them	26	37
New retaining clips	29	36
Remove from M37 Machine Gun	71	65
Front Sight		
Check before opening	18	846
New MWO	38	45
Headspace--Adjusting	31	32
	77	20
Infiltration--Check-fire guns before firing	17	798

	PS	Page
GUN, MACHINE 30 CAL (Cont'd)		
Lock Driving Rod--Look when stripping	21	3c
Lock Washer--Solenoid	52	37
Short-Round Stop		
Check opening	22	41
Needed	26	48
New one available	84	65
Tolerance--Too much	49	35
Trigger--Replacing	52	36
Water Jacket--Plugs get hot	19	895
Wear--Check	44	40
GUN, MACHINE 50 CAL		
Back plate--Adjustment	55	37
Barrel--Check for looseness	35	37
Belt Link Chute--Fix	57	35
Blank Firing--No attachment in supply	76	65
Chamber cleaning brush in supply	75	65
Decal		
DA Label 19	15	712
	16	752
	54	26
Headspace adjustment	19	895
Info on	51	33
Modified gun	13	572
MWO info	15	712
	28	21
Headspacing		
Assembly--Order right one	17	798
Check barrel locking spring hole	48	35
Right way to headspace	81	18
Oil Buffer Tube--How to replace	32	38
Operation--Maintenance	30	34
Tank Mounted		
Back plate--Put on right	53	21
Solenoid protection	53	20
Timing		
Assembly--Order right one	17	798
How to check	35	36
GUN, SUBMACHINE 45 CAL		
Barrel--Keep them tight	18	848
Bolts--Use hard ones	24	34
Maintenance check list	65	56
Muzzle brake lock--Fastening brake lock	66	49
Ratchet		
Reverse notches	50	18
Tighten tension	35	38
Use stock right for cleaning	71	65
GUN, SELF-PROPELLED, 90-MM, M56 (SCORPION) (SPAT)		
Adjusting mechanism failure	81	41
Airborne Anti-Tank	76	44
Breech cover--Make holes	79	62
Correcting adjusting mechanism	81	41
Description and adjustment	67	2
Drive Sprocket Carrier--Torque	79	14
Driver's seat fixed	78	25
Engage lock before moving	86	11
Engine--Testing outside vehicle	88	19

	PS	Page
GUN, SELF-PROPELLED, 90-MM, M56 (SCORPION) (SPAT) (Cont'd)		
Fuel expansion space	91	25
Fuel nozzle injector FSN	81	65
	85	65
Gun Travel Lock--fix	77	18
Lockwasher for hand throttle and accelerator	81	65
Lube fitting	78	25
Muzzle brake lock--Fastening brake lock	66	49
New track nuts and bolts	81	13
Primer pump--Fuel line fix	86	10
Recoil Mechanism--Exercise mechanically	89	12
Telescope eyepiece cover not needed	82	65
Torsion bar chart correction	84	54
GUN, SELF-PROPELLED, 155-MM, M53		
Air-cylinder filter--Drain after towing	18	841
Be Your Own Inspector	90	52
Cover--Canvas	42	49
Cylinder, slave--Right way to fill	86	12
Equilibrators		
Must be right	28	49
Prevent level bubble breakage	65	20
Filling--Equilibrator System	90	65
Loose headspace--Take time to fix	8	349
Operation, servicing--Follow TM	8	344
Power selector lever--Operation of	69	48
Prime mover	63	39
Publications--Change weapon record book on reproofing	65	65
RAM Groove--Safety fix	80	16
Recoil mechanism--Some have nitrogen leaks	84	8
Replacing telescope cover	84	55
Road wheel disks--Flange area wear	65	65
Shift levers--Proper operation	56	26
Stud nuts--Tighten on hub	26	46
Weapon record book--MWO provides container	69	65
Wheel spindle nut wrench--Cut, grind to fit	40	39
GUN, TANK		
Clean muzzle brakes, blast deflectors, etc.	54	37
Cover muzzle--Use duffel bag	50	17
Pullover gage used to check tube	15	702
Recoil mechanism--Test indicator tape	23	39
Replenisher, cylinders--Oil every six months	30	36
Right lubricant--For M41-M47	41	36
Various ways to exercise	87	2
GUN, TANK, 76-MM M41 SERIES		
Bore Evacuator--Wrench used in removing	57	46
Bore sighting--How to	44	43
Elevation quadrant--Not needed	60	29
Hand-Firing Handle		
Release while firing	27	40
Stick in fire position	14	611
Hydraulic System--Bleeding	14	611
Lubrication		
Rear follower and breech ring	31	34
Right lubricant	41	36
Mount--Balance it	25	35
Replenisher Cylinder--Bleed hole open	14	608
Travel-Lock Saddle--Lube	50	17

	PS	Page
GUN, TANK, 90MM M47		
Bore Evacuator--Wrench used in removing	57	46
Boresighting		
Lining up instruments	15	693
Short-cuts to zeroing in	15	690
Cover, Muzzle--Blast deflector, OVM	53	27
Displaced-Target Sighting Elevator Cable--Keep free	30	35
Lubrication		
Rear follower and breech ring	31	34
Right lubricant	41	36
Muzzle brake lock--Fastening brake lock	66	49
Range finder--Up dating ammo data sheet	66	49
GUN, TANK, 90-MM, M48 SERIES		
Bore Evacuator--Installation, removal hints	51	4
Bore Evacuator--Wrench used in removing	57	46
Boresighting--Tighten range finder knobs	59	18
Breechblock		
Keep crank stop in place	51	6
Proper removal	51	6
Shorten lifting eye	73	26
Breech Ring Assembly--Double check	30	36
Cocking Lever--MWO, Gives a new one	32	34
Cover, Muzzle--Blast deflector, OVM	53	27
Hand Firing Mechanism--Broken bracket	53	19
	68	21
Lubrication		
GAA--Use on shaft weekly	54	31
Rear follower and breech ring	31	34
Muzzle brake lock--Fastening brake lock	66	49
Range Finder--Knobs missing	49	34
GUN, TANK M103		
Bore Evacuator--Wrench used in removing	57	46
GUN, TUBES		
Issue of new tubes	29	37
M24 Tank-Condemned tubes--Serial Nos.	17	799
M24 Tank--Junk "D" series	11	490
Tank--Remove and clean	54	37
GUNNER'S QUADRANT		
Spare for artillerymen	55	37

H

HANDBRAKE		
M-Series vehicles, adjustment	59	20
M-Series vehicles--Caution	93	39
M-Series wheeled vehicles--Cautions	63	30
Not a complete safeguard when parking	10	441
1/4-ton vehicles--MWO holes for lube	47	19
Strap retaining	79	62
HANDSET		
H-90/U--Overheats on AN/TRC-24	86	22
HAND SIGNALS (See Signals, Hand)		
HEADLIGHTS		
Driving at night	12	532
How to adjust	3	94
	36	21
Incandescent--Unsatisfactory	52	17
M46, 47 Tanks--Aim and adjust	11	474

	PS	Page
HEADLIGHTS (Cont'd)		
Plastic-Lens--Drill hole in bottom to let out condensation	22	32
Sealed Beam--Used as trouble light	17	807
Trucks, 2 1/2-ton Reo--Headlight circuit switch circuit breaker	14	32
Use in Convoy	54	29
HEADSPACE (See major item)		
HEATER		
Deflectors save windshields, speedometer heads	50	6
HEATER IGNITER		
Fix--Correct out-of-line igniter	36	44
HEATER, IMMERSION		
Adjust to fit 24-gal can	80	62
Right way to light	48	40
Safety in lighting	68	62
HEATER, PERSONNEL		
H19 Aircraft--Care of	64	3
How to operate, maintain	40	35
Keeping M1941 clean	71	19
Start heat low, windshield won't crack	37	18
Stewart-Warner--Prevent CO leakage	41	49
HEATER POWER PLANT		
Kits, converted WWII	49	13
Secondary--M109-M220 Shop vans--Braze hole in elbow.	30	5
Water shorting flame switch	17	808
HELMET, CREWMAN		
Slight issue delay	68	65
HELMET, MI		
Chin strap--Quick clip	56	45
Use enamel OD paint	48	43
HITCH, KOREA		
Use with disabled trucks	54	12
HOISTING		
With tank recovery vehicle, M74	16	724
HOISTS, SERVICE, FUEL OXIDIZER (See Nike)		
HOLMES GROUND ANCHOR (See Anchor)		
HONEST JOHN		
Adjust to stop sparking	89	47
Flight and shipping caps--Tools for removing caps	72	17
Generator Set, M25		
Use the right air	92	2
Heavy rocket crewman MOS.	67	65
Launcher M386		
Check setscrews in stabilizing jacks	92	4
Use restraining assembly with XM50 Rocket	92	4
Make sure rocket squib cable breaks.	73	44
M405 Handling Unit--Fix snubber plate	93	41
Rocket		
Treating for corrosion	92	65
Tools		
Get new socket wrench extension	92	4
Urgent rocket MWO's	67	65
HOOD		
Chevys--Hook in place when up	46	48
Truck, side panels--Replace in Reos	49	45
Trucks--Fabricate, install handle	45	47
HOOK, LASHING, TARPS		
Replace, weld on M135-211 trucks	52	48

	PS	Page
HORNGUARD (See Tank, M48)		
HORNS--Trucks, 2 1/2-ton--Air or electric	51	14
HOSE		
Cargo trailers, prevent cutting	48	32
Cooling System--How to install hose	33	14
High pressure, air		
Keep away from equipment	30	26
Use with hydraulic dozer	24	41
High pressure, steam		
Air damages instruments	47	16
No place in tanks	20	915
Hydraulic--Replace when worn	55	19
Hydraulic, Dozer--Additional fitting keeps hose out of way	25	42
HOT WEATHER CARE (SEE SEASONAL OPERATION)		
HOURMETER		
Caterpillar--Correct reading	76	43
Fix for glass fogging	40	42
Heavy equipment--Usage	58	44
Put those lead wires back right	84	7
HOWITZER		
Firing lock, maintenance	57	34
Preservative--Cleaning from tube	55	35
Rammer-lever--Operation	55	35
HOWITZER, 105MM		
Carriage, M2A2--FSN for direct fire info plate	63	37
Flipping over--Slow down	23	32
Reel bracket--Use for string wire	21	1000
Telescope, M41A1 replace M41A2	18	840
Traversing mechanism--Check screw-type seal	62	25
HOWITZER, 105MM, SELF-PROPELLED M52 SERIES		
Brakes--Do not use OHC	64	34
Crew compartment--Bilge pump	69	50
Cylinder, slave--Right way to fill	86	12
Exhaust stacks--Cover when washing	62	65
Head lights--Out of order	68	25
Hubcap--Repair	64	8
Junction Boxes--Waterproofing	54	34
Muzzle brake lock--Fastening brake lock	66	49
Publications--Change weapon record book on reproofing	65	65
Replacing telescope cover	84	55
Shift linking adjustment	71	23
Track shoes	67	41
Valve gate and leaf spring--How to install	89	39
Weapon record book--MWO provides container	69	65
HOWITZER, 155MM, SELF-PROPELLED, M44 SERIES		
Brake adjustment	70	28
Cylinder, Slave--Right way to fill	86	12
Cylinder, Slave--Rusts, piston sticky	54	47
Firing lock--Maintenance of	57	34
Fuel tank--Replace filler collar bolts for safety	56	28
Gear boxes--Lube every 6 months	53	28
Gunner's control box--Relocation	68	61
Headlight Assy--Hold onto	51	49
Hoist--Nix on dragging projectiles	67	25
Hubcap--Repair	64	8

	PS	Page
HOWITZER, 155MM, SELF-PROPELLED, M44 SERIES (Cont'd)		
MWO shields--MWO says remove them	46	30
Oil reservoir drain pipe--Saving the drain pipe	74	62
Operation--Rammer-Lever, right or left-handed	55	35
Rammer throwing arm--Check gaposis	55	34
Special tools--Check changes when requisitioning	43	38
Steering--Slow down to turn	36	9
Telescope--Lube mount bearing	43	38
T95 firing lock--Gun mechanic requisitions and install lock	66	65
Woodruff key--Pin shears off	54	47
HOWITZER, 8", M2		
Be Your Own Inspector	90	52
Loader-rammer M7--Authority for requisitioning	20	3c
Wheel bearing oil seal--Let Ordnance replace	23	32
HOWITZER, 8", SELF-PROPELLED M55		
Ammo Hoist Hooks--Use jeep jack for spreader	85	16
Cylinder, slave--Right way to fill	86	12
Filling--Equilibrator System	90	65
Fire Control System--Preventing equilibrator level bubbles breakage	65	20
Firing lock--Maintenance of	57	34
Operation--Shift lever	56	26
Power Selector Lever--Operation of	69	48
Preventing equilibrator level bubbles breakage	65	20
Road wheel disks--Flange area wear	65	65
HUBS (WV)		
Bearing--Correct inner oil seal FSN for WV	66	65
Grease--Give light coating	27	49
HULL, TELEPHONE BOX, TANK		
MWO--To prevent condensation	31	29
HYDRA-MATIC TRANSMISSION (See Transmission)		
HYDRAULIC BRAKE SYSTEMS		
Use only hydraulic fluid in system	28	16
Keep 3/4 full	62	17
HYDRAULIC FLUID		
M47-M59 2 1/2-ton dump trucks--Checking level	15	670
Uses, symbols	81	32
HYDRAULIC JACK--Exercising a hydrospring	23	37
HYDRAULIC-JACK HANDLE--Modification to	20	913
HYDRAULIC OIL--Don't mix with OE	28	29
HYDRAULIC OIL PUMP--Exercising, hydrospring	23	33
HYDRAULIC OIL TANK, CRANE		
Tank--Capacity	24	14
HYDRAULIC PUMP, ENGINE		
Power steering trucks--Hard steering	23	17
HYDRAULIC SYSTEMS		
Keep 'em clean	34	42
Limber 'em up in cold weather	85	9
Theory of	81	29
HYDROMETER TEST, BATTERY		
Specific battery--Temperature correction	65	42
Specific gravity	42	6
HYDROPNEUMATIC RECOIL MECHANISM--Exercise, how to	23	33
HYDROSTATIC LOCK		
Avoid--In air-cooled engine tanks	28	13
Symptoms--What to do	28	8

	PS	Page
I		
IDENTIFICATION PLATES		
Clean--Keep on equipment	59	60
Take care of	84	57
IDLER, TENSION, TANK		
Lube--Use GAA at each "C" service	31	49
IDLER, WHEELS, COMPENSATING		
Stops--Not interchangeable	36	29
When lubing arm, clean filler plug	37	18
IGNITER (See Distributor)		
IGNITERS, PERSONNEL HEATERS		
Replacement Stock Numbers	48	31
IGNITION		
Cold Weather care	25	22
	37	22
Commercial vehicle--Troubleshooting	47	8
Engine--Troubleshooting	29	27
Function in waterproof electrical system	29	4
Magneto (WV)--How it works	59	12
Timing M-Series	66	54
Timing, M-Series vehicles (See timing, ignition)	45	10
IMPREGNATING SETS, CLOTHING		
Keep agitating	63	40
IMPREGNATOR UNIT, M2A1		
Careful operation of	50	44
IMPULSE STARTERS		
Used on magneto ignition	59	17
INDEX, DA PAM (SEE PUBLICATIONS)		
INSPECTION		
Be Your Own Inspector		
Carbine	36	36
Decon Unit M3A3	64	18
8-Inch Howitzer and 155-MM Gun	90	52
81-MM Mortar M29	87	8
Engine--Engineer Equip	57	38
Flame Thrower M2A1	71	48
45-Cal pistol	35	39
M-1 Rifle	34	12
	58	32
M38 and M38A1 Jeeps	63	9
M38A1	10	414
M48A2 Tank	91	10
M-62 Wrecker	13	554
	61	2
Power Supply--PE-75	83	14
Protective Mask	70	22
Radiacmeter, IM-108/PD	93	8
Radar Set AN/MPQ-4A	91	41
Telephone--TA-1/PT	92	6
3.5 Rocket launchers	48	37
30-Cal M1917A1	44	40
Tractor Crawler, Cat D8	79	42
Truck, Forklift--All models	87	52
2 1/2-Ton trucks	55	2
Glass	72	37
Supervisor's	78	1
Vehicles--Proper use of oil	64	9

	PS	Page
INSPECTION WEAPONS--Team method	46	1
INSTRUMENT PANEL		
Mounting plate hardware	55	20
Operation--How they work	4	137
INSULATING COMPOUND, ELECTRICAL, DC-4		
Latest FSN	66	5
For leakage, seepage	58	6
Prevent discharge, arcing	42	39

J

JACK--Hydraulic Roller type--Description, use	39	38
JEEP (See TRUCK 1/4-TON M38 AND M38A1)		

K

KEY, REAR AXLE SHAFT		
Trucks--1/4-ton, M38-M38A1, put hub on shaft first	42	20
KIT, BRAKE, ELECTRIC--Install on prime movers	58	49
KIT, CANVAS CLOSURE		
M38A1--Winterization	78	39
KIT, FOOD TESTING AND SCREENING ABC-M3		
New Packaging	78	26
KIT, INSTALLATION, RADIO POWER		
To supply power between battery and radio	56	20
KIT, RUBBER TANK REPAIR		
900 and 3000-gal fuel tank	89	40
KIT, SUPPLY--Separate parts stocked as kits	21	999
KIT, WATERPROOF ELECTRICAL CONNECTOR REPAIR (See ELECTRICAL CONNECTOR)		

L

LANTERN, GASOLINE		
Be Your Own Inspector	74	22
Globe conversion	66	59
New TM	70	25
Special tool to remove check valves	73	64
LATEX, COVERING--Keep oil, grease away	43	39
LAUNCHER, ROCKET, M289 LITTLE JOHN		
Elevating shafts--Correct operation	57	36
Use GAA on launcher rails	81	40
LAUNCHER, ROCKET, HONEST JOHN 762MM (See HONEST JOHN)		
LAUNCHER, ROCKET 3.5"		
Barrel, front hooks--Prevent damage	32	34
Barrel, raised spots	54	36
Boresighting the Bazooka	30	21
Conductor Latch Assembly--Cover added	15	698
Electrical Firing Mechanism--Double click	93	38
Electrical output--Requirements	30	30
Eye Shield--Reflecting sight	35	49
Maintenance--Treat tube with care	48	37
M39 Sight--Info in TB	68	65
MWO--New contactor latch-group assy	37	46
Reflecting sight--Turn in for repair if too loose	42	49
Tube--Don't dent	34	49
LAUNDRY UNITS		
Don't force safety lid	86	49
Fuel Lines--Loose	53	49

	PS	Page
LEAKAGE, COOLING SYSTEM, WV--Causes and fixes	31	26
LEAKS--How to patch metal containers	21	970
LEATHER		
Cleaning, preserving	7	298
	59	8
LENS		
Care, cleaning	10	445
	59	3
Optical--How to maintain	10	445
Plastic--Handling, cleaning	5	213
Tissue--Dope on	44	49
	56	42
LIFE PRESERVER, VEST, PNEUMATIC		
"Mae Wests" for M59 vehicles	48	33
LIFTER, ROADWHEEL--M47-M48 Tanks--Don't mix them	41	18
LIGHT, BLACKOUT		
M-series vehicles--How to use	65	29
Nike & FSC M33 Vans--Stock Number	55	49
Resistor--The right one with 6-volt bulbs	58	20
Truck 1/4-ton M38A1--Correct marker lights	65	65
LIGHT BULBS--Voltage too high	22	16
LIGHT SWITCH		
Truck, blackout--How it works	31	4
Truck, dashboard--How to operate	31	2
LIGHT, TROUBLE--Improvised	17	807
LINKAGE, TRANSMISSION BRAKES CD-850--Inspect & adjust	16	739
LOAD BANK (See Testing, Electrical)		
LOADER-RAMMER--Internal thread needed	44	42
LOADING, TRUCKS		
Balancing a load	1	14
How to stow properly	35	21
LOCK		
76mm Tank gun muzzle brake--Fastening brake lock.	66	49
Brake, 76mm M47--Fastening brake lock	66	49
Gun, self propelled 90mm-M56--Fastening brake lock.	66	49
Gun, Tank M48-90mm--Fastening brake lock.	66	49
Gun Tank M103A1, 120mm--Fastening muzzler	66	49
LOCK, FIRING (See Firing Lock)		
LOCK RING, TIRE--Care in using	47	17
LOUDSPEAKER		
Installing LS-166/U	84	45
LUBRICATION		
AA Wheel Bearings--Take Super GAA	27	39
Air Compressor--Change in LO	20	949
Angle Grease Fitting--M59 Personnel carrier prop-shafts.	31	7
Armament--Lubes--When and where	24	35
	34	39
	67	56
Bearings--How to lube	32	8
Brake--Power Unit M135-M211	36	32
Chevrolet Pickups 1/2 Ton--Use commercial chassis grease on steering gear assemblies	59	23
Chevrolet Sedan, 1956--Use commercial chassis grease on steering gear assemblies	59	23
Chain Case--M74 Vehicle--Install oil level gage	46	45
Clutch-Release Sleeve--Over-greasing causes clutch slippage	45	15

	PS	Page
LUBRICATION (Cont'd)		
Cold Weather Procedures--Proper planning and methods	63	44
Cold Weather		
Crankcase	91	64
Lube for	25	22
What lubes to use	50	8
What lubes to use	17	789
Continental Engine--Use ball-bearing lubricant	32	43
Crane, Wrecker M62--How to lube	21	982
Crankcase Oil Level--Too much oil	42	19
Data Plates--Correct Info	16	760
Dirt, Sand--Keep away while lubing	30	16
Distributor		
Excess oil on points	41	35
Rundown on those installed on newer type vehicles	16	742
Use general purpose grease on lobes of breaker cam	15	673
Engine--Oil, Break-in-Good for 500 miles	23	49
Engineer Equipment		
Cold weather operation--Right lube	37	35
Converting LO Symbols to Operating Hours	93	23
Lube guide kits	39	45
Lube orders mandatory	42	45
Reading diesel engine dipstick	61	42
Standard, special lubes and their uses	25	44
Engineer Rotary Compressor	78	57
FCS M33--Winter operation--Dust seal grease replacing anti-freeze	25	32
Fitting--Tractor, crawler, Caterpillar-Clutch drive plate bearing	42	43
Forms		
DD Form 317--Change "OIL CHANGED" line to "OIL CHANGE DUE"	87	62
Function of oil	42	32
GAA		
Amendment 1, 2, 3	25	15
	47	49
	54	18
MIL-Spec MIL-G-10924A is an all around grease	66	65
General		
Care and use of POL products	76	4
General Article	76	29
Generator		
Air bath cleaner--Take good care of	35	41
Homelite 1 1/2KW--Add oil to gasoline	43	42
Grease Seal--Needs good lubing	25	48
Gun 40MM--Carrier--Lube order	31	49
Gun 76MM, Tank M41A1		
Rear follower and breech ring need protection	31	34
Travel lock saddle	50	17
Gun, 90MM		
Calls for PE	18	842
Lubing slide, gear teeth of fuze setting, operating shaft rack, pinion	54	31
Protect rear follower, breech ring	31	34
Use GL in bearing fills	50	65
Gun, 120MM		
Use GL in bearing fills	50	65
Use oil can on side cover tubes	35	34

	PS	Page
LUBRICATION (Cont'd)		
Handbrake, Truck 1/4-Ton Ambulance		
MWO--Drill holes for lube	47	19
Handling--Lubes	53	46
Hydramatic Transmission		
Check lube level	44	4
How to check fluid level	16	731
Use OE 30 oil	25	30
Hydramatic System, M51 Dump Truck		
Use OHA or seasonal grade OE	18	816
Idler Wheels--M48-M48A1--Use GAA	56	27
Leak, Seep--The whole story	73	22
Leakage, Seepage	27	21
LeTourneau PCU'S--Overlubing	58	45
Lube Level--Transmission, differential	23	29
Lube Order		
Change crankcase oil every 6000 miles	32	30
Commercial vehicles--Not published for 1950-53 models	35	30
Lube oftener if necessary	41	28
Requisition on need-to-know basis	45	30
Magnesium Surfaces--Keep lubed	22	7
Materials--Used for lubing small arms	34	39
Military-Commercial Lubes	58	16
Mixing Grease	49	40
Mount M23A1, Mortar 81MM--Oil recesses--		
Fouled with grease	31	34
Oil		
Function of	42	32
How it lubes	22	23
Oil can carrier	67	63
Personnel Motor Blower FCS M33		
Sealed bearings--Don't need grease	24	37
Right Amount	28	19
Roadwheel Hubs--How to lube	28	2
Rotary Lawn Mowers--Install grease fittings	46	43
SAE 20 Oil--Use OE 10, 30, 50 instead	52	18
Skysweeper, Control Assembly (See Gun 75mm)		
Small Arms--Remove excess lube	18	847
Sprayer--Use for light oil	34	46
Tank, Light--Suspension bearing reservoirs	17	773
Tank, M41		
Instructions on	14	612
Know oil weights and temperatures	14	624
Tank, M48		
Arm--Compensating idler wheel	37	18
LO published	22	18
Tension idlers--How to lube	38	39
Tension idlers--Use GAA at each "C"	31	49
Track Recovery Vehicle M74--Servicing	16	726
Track Vehicle--Rundown on lubes	27	16
Tractor, Crawler, Caterpillar D8		
Right transmission oil	22	42
Some lube fittings hard to spot	29	44
Two lube fittings hard to find	29	43
Tractor, High Speed (Ordnance)--Lube when scheduled--		
Convert hour-to-mileage interval	48	32

	PS	Page
LUBRICATION (Cont'd)		
Tractor, High Speed (Ordnance)		
M5A4--Auxiliary transmission	35	31
Tractor, Wheeled--Important lube points	21	994
Trailer, M104--Lube handbrake cable	28	18
Transmission		
Lube level--Tolerance	23	29
Shift lever--Oil leakage	55	33
Truck, 1/4-Ton		
Ambulance M170--MWO, holes for lube	47	19
Bellcrank--Keep well lubed	32	49
Clutch levers--Need regular lubing	29	47
M38A1--Universal joint greasing changed	15	670
Steering knuckle--Fix for leaking seal	57	30
Truck, 2 1/2-Ton		
G742--Front wheel--Joint-steering knuckle bearings	48	29
G742--Rear spring seat bearings	49	11
G749--Differential, weld top filler plug	50	64
Handbrakes--Grease fittings added	27	47
Hydramatic Transmission--Uses same weight oil as crankcase	21	3c
M135		
Cold lubricant level	40	34
Grease fittings on rear brake shields missing	16	760
LO 819A incorrect	29	18
No go on shield for U-Joint	19	886
Use bottom plug to fill differential	16	731
Steering gear housing--Check lube level	37	19
Truck, 5-Ton		
Handbrake--Grease fitting added	27	47
Hydraulic reserve	28	49
Lube level--Steering gear case	29	16
M51, Dump--Change of 90° zerk fittings	48	46
M51, Dump--Correction to LO 9-8028	29	49
U-Joints--How to lube	81	16
Vehicle, M75 APC--Lubing pintle shaft	58	12
Wheel Bearings--Hubs, packings	38	16
Wheeled Vehicles--Prepare for cold weather	37	22
Winch		
Cable--Care, preservation of	27	10
Housing--G749, lubricant level	50	10
Winter Lubricants--Select according to climate	25	20
LUBRICATION HOLDER		
Transferred from Engineers to QM	92	65
LUNETTE		
Trailer--Carry a spare	49	41
Trailer, M100--Adjustment needed	57	11

M

MAGNETO		
Cat D-8--Starting engine	90	28
How it works	59	12
MAINTENANCE		
A quick once-over	16	733
After-operations check	7	284
Assemblies--Replace according to manual	93	65

	PS	Page
MAINTENANCE (Cont'd)		
Before-during-after operation	23	21
Before-operations check	5	190
Checklist--English-Japanese	17	794
Combat	79	1
Command responsibility	77	1
	54	1
	85	1
Definition of Maintenance (AR 750-1)	63	1
Desert	69	2
During-operations check	6	234
Echelon responsibilities	1	6
	21	973
	46	21
	78	1
	87	12
Echelon responsibilities--Circuit labels taboo	74	51
General	75	29
	84	1
	86	1
	92	1
Improvisations	69	1
Office machines	69	15
PM--Responsibilities	75	1
Preventive--Check dark corners	64	14
Publications--Latest	72	40
Publications--New TM 9-2810	73	2
Scheduling--Q Service	88	38
Scheduling vehicles--According to needs	18	828
Spit-n-Polish vs Real Maintenance	80	1
Winter Care	83	2
MAINTENANCE ALLOCATION CHART		
Follow 'em	79	2
MANIFOLD		
Avoid splashing when hot	36	49
Correct torquing	63	37
Correct torquing (See Truck, 2 1/2-ton GMC--General)		
MANUFACTURERS		
Numbers, Code	89	38
MARKINGS		
Painting--New AR on	42	49
Stick on stencils	67	44
Unit markings--Location of	73	20
MAST ASSEMBLY		
Faulty GP-113/G Guy Stakes	90	43
MATERIALS HANDLING		
Pallet maintenance	71	19
Storage, handling	51	39
MATERIALS HANDLING EQUIPMENT		
Crane, 5-ton, warehouse--MWO's	53	49
Device for carrying forms	55	40
Maintenance scheduling according to Change 4 TM 10-1600	73	25
NC-10 Federal Crane--Locked steering wheels	93	40
Planeloader, Clark--Fix for oil leak	56	44
Service Caster--MWO for mast	84	65
Shop Tractor--Rubber pads on front plate	72	64

	PS	Page
MATERIALS HANDLING EQUIPMENT (Cont'd)		
Tips when tickling under the hood	92	50
Truck, Forklift		
Be Your Own Inspector--All Models	87	52
Operation, Maintenance	52	40
Service caster model S-4024	82	41
Overhead guard	51	38
Truck, Motowlift S-4024--Snapping shackle shift linkage	54	41
MATTRESS		
Correct Storage Methods	88	50
MECHANICAL MULE (See Carrier, Light Weapons M274)		
METASCOPE--Operation and maintenance	56	50
MIRRORS, REAR VIEW		
Fix--Drill hole to drain water	57	18
1957 Chevy Sedan	67	28
Right angle of view	15	676
MIXING AND TRANSFER UNIT M5		
Check water well in the water separator	66	62
M-NUMBERS		
A rundown on M41, M41A1, M42 components	34	40
MODIFICATION WORK ORDERS		
Engineer--How to get replacement parts	90	38
Engineer kits	71	56
Keeping up to date	79	64
Quartermaster equipment	70	65
Quartermaster MHE, SPE and SPV	86	50
When rescinded	89	1
MORTAR, M19, 60mm		
Firing mechanism--Putting it together	28	34
MORTAR, M30, 4.2		
Baseplates--Cushion	18	846
Cranks--Treat carefully	18	846
Tubes--Pre-firing, cleaning	16	759
MORTAR, 81MM, M23A1 MOUNT		
Aluminum and steel connecting bipod rods	62	23
MORTAR , 81-MM, M29		
Be Your Own Inspector	87	8
MORTAR, SP, M84 (See CARRIER, SELF-PROPELLED, M84)		
MOTORS, ELECTRIC		
PM Services	89	22
MOUNT, GUN COMBINATION, M23A1		
Elevating mechanism--Not always lubed	31	34
Lubrication--Oil recesses fouled	31	34
MOUNT, GUN, 75MM AA T69		
Firing position--Receptacle box in way	34	38
MOUNT, GUN, 90MM AA		
Electric Brake cable--Disconnect from bogie when setting up for firing	25	35
MOUNT, GUN, 90MM AA M2		
Wrench, bogie, spindle nut--Authority to requisition	25	35
MOUNT, GUN, 120MM AA M2		
Mount-level tolerance--One mil allowed	27	41
MOUNT, GUN, TWIN 40MM M4E1		
Operating--When on the M-42 duster	45	2
MOUNT, MACHINE GUN		
M48, M48E1 mounts--Not used on jeeps	78	65

	PS	Page
MOUNT, MACHINE GUN, CAL. 30 M2		
Elevation screw stop breakage--		
Traversing lock cleaning	65	55
MOUNT, MACHINE GUN AA CAL .50 M63		
Operation--Tips on	28	32
New mounts--Make sure screws are tight	47	49
Trigger linkage--Adjustment, multiple	46	31
MOUNT, MACHINE GUN, CAL. 50 M3		
Elevation screw stop breakage--		
Traversing lock cleaning	65	55
MOUNT, MACHINE GUN, CAL .50 M45		
Shield doors--Keep open	25	34
MOUNT, MACHINE GUN, CONCRETE		
Infiltration Course--Prevents short rounds	29	48
MOUNT, MACHINE GUN, M-SERIES VEHICLES		
Rundown--The right one for each truck	29	36
MOUNT, MORTAR, 4.2, M24A1		
Outer ring--When bent, requisition new one	23	41
MOUNT, TELESCOPE, M48		
Removing--From M10, M17 tripod	49	33
MOUNT, TRAILER, MULTIPLE		
Cal. 50, M55--Registration number, check	53	26
MOUNT, TRIPOD, WEAPON, M74		
New sight leaf--Use with new ammo	18	849
Used with recoilless rifle	18	849
MUFFLER		
Flame and Spark Arresting	90	37
MULTIMETER (See TOOLS)		

N

NIKE AJAX (See also FCS, M33)		
Acid		
Keep in tight drum	77	41
Remove from filler fitting	78	54
Acquisition Antenna		
Blower Motor		
Keep in proper operation	69	24
Use right color code	69	25
Build a maintenance platform	86	40
Derrick		
Operation tips	81	59
Refer to FM 44-33A before using	65	28
Fed Specs for radome paint	90	41
Have MWO Applied	86	65
Hooking up high voltage cables	83	51
Modulator--New electron tube available	72	58
New filters available	86	44
Right paint to use	70	65
Aileron hinge pin	70	8
Air Compressor--Clark Model HO-6-4C, keep crankcase clean	47	40
Air Conditioner--Model BAF 55118	78	53
Air Filter		
Clean, install new one	45	41
Install new metal filters	71	45
Air Heater--Maintenance	68	44
Ammunition--Ammo care in TM 9-1970-2	78	65

	PS	Page
NIKE AJAX (Cont'd)		
Battery		
BB401/U		
Defective cells	58	4
Maintenance	70	2
Testing	71	41
Nike Trailer--Charging rate varies	40	40
Six-volt hotshot--Return to battery box of 4-wheel vehicles	54	15
BC Interim Record Book--Send in data sheet	81	39
Beam Hoist, Missile--Follow TM	61	33
Blower motor impeller--Check blade angle	70	11
Booster Igniter		
Cord Clip	52	48
Cord--Coil inside booster	46	35
Booster Locking Bolts--Make sure bolts are tight	67	24
Capping Compressor		
Change filter elements	51	44
Joy	59	50
Chassis, AGC--Turn off voltage when replacing	43	35
Check accuracy of torque wrench	70	11
Cleaning		
Buttons in Nike Van	80	28
Closure assembly--MWO for new assemblies	69	21
Computer		
Balancing relay amplifier	80	22
Conversion of FC's to MWO's	68	65
Control Panel--Use right fuse	61	33
Coupling, Antenna Waveguide--Modification substitutes	46	35
Cover hole in missile accumulator	67	18
Crystals - 1 N 23's are obsolete	49	47
Cut right wire when applying MWO ORD Y2-W2	58	49
Cylinder, Launcher Operating--Lubrication, piston rod	58	3
Desiccant--Empty from R & E Section	63	8
Don't need "ALARM" on control indicator	84	37
Electric Motors--Clean with trichloroethylene	77	65
Electrical insulating compound--Where to use	58	6
Electronic Chassis--Safeguard spares	50	25
Elevator		
Calk around access plates	58	43
Equalizer--Keep bolt eyes right in cable assembly	59	60
Fix for hanging guards	93	22
Hydraulic gage	76	64
Limit switches--moisture	86	43
Lubricate cable	48	42
New weather seals	84	56
Platform Launcher--Protect braces	59	63
Remove extra reel cable	43	34
Rubber pad assemblies	79	63
Use DD 110--Trip Ticket	58	42
Wire calmp assembly bolts	76	64
Erecting rail--Preventing pop-up condition	65	26
Exercise overboard dump port valve	72	17
Fan--Maintenance	68	44
Fins, Missile--Don't over-torque	58	5
Fire extinguisher shelter	69	18
Flourolube	60	37
Foot brake liner--Making liners out of tires	64	46

	PS	Page
NIKE AJAX (Cont'd)		
Frequency Converters		
Cleaning Commutators	78	51
Troubleshooting with voltmeter	67	14
Fuel		
Protect drums	80	64
Fuel Oxidizer Service Hoists--Keep friction faces clean	.50	25
Fuel and oxidizer stoppers tool	.70	10
Fuel System--Remove water	.50	23
Fuse		
Get right 5 -amp fuse	78	52
Min 2-amp--Use on control panel	.61	33
Overfusing is bad	92	28
1/32 and 0.031 amp are interchangeable	.79	38
Generator--Disconnect switch jumpers	.47	44
Ground power plugs--Care and cleaning	68	48
Guidance Package--Corrosion	58	4
Hydraulic Oil		
Keep free of dirt	63	2
Recording changes	77	44
Hydraulic system		
Leakage B-nuts and fittings	76	63
Keep warheads on dunnage	74	65
Lamp, Incandescent--6-8 Volt, GE 47	58	3
Launcher		
Acquisition Antenna control unit--Use OHC	.49	47
Acquisition Antenna modulator--Keep Jack nut tight	43	36
Adjusting missile away switch	80	25
Check air brakes	.45	41
Check ground power plug--ball bearing	.66	5
Dust Covers--Keep in place	.46	34
Hydraulic Oils--Use right fluid	50	23
Keep Launcher air brake ready	45	41
Lamp Incandescent--6-8 Volt, GE 47	58	3
Lubricate piston rod	58	3
Plug, Ground Power--Recognize trouble	45	40
Protect diagonal platform braces	59	63
Protect interconnecting cable	.81	57
Rail, Transporter--Turn storage crates over	50	24
Relays, K-1--Prevent burning out	.61	34
Right way to read oil lever	.73	45
Save fuses on control relay	53	62
Start power packs in cold weather	.50	22
Tightening electrical ground power break away assembly	66	4
Tool holds down T-Track Rod	86	62
Tool to trip limit switch	76	62
Watch oil level	.66	8
Launcher Control Trailer		
Clean cooling blower motor	79	60
FSN for 6-watt blue bulbs	.67	18
Fuse for telephone switchboard	.88	65
Replacing ceiling fixture	86	47
Use right light bulb	.79	59
Launching and Handling Rail--Tool to maintain ground power plug	76	63

	PS	Page
NIKE AJAX (Cont'd)		
Light bulb--Keeps section cabinets dry	74	65
Log Book		
Keep up to date	78	55
Keep with equipment	61	32
Lubricator--Compressor		
Bleeding lines, priming pumps	47	42
Cleaning	47	41
Lubrication		
Rail wheels, grease fitting cutout	47	45
Magnetron 5780, 5795		
Cathode connector contact	60	35
Check weekly	41	37
Checking power	66	2
Full Power Operation	58	9
Installing in M33 FCS (Nike's the same)	48	4
Missile		
Check for nose cone scratches	79	37
Check O-Rings with mirror	78	54
Correct tunnel attaching screws	66	7
Correct tunnel clearance figures	89	45
Don't tamper with heaters	80	27
Don't use drill on fueled missile	89	49
Don't use soap around "B" nuts	89	44
Drain accumulator right way	80	26
Engineers check air hose	77	65
Exercise overboard dump port valve	72	17
MWO stop R & E oil leak	86	65
Reddish material is adhesive	91	40
Removing teflon stoppers	83	53
Replacing safety and arming device plate assy	77	45
Return components when unserviceable	32	49
Save parts until firing	79	59
Support for nose section	80	64
Tightening air-fill plug	66	7
Treating for corrosion	92	65
Tunnels must fit right	79	37
Using correct screws	66	7
Use right lube	79	61
Using right washers	81	58
Using warhead retaining lug bolts	66	6
When to recap	92	25
Missile Control Panel--Close panel cover carefully	66	8
Missile guidance set--Use right battery hook up	67	19
Missile Hand Bracket Truck--Lube handling ring bolts	69	22
Missile hydraulic arming lanyard--		
Secure lanyard shear pin	67	21
M30 safety and arming device--Good for 2 years	68	65
MWO--Some Modifications eliminated	79	65
Nomenclature--Use Ajax or Hercules	57	49
O-Rings--See Nike Handbook No. 11	51	49
One FSN gets you tube, container	73	42
Painting--Unauthorized, decals	58	5
Parts		
List what is needed	80	63
Use new ones only	47	43
Pit--General care and maintenance of equipment	65	23
Pit check valve--Proper installation	64	35

	PS	Page
NIKE AJAX (Cont'd)		
Pit Hydraulic System		
Filters--Cleaning	67	23
Use long taper screws	57	40
Pit weather seals "O" and "P" types-- Installation and care	69	19
Plexiglass windows--Removing scratches	69	21
Plug, J1--Tighten plug screws	68	47
Plug, J2--Keep contacts in plug open	68	47
Potentiometer--Use Bayol "D" insulating oil	70	9
Power Supplies		
Warranty on 6901 Rectifier tubes	79	58
Pressure Test--G.I. Soap taboo	60	37
Publication		
Field changes converted to MWO's	86	65
New TM numbers	69	23
Ordering missile spare parts	63	8
Requisitioning LO's	63	3
Pump, Sump		
Drain pipe	86	45
Get sand out of pits	45	45
Maintenance	68	44
Right FSN for tunnel attaching screws	72	65
Right way to read oil level	73	45
Secure missile bolt tail	69	20
Simulator		
Getting 3-V, .19-amp lamps	86	47
Storage Racks--Make a locking bolt	90	64
Switches, Zero Set--Clean with solvent	46	34
Test Set TS-1053/G--How to operate	77	44
Toggle Switch--Get right rubber switch boot	78	55
Tools (See TOOLS, Nike, General)		
Torque		
Inch pounds required on Missile	58	5
Lube shutter shots	70	12
Over-torquing Missile pipe assembly	60	37
Track Radars		
Protection from the weather	92	24
Watch tracking sweep generator screws	92	25
Wrong gasket causes troubles	92	27
Track Radar, Missile and Target		
Don't fool with waveguide shutters	86	47
Lenses mounting bolt--Lube according to TB	70	65
Torquing clutch assembly	67	20
Missile		
Watch for ground clutter	78	52
Tunnel Studs--Use correct size	63	5
Van, BC		
Requisitioning 1/32-amp fuse	87	65
Van, BC and RC		
Cleaning buttons	80	28
FSN for fuse	80	27
Van, RC		
Blackout lights	55	49
Replace right tubes	86	45
Reroot high voltage cable	67	17
Adjusting FIL BAL	80	24

	PS	Page
NIKE AJAX (Cont'd)		
Van, Shop--Provide shade	58	10
Vent Plug--Fluorolube compound for replacing	60	37
Wire, Bayonet, Safety--How to get correct wire	59	63
	63	7
Wire, lanyard attachment--How to get correct wire	63	7
Wrench--Allen special	51	37
NIKE, GENERAL (AJAX AND HERCULES)		
Battery		
BB401/U--Maintaining	78	47
Cables		
Keep dry	84	63
Make right connections	83	52
Protect with shield	79	60
Cables, Interconnecting		
Maintain cables according to TB	81	65
Use rubber preservative coating	80	26
Dolly, universal --cover	89	63
Electronic Equipment		
Handling	77	61
Event Recorder--Attach paper with tape	80	65
Forms		
Completeing DA Form 9-110	93	47
Fuse		
Use care when replacing	77	41
Organizational Mechanical Assembler--Tool Kit	84	20
Read TB on cables	85	65
Requisition solder	86	48
RF Test Set		
Ord makes internal adjustments	78	50
Raise mast assembly right way	86	46
Shipping Containers--Keep using	80	24
Switch, Pushbutton--FSN for rubber boot	84	65
Tools (See TOOLS, Nike General)		
Torque Wrenches		
Using extension adapter	81	60
Track Radars--Check 6164 TR tubes	89	43
Trailers		
Know your brake system	93	52
Van, BC		
Adjust equipment cooling fan belt	86	48
Bracket protects fuse holders	81	65
Cleaning Buttons	80	28
Cover parallax pot holes	86	64
Don't repair zero set switches	89	43
Van, RC		
Adjust equipment cooling fan belt	86	48
Don't touch PH Bal adjustment	83	52
NIKE HERCULES		
Acquisition Antenna		
Adjusting down-latch switch	86	42
Fed Specs for radome paint	90	41
Keep bolt from stripping	86	65
Elevator		
Buffer pedestals	87	60

	PS	Page
NIKE HERCULES (Cont'd)		
Fuse		
Overfusing is bad	92	28
Launcher		
Check pivot break-away assembly	83	48
Don't jerk circuit breaker handle	83	50
Main bearing felt filters a must	89	65
Have MWO applied	83	65
Operating Unit--Buy GE 12 lamps locally	76	65
Paint storage racks	83	50
Run motor with care	86	46
Launching Control Trailer		
Clean cooling blower motor	79	60
Log Book		
Is now DA FORM 9-115	91	65
Keep up to date	78	55
Missile		
Cap accessory power supply units	86	43
Treating for corrosion	92	65
M30 safety and arming device--Good for 2 years	68	65
Power Supplies		
Warranty on 6901 rectifier tubes	79	58
Publications		
Change figure in TM	83	65
Forget TOE deletion	83	65
Get DA Forms 9-27 thru 9-37	80	65
Missile log book replacement pages	86	44
Requisition charging indicator lamps	84	37
Toggle switch--Get right rubber switch boot	78	55
Track Radars		
Clean transmitter carbon blocks	86	41
Handle transformer gently	83	49
How to install radomes	92	20
OA2 Tube might foulup zeroing	83	49
Tips on ML6544 Modulator	92	23
Use care with radome zipper	86	48
Use latch to close RF cover	83	49
Use full name	57	49
Van, RC		
Fuse for motor tach exciter	80	28
NITROGEN CYLINDERS		
High Pressure--Turn in when empty	62	26

O

OIL		
Additives--Under test for military usage	29	32
Crankcase		
Change by mileage	28	31
Don't gig for dirt	64	9
What to use	62	52
Diesel Fuel--Don't use for cleaning	23	30
Engine		
Function	42	32
PE 10, OE 10, compatible	18	822
Use of break-in oil	23	49
"Wearing out", discoloration	10	426

	PS	Page
OIL (Cont'd)		
Filler, pipe-cover transmission---		
Springs keep cover closed	4	157
Filter		
Crankcase, installing a new one	47	41
Cuno, servicing, maintenance	51	13
M46-M47 Tank, when to clean	8	326
Servicing on M38, M38A1	85	15
Tractor, Cargo, M8E1, element	53	41
Truck, M38-M38A1, data on types	25	16
Gage		
Electrical, not used as indicator	17	790
Types installed	7	292
Hydraulic		
Correct amount 120mm Gun	44	49
Elevating mechanism, how to measure 120mm Gun	57	32
Hydropneumatic, checking for emulsification	40	41
Mechanism		
Checking for serviceability	36	16
Selection, use the proper one	36	18
Pump, M-3 artillery, checking for water, dirt, moisture	39	19
Use potentiometer oil-fitting can	33	30
Leakage, seepage--Correct	27	21
Level		
M59 Veh Armd Inf, check in both engines	46	16
Tractors, dipstick readings, how to take	34	42
Linseed		
Use on rifle stock	18	847
	47	36
Use on small arms	63	49
Use raw on M1 Rifle	73	24
Non-detergent--Use in two-cycle engine to prevent fouling	66	10
Potentiometer--Use in M33 FCS system	42	49
Rotary Compressors--Use non-detergent oil	78	57
SAE 30, substitutes for	52	18
Seal		
Changing, how to, when	27	23
Crankshaft, replace if leaking	81	37
Tail rollers, bridge truck	65	38
Tank M48, cosmoline preserved	52	13
Steering knuckle, truck, 1/4-ton, fix for leak	57	30
Truck, WWII GMC's, use fix for axle oil retainer	15	709
Universal Joint, how to remove	31	46
Tank, Light, OE 10, use in suspension bearing reservoir	17	773
Transmission, used with tractor, Cat. D8	22	42
Used Oil--Use in air cleaners	87	14
Uses, how it works	22	21
Warning light--Continental engines	2	3c
Supply manual for all FSC Group 91 items	90	65
OPERATION		
Bulldozer		
Safe, helpful hints	39	46
Toppling timber	36	26
Tricks of trade	19	898
Clutch--Don't ride	27	44

	PS	Page
OPERATION (Cont'd)		
Crane		
Care, safe habits by operator a must	44	46
Moving	39	45
Operator		
Each a VIP	36	41
Operator's, rigger's pledge	42	26
Shovel, guide signals	17	802
Tractor, take slopes gradually	42	44
Wheel scraper	56	52
Deep water fording	89	2
Gun, 40-mm, Twin AA		
Fire same number of rounds in each	66	48
Range selector caution	89	13
Running the M4E1 mount on your M42 Duster	45	2
Gun, 155mm, SP, M53--Use of shift lever	56	26
Howitzer, 8", SP M55--Gears, shifting	56	26
Signal Corps Equipment--License	71	37
Sniperscope--Adjustment, PM	50	52
Tank		
Handling safely	5	198
M41, starting	14	625
M47		
Fire control, how to control	15	692
The right way	8	372
M48, hints on operating	25	9
Tractor-Trailer Combos		
Shift for downgrade	89	12
Truck		
Proper loading	1	14
2 1/2-ton, M135, hydramatic--Operation	6	252
5 ton, Dump, M51--Operation	48	8
5 ton Wrecker, M62		
New vehicle run-down on	13	554
Tow in any gear	22	34
Vehicle		
Armored infantry, M59, driving, steering, shifting, maintenance	46	2
Avoid excessive idling	73	29
Converting MPH to Kilometers	68	24
Don't lug engine	65	65
Ice and snow	84	2
Tank recovery M74--Controls, operation	16	721
Wheeled		
Automatic transmission	10	434
Training--Drivers tips	41	21
Winch Handling		
Handling	2	78
Maximum use	27	6
OPERATIONS		
Desert	69	2
OPTICAL INSTRUMENTS		
Care, Cleaning, Adjusting	20	934
	59	2
Ordnance fixes	34	49
Rebuild--Painted OD when returned	17	800
ORGANIZATIONAL MAINTENANCE (See MAINTENANCE)		

	PS	Page
OTTER (See Carrier)		
OUTRIGGER		
Jack--Corporal launcher XM27 (type II), monthly cleaning.	.51	36
OVERCHOKING		
Dangers of	39	39
OVERCOOLING, ENGINE WV		
Cause and effect	.37	26
OVERSPEEDING, DIESEL ENGINE		
Operate with care	41	42
OVM		
Abbreviations (See ABBREVIATIONS)		
Gun, Twin, 40mm, AA--Periscope, infra-red	.45	49
Tank, M48--Equipment, stowage	37	2
Truck, 3/4-Ton G741 Series--Equipment stowage	68	14
Truck, 5-Ton, Wrecker M62		
Axle toe clamp	56	38
OVM--Rundown	.61	2
Truck M38, M38A1--Equipment, stowage	68	10
OXYGEN, BREATHING APPARATUS M13		
How to use	.72	12
OZALID		
Care--Operation	62	54
OZONE RESISTANT TIRES (SEE TIRES)		

P

PACK HANGER, M21, 50 CAL.		
For pack animal--Turn in	53	65
PACKAGING		
SB 9-4--The guide to military packaging	3	132
PAINT		
Artillery--Use of cleaner	55	30
Battery--Don't paint over vent holes	.25	48
Bolts--Lines show when loose	24	47
Don't paint rubber, glass, leather, etc., parts	70	59
Directives--Instructions	59	40
Enamel		
For acquisition antenna	22	6
	40	39
	49	47
Magnesium surfaces	22	7
Maintenance of radomes	22	6
	40	39
	49	47
O.D. for steel helmets	48	43
O.D. semi-gloss for desert use	46	42
Engines--Don't paint	62	38
FCS M33 Antenna--Thinner needed when painting	25	34
Primer--Use it	87	42
Publications to follow	87	42
Radios--Which kind to use	78	40
Removal of--CV joints	57	48
Requisitioning paint products	32	40
Spray gun--maintenance of	56	60
Spray painting--Protecting cables	.19	887
Spray painting--Protect parts with tape pressure senstitive, adhesive	66	25

	PS	Page
PAINT (Cont'd)		
Tank		
Don't paint auxiliary engine ground strap	54	20
Turret--Interior, exterior	47	32
Turret--Use only white on interior	19	886
The right color	73	56
Thinner--Use synthetic resin enamel to thin OD semi gloss enamel	77	16
Trailers--Add phosphoric acid	32	16
Vehicle, Combat--Interior	32	49
Warm lacquer before spraying	68	65
PALMATEX		
Closing plugs, gun 120mm AA--Cut grooves in	17	796
PAMPHLET, DA 310-4		
Index for pubs	47	45
PANEL		
Nike Ajax Missile Control--Close panel cover carefully	66	8
PARACHUTE		
Recovery, folding	60	40
PARKING		
Cold weather overnight parking-- Proper methods and places	63	47
PARTS		
Support--Engineer equipment	54	44
PARTS, REPLACEMENT		
Authorized at organizational level	35	32
How to get when called for by Eng MWO	90	38
How to order	36	42
New supply system	11	499
Order new item	16	746
Replace--Only when defective	53	59
Requisitioning--Engineer	59	61
Stocking Ordnance items as needed	26	2
Truck, M38-M38A1--Not interchangeable	34	15
Wasteful swapping	88	29
PARTS, SPARE		
Engineer--Fill requisition properly	36	43
Larceny of--A continuity	10	428
Organizational--Setting up supply room or truck	34	21
Small parts--Storage	39	17
Small arms--Making parts box	20	950
Turn in	50	29
Unauthorized--How free turn-in works	17	781
PARTS, SWITCHING--Weapons	54	21
PATCHING, CANVAS--Tents, Tarps--How to patch, repair	61	41
PEDAL, CLUTCH WV--How to mark free travel	41	45
PERISCOPE		
Avoid aiming into sun	22	20
Cement seal in place	24	10
Head assembly--worn out	50	65
Installation	38	40
Look for loose gasket	31	49
M20 series--Paint indicator tube	55	17
MWO for scope box on M47	37	30
New sealer available	34	38
Operation, maintenance of infra-red scope	39	2
Unlock before turning	36	15
PERISCOPE SIGHT M28		
Nitrogen Valve--For Ordnance use only	76	65

	PS	Page
PERISCOPE MOUNT		
M104, 104A1 Series--Keep locking color screws	73	27
PERSONNEL HEATERS		
Modification for steady heat	11	489
PISTOL, AUTOMATIC 45 CAL--Cross section chart	35	39
PISTOL, PYROTECHNIC, AN-M8		
Used to fire M74 sound flare	18	847
PISTON, TRUCK, 1/4-Ton M38-M38A1		
"Heat Dam" groove	33	31
PIT, NIKE		
Cylinders, locking bar--Bleed air	65	24
Doors--Proper closing sequence	65	24
Elevator--Leveling and adjustment	65	25
Motor--Resetting thermo--Overload relay	65	22
Piston, elevator--Proper lubrication and adjustment	65	23
Stabilizing assembly--Eyebolt adjustment	65	24
PLANELOADER, CLARK MODEL 45		
(See Materials Handling Equipment)		
PLATE, INSTRUMENT MOUNTING		
M-Series trucks--Fastener authorized	45	49
PLATE, TANK M41-M41A1		
Keeps shells from wedging beneath turret basket floor	32	16
PLATE, VEHICLE, CAUTION--Read and follow	40	17
PLUG, AIR-FILL		
Nike-Ajax Missile--Tightening plug	66	7
PLUG & CABLE ASSEMBLY, SKYSWEEPER		
Do's and don'ts (See Gun, 75mm AA)		
PLUG CONNECTORS		
Fold butterfly wings	81	28
PLUG, DRAIN, CLUTCH HOUSING WV		
Remove--Only when fording	45	15
PLUGS--Blowout, freeze, core--What they're for	56	65
POINTS, IGNITION		
Oil soaked	41	35
Testing	56	20
POLARITY, REVERSE		
Keeping correct polarity	42	17
POLE CLIMBERS		
Test for flaws	84	60
POWER-CONTROL UNIT		
LeTourneau		
Fix	21	995
Lining--Cleaning	29	44
LeTourneau Model R678--Use hard bolts	57	41
POWER FEED HARNESS		
Tape exposed ends	54	20
POWER JUNCTION BOX, SKYSWEEPER		
(See Gun, 75mm AA)		
POWER PACK		
Engine mount--Clean, grease	47	16
POWER PACK, TANK		
Engine, Continental AV-1790--Protect wiring junction box.	46	48
Engine mount--Grease contact surfaces	17	771
Fans, oil cooler--Check	38	41
Heater kits--Water shorts out flame switch	17	808
POWER STEERING--Pointers	52	26

	PS	Page
POWER SUPPLY		
PE-75 -- Be Your Own Inspector	83	14
PP-351/U--Check F1 and F3 fuses daily	93	11
Thermal resistor for AM65/GRC	81	25
POWER TIMING LIGHT (See Timing Light, Power)		
PRIME MOVER		
For 155mm Howitzer and 90mm	63	39
PROJECTOR LAMPS		
Don't finger them	93	15
PROP SHAFTS		
Keep nuts tight	55	20
U-Joint Flange		
Check bolts	55	20
Tighten bolts	18	856
PROTECTIVE CLOTHING		
For fuel handlers	69	65
For fuel handlers--Hot weather	71	42
Handy storage	73	62
Replacement kit	73	43
PROTECTIVE MASK		
Be Your Own Inspector	70	22
Canister protection	56	49
Care	50	42
Carrier		
Care of	62	43
How to unfasten	93	5
Not to be marked	88	51
Carrier straps, M11--Don't store with mask	70	65
Detergents to use on mask	87	12
Don't write on	67	55
How to store	74	24
Insulation--For radarmen	56	49
Pink on mask isn't a defect	85	64
PS MAGAZINE		
Your files--Take them with you	65	65
PS DISTRIBUTION		
Circulation, PS Magazine	66	1
	78	19
	79	65
	92	17
PUBLICATIONS		
Automotive		
Handy Book	22	48
Keeping up to date	63	32
Numbers assigned to technical manuals	28	40
New Regulations	69	65
Cleaning materials--Lubes, common hardware, where to find	82	2
Cold Weather Care	89	65
Commanders PM Guide Available--DA PAM 750-1	72	65
Commercial		
Engineer--Parts support lists	57	40
How to get	15	707
	43	30
	63	36

	PS	Page
PUBLICATIONS (Cont'd)		
DA Pamphlets	61	49
Distribution		
Supply, Tech Manuals	49	1
	67	60
Distribution by Commands	79	65
Distribution Formula--DA Form 12 series	76	2
Engineer		
Cat D8 Tractor, 9A Series	81	44
Generator, Hobart	19	904
How to get Engineer manuals	20	948
	87	22
Manufacturer's--How to get	80	52
New TM 5-505	84	65
Paint products--How to requisition	32	40
Requests for	54	44
Special parts listing	84	57
Support Manual	91	60
TB ENG 122, TB ENG 122-1--Attachments	92	39
Trailers, 12-ton mobile shop	33	42
FM 23-5 (See RIFLE M1 CAL 30)		
Handbook--DUKW's--How to drive	43	30
How to get	63	32
How to get	80	29
How to keep track of MWO	67	26
How to read	75	51
Indices--How to follow	50	41
Job Description--AR 611-201, Enlisted MOS's	61	49
Keeping up-to-date	63	32
Maintenance Allocation Charts (MAC)		
See if they are out	85	18
MWO, TM 1--Know contents	68	23
Numbering--New system for TM's	71	2
Painting	87	42
Plastic covers for	75	53
Quartermaster		
New TM 10-1400	78	37
Radio		
Electronic Failure Report (DD Form 787-1--Use 'em	81	26
Req Pubs--Keep with equip	63	26
SB is supply authority	69	51
Signal		
AN Nomenclature system	87	24
SB 11-6, Change 2--Correction	90	42
Take care of commercial pubs	93	14
TB SIG 239-40--Avionics configurations	89	60
TM for PE 95 generator	76	37
Special Weapons (39-series TM's)--How to get	90	65
Supply		
DA Pamphlets	61	49
New Look in forms	62	2
Technical, School catalog--DA Pamphlet 20-21	59	65
TM 3-500--A handy manual	91	28

	PS	Page
PUBLICATIONS (Cont'd)		
TM 5-505--New Maintenance services	86	2
TM 55 (Aircraft)	93	60
TM's have to be with equipment	80	37
Tractor, IHC TD-18--Mfg Manual	78	26
Your new TM 9-2810	73	2
PUMP, CENTRIFUGAL		
Carter--TM number wrong	89	64
Darley model F300-F500--Too much lube	51	42
Priming	49	41
PUMP, FUEL		
M-Series Vehicle		
Check for vacuum leak	87	38
Checking output pressure	49	9
PUMP, FUEL INJECTION		
Tractor, Caterpillar engine--Loses its prime	45	44
PUMP, GORMAN RUPP		
Increase capacity with larger hose	28	43
PUMP PRIMER WV		
Seal up for cold weather operation only	15	668
Shorten stroke--Stop washer damage	10	420
PUMP, REINER MODEL GP-60		
Prime before running	83	45
PYROTECHNIC PROJECTOR M9		
Runs hot when used with M74 sound flare	18	847

Q

QUADRANT, ARTILLERY--Check level	43	39
QUADRANT, ELEVATION--Light up	53	21
QUARTERMASTER GENERAL--Letter	48	1

R

RADAR SET		
AN/MPQ-4A--Maintenance of	91	41
RADIAC		
Cap for IM-93/UD Radiacmeter	90	45
IM-108/PD--Be YOur Own Inspector	93	8
RADIATOR		
Clean--Twice a year	43	31
Corrosion--A problem near sea, salt air	26	31
Truck 2 1/2-Ton 6x6--New kit	73	24
RADIATOR CAP--Inner tube collar--Add as fix	19	875
RADIATOR PRESSURE CAP (See Trucks)		
RADIO, AIRGROUND--Installation in Tank M41-M41A1	36	49
RADIO, COMMUNICATION, TANK		
Use when towing disabled tank	46	49
RADIO CONTROLLED AERIAL TARGET		
Battery--Seal for	56	3
Classification--Y Group	29	33
Engine mount for shop bench	67	64
General Information	29	33
Insulation, Compound--For water flight	51	49

	PS	Page
RADIO CONTROLLED AERIAL TARGET (Cont'd)		
Lanyard--Install on later models	34	8
Lanyard--Steel	70	48
OQ19B--Servo ground lead	67	59
Torque Wrench Valve--List of	29	34
Tubes, Electron--Test before replacing	29	34
Water in gas--Check	29	34
Water landing--Service after	67	58
RADIO, KIT		
Installation radio power feed kit--For mounting on truck, 1/4-ton, M38-M38A1	52	29
RADIO SETS		
Aircraft removal--Identify connections	87	50
Antenna--Right ones	79	26
AN/ARC-44		
Drain for antenna on H-21	88	45
AN/GRC-9		
Cable pinched in jeep	87	28
Keep mounting straps tight	93	13
Right fuse for power supply	77	24
AN/GRC-19		
Binding post insulation	76	20
Correct listing for Electron Tube 6AK6	88	45
Handy filter for transmitter T-195	77	62
Wing nuts replaced	74	48
AN/GRC-41		
Avoid exhaust fumes M-211	88	46
AN/PRC-6		
Handy-talkie	73	10
New FSN for battery retainer	88	44
Preserve moisture covers	82	56
Protecting Decal	92	14
Remove battery when not in use	77	26
AN/PRC 8, 9, 10		
Be Your Own Inspector	75	20
Care in handling chassis	90	44
Dial Lock Use	88	44
Keep antennas off ground	77	27
Remove battery cable carefully	88	42
Three operating tips	77	25
AN/PRC-21--Correct FSN for alignment tool	88	45
AN/TCC-4, AN/TCC-20		
Boots for post	87	26
Use rubber caps on binding posts	93	12
AN/TPS-1D--Check lube level	78	45
AN/TRC-24		
Forcing knobs on band-pass filter knob	76	24
Maintaining and Cleaning filter	92	10
AN/TRC-47		
Order proper coil	74	49
Strengthening antenna supports	76	22
Bracket for H-101-A/U Cable	80	60
Canvas Covers	86	25
Cap and Connector chain	80	58
Cleaning		
Don't use compressed air	77	26

	PS	Page
RADIO SETS (Cont'd)		
Cleaning		
Don't use steel wool	78	42
Try an eraser	90	49
Connectors--Fold butterfly wings	81	28
Control C-434/GRC--Watch chain	81	28
Filters--Keep clean	79	27
Fuses--Proper one	80	59
How to dust	81	27
Keep snap catchers flush	80	61
Mast Base AB/15--Use right adapter	78	44
Meters--Faulty readings	78	41
Panels--Right tightening procedures	78	46
PM on mounting	89	16
Proper use of headsets	83	13
Running Spares	80	58
Shield on handset		
Headset H144/U	71	46
H-33/PT	83	12
Troubleshooting--Personal check	78	42
Tuning and Adjusting	80	56
Turn off in stalled vehicles	86	28
Using switch on AM-65/GRC	84	50
Voltage Surge	80	57
Wing Nuts Tight	87	27
RADIO, TANK--Keep off when gassing	43	49
RADIOACTIVE SOURCE SET M3		
Storage information	86	61
RADIO TRANSMITTER		
Plastic sleeving for T-368/URT	86	27
T-368--Closing interlock switch S-14	74	50
RANGE FINDER		
Gun, 90mm, Tank--Stereo control knobs	49	34
One FSN gets range finder and case	37	13
Tank M47		
How it works	15	692
Up dating ammo data chart	66	49
Tank M48--Leave out of travel lock	51	9
Turn off switches when lamp is replaced	33	49
RECEPTACLE, TRAILER LIGHT CABLE--Rotate	48	48
RECOIL, HYDROPNEUMATIC		
Inspect and give close attention	39	49
RECOIL, MECHANISM		
Exercising M56	89	12
Third echelon exercises	84	65
RECOIL OIL		
Keep in potentiometer oil-filling can	24	30
RECTIFIER FOR M59 PERSONNEL CARRIER		
(See CARRIER, PERSONNEL, ARMORED, M59, Circuit Breaker)		
REFRIGERANT LINES--Tips on repairing	19	901
REFRIGERATION		
Crankcase--Drain on Thermo King (K10)	68	51
Keeping condensers clean	68	50
Semi Trailer--Thermometer	71	50
REGISTRATION NUMBERS		
Belongs on hood	69	59

	PS	Page
REGULATOR		
Access plug, waterproof coating	60	49
Flash generator to prevent burning out	.37	32
How it works	23	4
How to mount Auto-Lite and Delco Remy	.62	37
How to test	.42	11
Interchangeability of units	13	561
Truck, 1/4 - 3/4-Ton--Sparking	42	20
Use of rectifier	52	29
RELAY		
For M41 Tank	.62	38
Waterproof electrical system, 24 volt	23	9
REPAIR KIT		
Carburetor--Truck 1/4-Ton	.69	39
For any patching job	.12	970
Ordnance--Requisition from Raritan Arsenal	27	49
REPRODUCING EQUIPMENT		
Checks for RD-87 tape recorder	90	46
REQUISITION, PARTS, WV		
Duplicate copy put in glove compartment	.30	29
REQUISITIONING		
Bulk material--Order exact size	54	45
RESISTOR, BATTERY (See Battery Resistor)		
RESISTOR, VARIABLE LOAD--For WV testing	41	49
RESPIRATOR, PAINT SPRAY M5		
Cleaning, maintaining	61	38
Use when spray painting	.72	26
RESPONSIBILITY		
Driver--DD110 Binds it	.79	29
Property--Acceptance of	52	1
REVETMENT, AA GUN--Install sandbags, racks	.47	47
RIFLE, AUTOMATIC, CAL 30, BROWNING		
Assembly, Disassembly--How to	.45	38
Bore--How to clean	.38	3
Gas Cylinder Plug--Installation, function	.18	843
Parts--Leave swapping to Ordnance	30	33
RIFLE GRENADE		
Ammunition--Use special	34	49
Cartridge--Use special	16	753
RIFLE GRENADE LAUNCHER		
M7A2-M7A3--Old-new type launchers	15	700
M7A3--Retainer spring, new type	22	40
RIFLE, M1, CAL 30		
Abrasives--Don't use	.56	65
Barrel Bearing--Worn	.17	799
Bracket assemblies for rigs and trucks--How to get	93	65
Bore--Removing patch	16	752
Bore--Shove brush all the way thru	.15	701
Butt plate door--Keep door closed	65	59
Care--Maintenance	26	21
Check it out	34	12
Clean after firing blank ammo	87	7
Cleaning--How to	26	26
Copper on Lands won't hurt bore	.77	38
Elevating-Pinion Assembly--Worn	8	344

	PS	Page
RIFLE, M1, CAL 30 (Cont'd)		
Firing--From hip	58	32
Firing pin--Look for bad ones	89	65
Gas Cylinder--How to clean	19	897
Gas Cylinder Lock		
For firing rifle grenades	36	34
Screw, Keep clean	45	49
Use right one	93	4
Headspace--Don't switch parts	54	21
Lubrication	50	19
Muzzle--Keep out of snow	15	701
MWO adds buffer to rod	73	65
New FM 23-5	77	65
Operating Rod--Use until rejected for wear	28	33
Parts--Put same ones back after stripping	29	36
Rear Sight--Care	29	35
Sear Pin--Don't file down	16	753
Stocks and handguards--Do not sand	87	40
Tool, Cleaning--Gas Plug	31	48
Trigger Guard--Correct when tight	35	37
RIFLE, M1C, CAL 30		
Parts--Keep with M1C	32	34
RIFLE, MULTIPLE, 106-MM, SP, M50		
After fording checks	89	14
RIFLE, RECOILLESS		
Spotting rifle, 50 Cal--Using multi purpose wrench and combination tool	75	17
RIFLE RECOILLESS GENERAL		
Subcaliber device--Ruptured cartridge extractor modification for	65	62
RIFLE, RECOILLESS, 57MM		
Chamber brush--Use worn 90mm brush	41	47
Do not remove vent bushings	69	65
Firing--Clear area behind rifle	25	34
Firing Pin--Check retaining screws	22	41
Safety Lever--Failure, fill out UER	18	840
RIFLE, RECOILLESS, 57MM (Cont'd)		
Sight Mount--How to mount	13	593
Telescope M86C--Changed to M86F	13	592
Telescope M86F--Stadia lines	18	850
RIFLE, RECOILLESS, 75MM		
Do not remove vent bushings	69	65
Firing Record--Vent Assembly	20	944
	47	36
Support unit--Removes vent assembly	71	65
RIFLE, RECOILLESS, 105MM		
Do not remove vent bushings	69	65
Firing Record--Mark on original vent assembly	47	36
Support unit--Removes vent assembly	71	65
Truck Mounted--Take it easy	17	770
RIFLE, RECOILLESS, 106MM		
Adjust--Every 500 rounds	59	18
Breechblock		
Care of threads	57	35
Close	48	49
Firing pin should show	79	14

	PS	Page
RIFLE, RECOILLESS, 106-MM (Cont'd)		
Check points when mounted on M38A1C	62	22
Do not remove vent bushings	69	65
Firing--Keep within limitations	43	37
Firing Record--Mark on original vent assembly	47	36
Mount M79--Elevating, traversing	55	36
Prevent accidental spotting rifle firing	87	65
Spotting Rifle, 50 Cal		
Magazine Base--Removing	56	40
Power--How to get high and low	56	40
Rotation, Azimuth, elevation cams	50	20
Seating magazine	69	47
Support unit--Removes vent assembly	71	65
RIFLE, RECOILLESS, SPOTTING M8		
Keep the magazine spring	85	65
RIFLE SIGHT BLACKING		
Blacking	88	62
RIX COMPRESSOR		
Leaks--Locating	64	36
ROAD-ROLLER, TANDEM-TYPE		
Shipment--Preparation for	43	43
ROAD TEST		
Hydramatic transmission--Guide to causes of malfunction	36	2
ROAD TESTING VEHICLES		
Are trip tickets needed?	26	38
ROAD-WHEEL BEARING--How to adjust	30	19
ROAD-WHEEL, FRONT		
Tank, light, M41, M41A1, M42	29	17
ROAD-WHEEL, TRACK VEHICLE--Mud Shields removal	46	30
ROCK CRUSHER--Water in tandem-wheel housing	45	43
ROCKET TRAILER XM 329		
Broke lines--Care of	68	65
ROD, CLEANING M10		
Buffer--An item of issue	83	25
Does double job on M1 Rifle	48	36
Extra tips--Made from scrap brass	15	701
How to use it	26	33
Whatzit	65	55
ROD, ELECTRIC, WELDING--Keep it dry	34	2
ROD, HORN BUTTON		
Truck, M38-M38A1--Use centering disc	47	18
ROD, WELDING, GAS, STEEL--Good for fenders	45	49
ROLLERS, TRACK, CARRIER--Clean frozen mud	41	41
ROPE		
Care, use, coiling	59	46
Wire--For air cleaner	45	49
ROUNDS, FIRING--Recoilless rifle	47	36
RUBBER, PRESERVATION--Keep paint off	57	32
RULE, 12 Inch		
With M3 Oil Pump--Use substitute	50	21
RUST		
Cooling System, WV--Causes and fixes	31	27
Preventive Compound--Used to coat linkage, hydramatic transmission, 2 1/2-ton trucks	17	772
Rust-Arresting coating	55	16

S

SAFETY
Aircraft--Don't wire escape hatches 65 50
Batteries
Cables, handling 40 19
Carelessness, smoking 54 16
Removal from tank truck 31 6
Batteries, watercraft--Special care of 65 51
Bracer, dump truck hydraulic lift 52 47
Capping compressor--Tips on operation 59 58
Carbide, heat, water dangerous 38 49
Carbon Monoxide
Aircraft detector kit 87 46
Ventilate vehicles 52 10
Carbon Tet--Vapors dangerous 34 41
Chains
Trailer 77 40
Crane
Boom tips, painting 28 43
High tension lines 30 48
Installing warning plate 35 44
Operation 39 45
42 26
52 42
88 24
Operation, accessories justification 30 42
Operator's cab safety shield 18 811
Crane-Shovel--Ground guide signals 17 802
Crankcase, explosion 49 43
Diesel fuel handling 53 61
Door Handles--Repositioning 39 19
Electrical equipment ground 52 12
Engines, heating--Use of blow torch 40 44
FCS M33--Pointers, safe operation 12 540
Gas, compressed--How to identify, handle 23 26
Gassing--The right way 38 21
Generator, FCS M33--High voltage 20 3c
Generator--Guard installation 67 22
Glass, safety--How to cut 22 44
Gun, 30-cal. machine--Driving-rod 21 3c
Handbrake, parking 10 441
Highway operations--Fabricate warning kit 64 46
Howitzers, 105MM--Towing 23 32
Introducing AR 735-35 policy 74 2
M59 Operation 67 65
Mortar feeding 28 33
Nike vans--Fuel cans 50 22
Rectifier fumes, poisonous 24 36
Rifle, M1
Ammunition misfire--What to do 26 35
Don't shoot out stuck patch 16 752
Firing rifle grenade 16 753
Sear pin 16 753

	PS	Page
SAFETY (Cont'd)		
Shield for wrecker operations	55	18
Shift for downgrade	89	12
Shifting, M42	89	13
Small arms parts	54	23
Tank		
Disabled, towing	35	20
Engine fires	41	46
Engine fires--How to control	50	37
Fire prevention	53	16
Gasoline line as ground	54	20
Precautions	19	877
Turn radio off when gassing	43	49
Turret traverse	53	65
Tire Mounting		
Lock ring	47	17
Use of safety chains	65	64
Tractor--Overloading	20	949
Trailer, 1/4-ton--Safety chains	25	30
Truck, 5-ton		
Crankcase explosion fix	27	2
New shield	33	32
Paint stripes	45	18
SALT		
Coating WV--Wash off	41	48
SAW, CHAIN, MALL--Rewind starter	41	41
SCABBARD, BAYONET (See BAYONET)		
SCINTILLA CONNECTORS--Proper torque	58	19
SCOTCH ANCHOR (See ANCHOR)		
SCRAPER, WHEEL--Operation	56	52
SCREENS, AIR CLEANER--Clean with solvent	46	44
SEAL, BELLOWS (See TRACTOR D8)		
SEAL, OIL (See OIL SEALS)		
SEALING KIT--Waterproof your electrical boxes	24	49
SEARCHLIGHT SET		
Tools and Publication list	67	38
SEASONAL MAINTENANCE (SEE SEASONAL OPERATION)		
SEASONAL OPERATION		
Cold Weather Care		
Air tank--Drain in cold weather	25	14
Alcohol and gasoline work together	25	14
Anti-freeze (See ANTI-FREEZE)		
Artillery (Also see ARTILLERY)		
Lubrication	52	4
Maintenance	52	2
Batteries	19	868
	50	4
Brakes--Freeing, frozen	17	805
Bridge erection boat	72	24
Decon Operation--Reduce agitation	56	46
Driving your truck on ice	62	29
Engine starting	40	44
Fire control system 393A tubes	35	47
FCS M33	51	34
Gun bore--Cleaning	49	32

	PS	Page
SEASONAL OPERATION (Cont'd)		
Heater, hardtop closure kits	24	38
Heater, South wind, model 978	50	6
How to keep gas from freezing	73	40
Cold Weather Care		
Keep engine warm	17	774
Lube guide	17	789
Lubes, oil	50	8
New engine additive	73	27
Oil--Tank engine oil	66	25
Prepare Engineer equipment for winter	37	33
Proper care and maintenance of equipment	63	44
Slaving--Medium tanks	50	2
Smoke generator--M3A2	62	40
Tire chains--How to get	37	17
Vision, vehicles	37	27
Wheeled Vehicles		
Maintenance	83	2
	84	2
Windshields	25	21
Winterize--Vehicles	50	7
Hot Weather Care	37	21
Cooling system	43	21
	58	21
Engineer equipment	31	41
Engineer motor vehicles	44	21
Prepare for summer	18	829
Spring change over	66	29
SEAT, TROOP TRUCK		
Put legs down before sitting down	29	20
SEATING CAPACITY, ARMY VEHICLES		
Maximum safe loads	34	33
SEDAN, CHEVY (See VEHICLE, COMMERCIAL)		
SERIAL NUMBERS		
Importance of	56	22
Locating and Using	79	16
SERVICEABILITY--Maximum use of parts	56	1c
SERVICES--Setting up PM	13	596
SETTER-RAMMER, GUN 90-MM, AA		
How to get inert fuzes for checking	31	31
SHACKLES, LIFTING--Hook onto before lifting	15	672
SHAFT, CLUTCH IDLER		
Rotary lawn mower--Installation of grease fittings	46	43
SHAFT, PROPELLER		
Keep wear down at spline joints	37	19
M-series Trucks--Keep nuts, bolts tight	45	20
SHEAR LEGS (See A-FRAME)		
SHEAR PIN (See also WINCH)		
Substitute wooden dowel for quick fix	30	31
Use aluminum type on 2 1/2-5-ton truck	17	772
SHIELD		
Protect wrecker operators from shipper	55	18
SHIFT LEVER		
Gun SP M53, Howitzer SP M55--Damaged by improper operation	56	26

	PS	Page
SHOCK ABSORBERS		
Fluid--Castor oil, technical	52	49
Hydraulic		
Will function at low temperature	35	17
Track vehicles, test	50	15
Spacers--Use for best results	15	672
SHOES		
Use saddle soap and elbow grease	57	44
SHOP SETS, FIELD MAINTENANCE (See TOOLS, Sets)		
SHOTGUN M97, 12-GAGE WINCHESTER		
Turn magazine right to free receiver	15	701
SHOVEL DIPPER		
How to keep door latch in working order	23	12
SHOVEL, POWER--Operation, digging, loading	52	42
SIGHT, AIMING--Keep eye on bubble	36	12
SIGNAL CORPS--Letter	70	1
SIGNAL, FLASH AND SOUND, M74		
Use of fire with pistol, pyrotechnic, AN-M8	18	847
SIGNAL GENERATOR		
Corporal system modification	51	37
SIGNAL HORN		
Crane-Shovel--May be justified	30	42
SIGNALS, HAND		
Crane-Shovel operation--Ground guide	17	802
Scraper Operation--Ground guide	53	50
SIGNS, TRAFFIC--How to tell 'em by shape	31	10
SILICA GEL--When pink, replace or bake until blue	22	11
SKYSWEEPER (See 75-MM GUN)		
SLAVE CABLE		
Receptacle, 24-volt--How to hook it up	7	272
Tank		
Follow TB to start engine	30	49
How the kit works	38	26
Starting the safe way	50	2
Used in starting when dead	23	14
SLAVE KIT		
Cold weather starting--How to get	63	29
SLAVING		
All About It	85	10
SLEEPING BAG		
Care and use	63	42
Maintaining mattresses	69	40
Using plugs for	69	65
SMALL ARMS		
Ammunition--Misfire--What to do	26	35
Checking small arms gage	27	40
Cleaners, Lubes and Preservatives--Chart of	24	35
	34	39
	67	56
Life before overhaul (rounds)	31	34
Lubricants		
Remove excess	18	847
Use of linseed oil	63	49

	PS	Page
SMALL ARMS (Cont'd)		
Repair Parts		
Keep packaged until used	78	65
Tool and spare parts box--FSN for boxes	63	49
Wooden parts get raw linseed oil only	73	24
SMOKE GENERATOR M1 and M2		
Bend prong on plugs	75	54
SMOKE GENERATOR, M2 SERIES		
Cold weather care--Use alcohol	53	43
SMOKE GENERATOR, M3 SERIES		
Magneto--Air pump, care of	56	47
Trailer mounted--How to mount on a trailer	52	38
Truck mounted--How to mount on jeep	52	39
SMOKE GENERATOR, M3A1		
Engine tube, flange gasket--Match up with hole in flange	54	38
Maintenance	51	40
SMOKE GENERATOR, M3A2		
Boss--Prevent cracking	59	45
Cold weather care	62	40
Engine tube, flange gasket--Match holes	54	38
Engine tube--Treating when plugged with carbon	48	39
Engine valve backstop--Care of	57	43
Gas tank--Filling	60	38
Maintenance	51	40
Starting--Tips on starting safely	58	37
SMOKE GENERATOR M3A3		
How to fill out DA Form 2016--Record of Operation	68	56
SMOKE GENERATOR, M4 Series		
Magneto Air Pump--Easy pull stroke	56	47
SMOKE GRENADES--Care, identification	53	45
SMOKE POT, FLOATING HC, M4A2		
Vent before firing	63	41
SMOKE POT, M5		
How to set off	70	26
SMOKE TANK M10		
Airplane	90	60
SNIPERSCOPE		
Fuse holder--Replace twist-type with screw-type	45	42
Maintenance--Before, during and after	50	52
SOAP, SADDLE--Use of	57	44
SOLDERING		
Tips on, right tools and supplies	79	4
SOLVENT, CLEANING COMPOUND		
Filter for salvaging solvent	78	63
SOLVENT, DEGREASING, SELF-EMULSIFYING		
For new mortar tubes	16	759
SOLVENT, DRY CLEANING		
Container sizes, gage	50	47
Grease, use for cleaning vehicles	23	30
How, what to requisition	15	679
SPARK ARRESTOR		
Use on M1941 tent stove	53	47
SPARK FUNCTION		
Waterproof electrical system	29	11

	PS	Page
SPARK PLUG		
Cables--Waterproofing	58	46
Cable--Spring loaded	80	17
Clean before removing from engine	37	47
Cleaning and filing--Tips on	74	29
	55	30
Correct dressing tool	73	65
Correct FSN	73	39
Engines, two-cycle--Prevent fouling with proper gas and oil	66	10
Fouling--Prevention of	68	37
Gap--Changed for 895-1790 engines	48	19
Hot vs Cold wheeled vehicles	62	14
M-Series vehicles		
Blow out after unscrewing	44	37
Checking, setting gap	49	5
Correct torque for 14-MM plugs	36	30
Silicon grease--Stops corrosion on cable spring	27	36
Tank--1000-ohm resistor	91	28
Tank--Use right plug	7	278
Tank, Light--Pull power pack to remove plugs	36	33
Tester--Don't use on shielded plugs	29	18
Testing		
How to	56	19
Resistance	83	37
The right one to use	41	9
Torque--No need to	33	11
Types--Two in use	48	19
Waterproof electrical system--Function of spark plugs	29	14
SPECIAL PURPOSE EQUIPMENT		
Shoe Repair Shop--Maintenance Allocation Chart	78	65
SPECIAL PURPOSE VEHICLES		
Bakery Trailer, M1945		
MWO 10-1699A-3--New lunette	64	16
Bath unit mobile		
Safe operation	67	12
Use coupling spanner	70	28
Refrigeration Semi Trailer--Thermometer	71	50
Two-Trailer Laundry Unit		
Don't yank the extractor cover open	86	49
SPECIFICATIONS ADJUSTMENT		
Don't guess on wheeled vehicles	41	49
SPEED TRACTORS--Nomenclature, Stock No.	26	31
SPINDLE, TRACK ADJUSTING--Idler support arm	56	65
SPOTLIGHT CORD, RUBBER--Wire saver fix	51	12
SPRAG UNITS, TRUCK, 5-TON--Prevent breakdowns	34	20
SPRAY GUN (See PAINTING)		
SPRINGS		
Rear--Truck M62-M246 5-ton Wreckers, Install with curved end down	46	20
Trucks, GMC--Run-down on	1	30
SPROCKETS, DRIVE, TANK--Wear limits	42	49
SS-10		
Missile		
Color coding is important	93	65
Instructions--NE PAS Toucher means don't touch	93	65

	PS	Page
STANDARD		
Definitions--Standard, substitute-standard, limited-standard	50	39
STANDARD FORM 91 (See FORMS, DA, etc)		
STARTER		
Commercial vehicle--Troubleshooting	47	3
Tank--How to start a dead tank with a slave cable	23	14
Troubleshooting	29	22
Truck		
How to ground test	42	10
Keep water steam away from starter	19	874
2 1/2-ton--Corrodes when cap cover's loose	29	18
STARTER, FIRE--How to work	50	45
STATIC DISCHARGERS		
Signal Corps responsibility	74	65
STEERING		
Bellcrank pivot-shaft--MWO	59	65
Bellcrank pivot-shaft--Tighten	45	35
Control housing M53, M55 SP--Grease it	79	13
Steering knuckle--Fix for leaking seal	57	30
Tank--Use neutral steer only when necessary	41	19
STEERING-CLUTCH		
Tractor, crawler--Two lube fittings	29	43
Wheeled vehicles--TB ORD 529	17	794
STEERING GEAR CASE		
Truck, 5-ton, 6x6--Lube full level	29	16
STENCIL		
Correction PS 67	72	65
Gummed Back--How to requisition	67	44
No towing painted on dump and garbage trucks	44	44
Warning Notice	74	18
STEP--Hang on tires to get at engine	50	62
STOCK NUMBERS, FEDERAL		
SM 9-5-2300--Vehicles, trailers, cycles	52	20
STORAGE		
Engineer equipment--Prepare to store for winter	37	36
Pumps--How to protect	18	853
Wheeled vehicle--Methods and procedures	41	6
STOVE, M1937 FIELD RANGE		
Removing stains and dirt	88	48
STOVE, M1941, TENT--Spark arrestor	53	47
Fuel lines--Cleaning	74	25
Operation and Maintenance tips	85	2
STOVE, YUKON M1950		
Keep from falling over	65	53
Operation tips	64	4
SUMMERTIME MAINTENANCE (See SEASONAL OPERATION)		
SUPPLY		
Engineer equipment--Ordering spare parts	26	43
Forms-New ones	62	2
Hand Tools--Tech service responsibility	88	65
Introducing AR 735-35 policy	74	2
Manuals--How they work	56	29
Requesting unauthorized or excess items	90	51
Requisitioning aircraft grease	67	65

	PS	Page
SUPPLY (Cont'd)		
Requisitioning System		
Keeping combat ready with short funds	83	29
Self Service Center--Shoping	74	1
Signal--Liaison representative	74	51
Supply Room--Operation, building and maintenance	4	146
Supply Truck, Organizational Spare		
Parts--How to set up, maintain	34	21
TC supply letters 30-59 and 31-59 April 1959	84	65
SUPPRESSOR, FLASH (See FLASH SUPPRESSOR)		
SWITCH, BLACK-OUT RECEIVER--Keep it off	34	14
SWITCH, IGNITION--Sealer cracking	46	20
SWITCH, IGNITION, M-SERIES--Replace when cracked	54	15
SWITCH, LIGHT		
Replacing master switches	50	26
Tactical vehicles--Operation	31	2
	51	15
Trucks--Headlight circuit breaker red	45	32
Wheeled vehicles--Single Connector	24	20
SWITCHBOARD		
Fix for SB 22/PT Jack	74	48
SB 22--Be your own inspector	82	58
SYNCHRONIZATION		
Gun, 40-MM, M42 with sights	37	38

T

TACHOMETERS		
Batteries--Which to use	37	30
Cable and housing on M-62 5-ton truck		
interchangeable with M38 Jeep	55	48
How to use	59	34
Setting speed on 2 1/2-ton truck	26	19
Used on 6, 12, 24-volt systems	47	31
TACTICAL VEHICLES		
(See VEHICLES, TACTICAL)		
TAIL GATE, WV--Stencil "Close Tail Gate"	22	14
TAIL LIGHT, SERVICE ASSEMBLY		
M-Series vehicles listed in Ord 7	44	33
TANDEM-WHEEL-HOUSING--Rock crusher water in	45	43
TANK, FUEL		
Truck, M38-M38A1--Remove annually	49	15
TANK, GENERAL		
Ammunition handling	92	29
Auxiliary engine--positive cable safety fix	83	38
Azimuth indicator--Keep hoses away	60	15
Booster Switch--Will burn up if run continuously	23	48
Carburetors--Watch out for different models	86	22
Compensating Idler Wheel Arms		
Inner bearings--Replacement	58	13
Deep Water Fording	89	2
Drive Sprocket--Profile gage info	75	65
Drive Sprockets--Wear	27	18
Driving--Use of ground guide	63	21
Electrical Equipment--Turn off when starting	30	10
Electrical Testing--Use of	65	2

	PS	Page
TANK, GENERAL (Cont'd)		
Engine		
Hydrostatic Lock	60	2
Kit--Extension, Electrical Cables	41	49
Replacement--Release air pressure if packed in pressurized container	38	49
Engine Compartment--Stencil "No Step"	29	17
Engine, Continental--Protect engine wiring junction box	46	48
Engine, Gasoline--Specs	60	30
Filter Unit M8A1--Replacing parts	80	18
Fire Extinguisher--Servicing	89	17
Fixed Fire Extinguisher		
Removal of	84	7
Tech service change	85	39
Fire Prevention--Methods of	53	16
Flag Stand	89	62
Flamethrower M67		
Attaching pin	80	13
Fording kits--How to get	66	18
Gasket, Flapper Valve O-Ring--Leakage	52	46
Gasket, Solid Copper--Correct type, Stock No.	23	13
Generator Auxiliary, Engine--Ground magneto when removing or repairing	71	18
Generator, Auxiliary (Lil' Joe)		
Cap for	50	14
Engine--Exercise starting cable	55	49
Engine--Ground Strap--Don't paint	54	20
Engine--Tape exposed cable ends	54	20
Origin of name	53	40
Ground Cable--Connection between magneto and booster	77	15
Gun Covers--Fix to save auxiliary covers	88	64
Gunner's Quadrant--Use while driving on grade	58	12
Hatch Cover		
Be sure and close overnight	81	13
Keep 'em tight	37	47
Hose Line--Quick fix	86	64
Hydrostatic Lock		
Help prevent damage	60	2
Troubleshooting	33	26
Idlers, Tension--Lube--Use GAA	31	49
Keep off commander's platform latch	81	65
Lubrication--Suspension reservoirs	17	773
Mud Shield--Discard rusty ones	54	49
Muffler, Shield--Keep clear of debris	34	49
Oil--OE 10 recommended	17	773
Operation--Safe handling	5	198
Power Plant--Engine, Continental AV-1790--Protect wiring, junction box	46	48
Radio--Use when towing disabled tank	46	49
Ready Indicator Lights		
Lights not needed	90	22
Rear Hull Plate--Check number for relay	62	38
Recovery--Use of vehicle, recovery M74	16	715
Refueling precautions	93	24

	PS	Page
TANK, GENERAL (Cont'd)		
Safety--Fire prevention	53	16
Sighting, Fire Control Equipment--Clean rubber properly.	62	24
Slave Cable--Know your	38	26
Slave cable--Checking and using.	72	19
Slaving--All about it.	85	10
Telephone boxes		
Keep door closed	79	15
Use of desiccant.	64	10
Timing Light--Use of	55	31
Tools--Improvised		
Test light--Emergency circuit tester	27	48
Track adjusting	17	775
Track adjusting, available	35	16
Track connector, puller	26	44
Track, sprocket wear gage	24	14
Track, tension--Not issued	16	746
Transmission-Hydramatic--Guzzler for changing oil	28	46
Wrench--For removing auxiliary generator	20	951
Track, Rubber--Break them in easy	30	14
Transmissions		
CD-850 series--Right way to check low gear and reverse band.	84	52
CD-850 series--Band adjustment	86	37
Travel Lock--Snug gun in lock	17	799
Troubleshooting		
Auxiliary generator	61	30
How to	33	21
Turret		
Electric Motor--Turn on only when ready to traverse	32	14
Keep rust-proof	32	37
Painting--Interior, exterior.	47	32
Retainer Bolts--Tighten, cut play	36	49
Traverse--Exercise weekly	27	14
Traverse with care	53	65
Turret Lugs--For machine gun	86	11
Valve--Drain valves daily.	71	65
When to change tracks	82	38
Windshield Frame--Loaded with water.	92	37
TANK, M4		
Track Jacks--Pins snapping off	9	368
TANK, M4A3		
Track Tension--New tool for adjusting	35	16
TANK, M24		
Gun Tubes		
Junk "O" series	11	490
Serial Nos. of condemned tubes	17	799
Tool--Track tension testing	24	49
TANK, 76-MM, M41		
Accumulator		
Have Ordnance check	14	604
Low pressure makes gun rise slowly.	22	18
Air Cleaner		
Hose--Checking leaks	14	624
Replacement--Watch tachometer cable	19	904

	PS	Page
TANK, 76-MM, M41 (Cont'd)		
Battery (Also See BATTERY)		
Cables, shorting to cover	14	646
Bearings--Pairing up cones and cups	14	616
Bolts, Drive housing--Heads get battered	40	34
Brake		
Adjustments	14	650
Cam--Adjusting in transmission	14	651
Control linkage--Straighten bent linkage	14	650
Parking--For smooth working	14	651
Braking		
Note on neutral parking	14	630
Reverse--The facts on	14	633
Carburetor		
Idling speed adjustment--main engine	14	622
Not interchangeable with M75 AIV	45	32
Circuit breaker--Gun elevating circuit	58	11
Coasting--It's dangerous	14	634
Components--Rundown by numbers	34	40
Compression		
Change in PSI	92	65
Checking cylinders	14	619
Fittings--How to maintain	14	610
Controls, Driver--Troubleshooting	14	660
Cooling fan housing--Don't use as stop	14	619
Driver's Back Rest--Seat adjuster stop	14	639
Driver's Seat--Adjusting	58	11
Driving--High-Low take-off	14	633
Engine		
Auxiliary--Troubleshooting	14	658
Continental AOS-895-3	14	618
Starting by hand	14	638
Troubleshooting	14	656
Filter Disk--Easy way to clean	14	621
Fuel Filter--Take care of it	14	620
Fuel System		
Tanks--Gaging info	14	637
Tank Filter Cap--Keep dirt out	31	16
Troubleshooting	14	658
Generator--Auxiliary		
Cable-type hand-starter	31	17
How to use it	14	639
Spark plug setting	41	48
Generator--Reversing polarity	14	649
Gun (See GUN, TANK, M41)		
Gun Elevating hydraulic system--Bleeding	14	604
Heater, Personnel--Modify	14	652
Light, Tail and Stop--Replacements	30	49
Lubrication--Instructions	14	612
Mud and sand shields--How to eliminate	70	37
Oil		
Filter--Troubleshooting	14	620
Weights, temperatures	14	624
Operation		
Duties of crew	14	640
How to start	14	625
Operation, maintenance	14	2

	PS	Page
TANK, 76-MM, M41 (Cont'd)		
Periscope, M17--Installing	38	40
Plate--Keep shells from wedging	32	16
Plugs, Magnetic, Drain--Replace	37	17
Power Pack--Installation	23	48
Radio		
Air-Ground	36	49
Your Angry-3	14	654
Range selector--Adjusting control linkage	14	652
Adjustments with low-voltage circuit tester	14	648
Regulate current for main engine	14	649
Replenisher indicator tape--How to read	14	609
Road Wheels		
Front arm supporting links	29	17
Replacing, with and without wheel lifter	14	617
Safety switch--Correct position	14	647
Shifting--Tips on	14	630
Speeds, Stall--Engine workout	14	636
Starter relay--Needs looking after	14	646
Starting the right way	14	625
Steering--Steady pressure only	14	631
Steering control--Location of oil cup	64	11
Steering Control Linkage--How to adjust	14	652
Stopping--By the numbers	14	635
Telephone Cover Kit--MWO for	78	65
Tools, Special--Organizational PM	14	662
Torsion Bars, Anchors--Replacing	14	615
Towing Tips	14	636
Track tension adjustment--Care and lubing of adusting nut	64	13
Tracks		
Adjustment	14	613
Pad removal	92	63
Pins--Installing and connecting	14	614
Static wire--Stops radio interference	14	617
Suspension--Troubleshooting	14	661
Transmission		
Oil level check	14	660
Temperature warning light	14	659
Troubleshooting	14	659
Turret		
Operation, Model T41E1	14	602
Operation, Model T41E2	14	606
Troubleshooting	14	605
Valve--Fuel shutoff, correct dial setting	16	730
Wheel Bearing--Change in adjustment	14	616
Wheels, Compensating--Switching disks	14	614
TANK, 76-MM, M41A1		
Air Duct--How it works	30	13
Components--A rundown by numbers	34	40
Engine, Auxiliary--Air duct assy	30	13
Fuel Tank Filler Cap--Keep dirt out	31	16
Handwheels, Elevating--Don't climb on	32	49
Hubcap--Repair	64	8

	PS	Page
TANK, 76-MM, M41A1 (Cont'd)		
Periscopes		
M17--How to install	38	40
New Sealer available	34	38
Plate--Keeps shell from wedging	32	16
Quick disconnect coupler	68	23
Radio--Air-Ground	36	49
Roadwheel, Front--Arms, supporting links	29	17
Steering control--Location of oil cup	64	11
Telescope, M97--Holder assy, lock clamp	62	23
Track Pads--New ones last longer	58	15
Track tension adjustment--Care and lubing of adjusting nut	64	13
Turret		
Gunner's elevating control handle breaks easily	20	3c
Traverse--Exercise once a week	20	3c
TANK, M42 (TWIN 40'S)		
Components--A rundown by numbers	34	40
Description and adjustment	67	2
Doors--Urgent MWO	93	65
Engine and Pump timing method change	81	65
Engine pump time and fuel injector pump	81	65
Flash Suppressor--When to change	86	65
Fuel Filter		
Flush every day	34	49
New valve and hose set-up	29	19
Fuel tank filler cap--Keep dirt out	31	16
Painting the Ramps	85	17
Parking brake--Rod switch	89	15
Roadwheel, front--Arms, supporting links	29	17
Shifting--Teaching driver-trainees	24	46
Track tension adjustment--Care and lubing of adjusting nut	64	13
TANK, M46		
Battery--MWO prevents cable strain	15	675
Cleaning--When to	8	326
Crankcase Ventilation Assy--Breather	17	780
Dipsticks--New type stick for transmission	4	156
Electrical system--Field expedients	2	74
Engine		
Air cooled 4-cycle, 4 strokes	18	823
Continental--Oil line clamp	23	16
Final Drive Gear Boxes--Gear ratio should be matched	7	278
Fuel Lines--Quick disconnect fix	17	777
Generator--Auxiliary		
Draining the oil, a production change	1	8
Home-made exhaust silencer	4	158
Safety spring for oil drain valves	22	47
Headlights--Aim and Adjust	11	474
Ignition--Timing, without a timing light	5	181
Junction Box, Master--Keep hands off	1	9
Lights--Correct one	73	38
Main engine, air cleaner--Gaskets	68	21
Muffler Shields--Screen eliminates trash	7	277

	PS	Page
TANK M46 (Cont'd)		
Oil Cooler Fans		
Emergency fix for dead clutch in fan	6	263
Stop engine before resetting	2	76
Oil Filter--Clean	7	279
Quadrant--Fix to stop breakage	2	76
Steering Knuckle Boot--Requisition kit	2	77
Switch, Master Relay Control--Double-throw	12	510
Telescope Mount--Fire control	11	492
Timing--Without a timing light	5	181
Track Jacks--Pins snapping off	9	368
Turret--Anti-recoil failures	9	365
Wheel Bearings, Rear--Handle easy	2	77
TANK, M46A1		
Battery--MWO prevents cable strain	15	675
Final Drive Gear Boxes--Gear ratio should be matched	7	278
Fuel Lines--Quick disconnect fix	17	777
Track Jacks--Pins snapping off	9	368
Track Tension--New tool for adjusting	35	16
Turret--Anti-recoil failures	9	365
TANK, M47		
Accumulator--Piston-Type		
Change on instruction decal	23	39
Low pressure makes gun tube rise slowly	22	18
Air cleaner--Gaskets	68	21
Cleaning--When to	8	326
Decal--Speedometer-tachometer reading	22	19
Door Assy, Rear Grill--Door stop	51	48
Driver, Training--Accidental shifting into reverse	22	19
Engine, Continental--Oil line clamp	23	16
Final Drive		
Don't mix parts	21	969
Gear ratio should be matched	7	278
Fire Control System		
How to operate	15	692
How to use secondary system	15	697
Fuel Lines--Quick disconnect fix	17	777
Fuel tank valve cover gasket	80	14
Generator--Auxiliary		
Adjust linkage	17	776
Safety spring for oil drain valves	22	47
Harness--Tracking Motor Feed	47	15
Headlights--Aim and Adjust	11	474
Lifter, Roadwheel--Match them	41	18
Magneto booster coil--Replacement	65	63
Magneto, Generator, Auxiliary	61	30
Mechanism, Hand Firing Gun--Broken	53	19
Mud Shields, Roadwheels--Removal	46	30
New TM	80	15
Oil weight rules	80	41
Operation--The right way	8	317
Periscope M-19		
How to operate	15	694
Stowage box for	64	49
Stowage of	37	30

	PS	Page
TANK, M47 (Cont'd)		
Road wheel disks--Flange area wear	65	65
Speedometer-Tachometer--Decal	22	19
Throttle Rods--Bent rods	22	20
Tools--Wrench, track adjusting	55	48
Track Jacks--Pins snapping off	9	369
Track, Rubber--In general use	39	40
Track Tension--New tool for adjusting	35	16
Tracks--Kind of	66	38
Turret--Do not apply MWO Ord G262-W23	66	26
TANK, M48		
Accumulator		
Hand pump--Use only when needed	51	5
Low pressure make gun rise slowly	22	18
Shut-off valve--Leave on	51	6
Air cleaner--Gaskets	68	21
Air Cleaner, Oil Bath--Check before, during operation	30	17
Auxiliary engine generator--Cleaning	64	49
Battery access cover -- fix	76	60
Bellows, Exhaust--Don't step on 'em	56	65
Boresighting	73	65
Brackets, Shock Absorber--Replace	37	31
Breech Guard--Save shims	42	49
Carburetor--Adjust with tachometer	45	31
Circuits, Generator--Engine junction box	45	7
Collar, Brake Locking--Release before starting	47	14
Compensating Idler		
Loose idler-wheel-spindle bolts	51	10
Control, Commander's--Sweep to override	51	7
Control Linkage--Troubleshooting	47	12
Cupola, Commander's MI--Interlock-travel lock assys	51	8
Elevation, Automatic--Adjust	34	18
Elevation, Power--Use only when power's on	51	7
Engine		
Auxiliary--Check ground strap	38	18
Carburetor idle adjustment	67	40
Compartment--Fires	41	46
Gauge speed by touch	24	10
Judge speed by feel	45	31
Final Drive		
Check and fill weekly	32	18
Ring assy, install right type	21	969
Fire Control System		
Clean range finder end windows	63	49
How to score a first-round hit	33	34
Information on	28	12
Keeping equipment in shape	64	6
Linkage--Not a step or handle	51	5
Flange, Drive Sprocket--Hub-track guide	50	16
Fuel pump flexible line--Correct use	69	13
Generator, Auxiliary--Troubleshooting	28	8
Generator, Control Box--Change over from 150 to 300 amps	55	32
Generator Control Box--New box fits all tanks	75	38
Generator, 300 Amps--Remove tape	27	49

	PS	Page
TANK M48 (Cont'd)		
Getting gun into travel lock alone	.79	39
Gun (See GUN, TANK, M48)		
Gun Travel Lock--Put down	51	5
Handle Control--Don't sweep too long	51	7
Hatch		
Driver's--Get familiar with it	.24	11
Loader's--Use hatch-bolt correctly	.64	7
Heater		
Don't pull emergency switch	.49	20
How to operate	24	9
Scrape paint off manifold	24	8
Horn Guard--How to make	62	63
Idlers, Tension--How to lubricate	38	39
Keep grille door handles down	.71	65
Lifter, Roadwheel--Match 'em	.41	18
Linkage		
Control-handle assy--Fix shield	.36	47
Shifting and steering--Disconnect	28	7
Loaders seat--No stepping please	.65	21
Lubrication (Also see LUBRICATION, GENERAL)		
Idler, compensating wheel-arm	.37	18
Idler wheels	.56	27
LO published	.22	18
Roadwheel hubs	.28	2
Tension idlers	31	49
Magneto booster coil--Replacement	65	63
Mechanism, Hand Firing, Gun--Broken bracket	53	19
Muffler		
Join properly to prevent fire	41	46
Stop That Grille?--Installation	64	49
Non-Ballistic Hull, M48C	.91	39
Oil, Replenisher Cylinder--Backwards	29	49
Oil Seal--Cosmoline preserved	.52	13
Oil weight rules	.80	41
Operation		
Operating hints	25	9
Starting, stopping, maintenance	25	2
Tips for a smoother ride	28	2
OVM (On-Vehicle materiel) Stowing	37	2
Parts--Identification	.92	65
Periscope, Driver's--Cement seal in place	24	10
Power Pack		
Clean, grease engine mounts	47	16
Disconnect linkage to remove	28	7
Power Plant--For easy removal	.57	49
Radio--Re-mount for clearance	49	30
Range Finder		
Changing light bulbs	49	47
Handle range-light cap assy with care	29	49
Leave out of travel lock	51	3
Road wheel disks--Flange area wear	.65	65
Roadwheel Hubs		
How to lube	28	2
Replacing plug	22	18

	PS	Page
TANK M48 (Cont'd)		
Road wheels--Switch from OE to GAA	.64	45
Shifting--By the letters	.25	8
Shock Absorbers--Replace bracket	.37	31
Slave Cable Starting--Tips on	25	12
Slaving--Master relay switch off	.65	65
Solenoid--Don't rip from MG mount	53	20
Sprocket hubs--Tool for removing	.67	39
Starter--Lay off when engine's running	60	16
Starting--Instructions	25	4
Steering--Tips on	25	9
Stopping--Shutting down	25	10
Suspension System--Tips on tracks	22	18
Switch, Emergency--Personnel heater	.49	20
Tachometer		
Rev it up without one	24	10
Use to adjust carburetor, magneto	45	31
Throttle Rods--Bent rods	22	20
Tools		
Organizational maintenance	28	10
Special--Heavier sockets	.40	47
Special--Mud hook	24	12
Special--Wrench, torsion bar	38	19
Torsion Bar--Some pointers on	.30	20
Torque--Low and reverse band adjusting-screw lock nuts	.50	40
Tow Starting--Take it easy	.25	12
Track-End Connectors		
Instructions on installing	.28	4
M47 connector wedges can be swapped with M48.	24	11
Using ball peen hammer	22	18
Track--Tension		
Adjusting--Stick to block method	35	15
Link limits	32	50
Track Tension Idler Wheel--Removal procedures	85	19
Track Wedge Bolts		
Tighten right.	.28	3
Transmission (See TRANSMISSION)		
Transmission End Covers--Emergency replacement	.28	7
Turret Lugs -- Machine gun	86	11
Turret Traverse Shaft--Failure	90	40
TANK, M48A1 (Also see TANK, M48)		
Fuel pump flexible line--Correct use	69	13
Getting gun into travel lock alone	.79	39
Keep grille door handles down	71	65
Magneto booster coil--Replacement	65	63
Muffler--Installation	64	49
Power Pack--Grease engine mounts	47	16
Track Suspension System--Be Your Own Inspector	.81	52
Wheels, Idler--Lube with GAA	.56	27
TANK, M48A2		
Bearing, Fan Clutch--Lube it.	87	13
Brakes--Adjustment	81	15
Correct TM on engine compartment drain	83	25
Description and adjustment	67	2

	PS	Page
TANK, M48A2 (Cont'd)		
Engine--Fuel injector tubes leaking	70	24
Exhaust Manifold Gasket--Failures	84	55
Fire Extinguisher--Use right wrenches to remove	84	7
Be Your Own Inspector	91	10
Loader's seat--MWO	80	65
M13A1 range finder	83	65
MWO for turret platform	81	65
Oil Cooler Fans		
Failures--How to prevent	79	41
Quick acceleration can bust them	83	54
Oil cooler inlet elbow coupling	73	28
Oil cooler rotor fans check	82	17
Operation, Care and Maintenance	78	2
Periscope Mount Headrest--not needed	80	15
Primer Pump--Watch for leaks	84	54
Starting Procedures	89	65
Top deck removal	85	18
Track Suspension System--Be Your Own Inspector	81	52
Track Tension Idler Wheel--Removal procedures	85	19
Transmission		
Access to name plate	57	49
Care of sending units	71	17
Turret platform modification	81	65
TANK, 120-MM GUN, M103		
Battery access cover--fix	76	60
Extinguishers--Lock wire	92	18
LO Explained	93	65
Nylon shields, MG	91	26
Road wheel disks--Flange area wear	65	65
Sight, infinity M44	91	25
Turret lugs for machine gun	86	11
TAPE, PRESSURE SENSITIVE ADHESIVE (See PAINT)		
TARPAULINS (ALSO SEE CANVAS, COVER)		
Fix keeps tarps dry and clean	30	47
How to tie wedge-type hook	62	18
Keep sag out	62	62
Laundry units, mobile--Shields stop wear	58	41
Prevent wear	32	49
Rigged to shelter tanks and trucks	70	38
Trailers, 1 1/2-ton--Correct positioning	57	9
Trucks--Use and maintenance on	32	21
Trucks, 2 1/2-Ton		
M34, M35, M135--M35 cover not interchangeable with others	52	19
M235, M211--Hook, lashing weld, replace	52	48
M424--How to set	62	17
TECHNICAL BULLETIN		
Numbering	67	65
TECHNICAL MANUAL		
Automotive vehicles--New issue	46	49
Use TM's	76	1
TELEPHONE		
Batteries--Change as needed	78	44
Care in cleaning CY-1277	88	47

	PS	Page
TELEPHONE (Cont'd)		
Cleaning external phone box on tanks	82	64
Cranks for field phones	84	48
Cold weather use of external-interphone equipment	83	16
Hands off wires	79	27
Handset H-60/PT		
Gasket for	79	28
Proper cradling	77	22
TA-1/PT		
Be Your Own Inspector	92	6
Handle case carefully	89	19
Quick connect to DR-8 spool	89	21
Rubber boot for switches	77	23
TA-312		
Be Your Own Inspector	76	18
Check nameplate	89	18
Connector plug fix	71	46
Tank interphone handset reel	88	43
TELESCOPE		
M56--Eyepiece cover unnecessary	82	65
M84--Sniping rifle carrying case	57	20
M86F--Using stadia lines for range	18	850
M97--Holder assembly, lock clamp	62	23
T149E1, Panoramic--Store correctly	57	49
TELESCOPE, COMMERCIAL OBSERVATION		
Scopes not used tatically	87	7
TELETYPEWRITER		
PM on AN/FGC-20	82	62
TENTS		
Maintenance and Storage	91	2
Pins--How to drive in	64	31
Stoves--Operation and PM	85	2
TERMINAL EQUIPMENT		
Guy wires for AN/TRC-24	84	47
Schematics for AN/TCC sets	81	24
TEST EQUIPMENT, SIGNAL		
TS-117/GP Wavemeter--FSN Changes	89	18
TESTING		
How to test spark plugs	74	29
TESTING, ELECTRICAL		
Charging systems, wheeled vehicles	56	2
Generator		
Polarize thru field	93	28
Ignition systems	56	17
Low voltage circuit tester--Use spade-type terminal	54	46
Low voltage circuit tester--Use UER	38	20
Read voltage circuit tester	50	12
Tanks--Timing light	55	31
24-Volt System		
Use variable load resistor	41	49
(WV) Load bank, Model 129	56	2
(WV) Low voltage circuit tester--How to use	42	2
THERMOSTAT		
Bypass line--Keep on	39	49
THROTTLE RODS		
Tanks, M47-M48--Check the bent rods	22	20

	PS	Page
THROTTLE STOPS		
Make one from commercial spark plug cap screw	40	47
TIE ROD--Removing worn-out ends	60	48
TIMING		
Ignition--Principal of	66	54
Ignition of M-series vehicles--How to	45	10
Light--Power testing, 6, 12, 24-volt systems	31	18
Light--Power timing, motor vehicle timing--How to	45	10
Magneto fired engines--Using new timing light	45	13
Motor vehicle--Using with new light	45	10
Tanks--How to check timing	55	31
Waterproof ignition system--Timing of	29	10
TIPS, CUTTING--Care and maintenance	39	16
TISSUE, LENS		
Rundown on	56	42
Use right tissue	44	49
TIRES		
Air gage--For tires	65	40
Air gages--How to get	65	40
Air Pressure		
Keep at road pressure	27	35
Painting on dash	59	38
Alinement	21	961
	44	20
Bead clips--Leave off after changing	30	29
Bead clips--Not on new vehicles	21	955
Care and Maintenance	44	6
	68	29
Changing--How to	20	925
Cuts, bruises	44	9
Earthmover maintenance	50	60
Earthmover tire traction	22	43
Effects of bad driving	44	8
Flaps		
Be sure to get	82	16
Turn in old ones	23	17
Grease--Effects of	44	11
Inflating--Use of safety chains	65	64
Inflation--Over and under	21	958
Inflation--Proper, improper	44	12
Maintenance and care--Life insurance	21	954
Maintenance care	42	21
Matching	44	15
Measure--How to	56	37
Mounting lock ring--Use	47	17
M-44-series trucks	40	49
Non-directional	15	680
Ozone resistant	66	65
Painting	65	14
Preserving--Use new rubber coating preservative	74	21
Recap--When to	65	14
Rotation	44	18
Rotation--How to do it	21	960
Rotation--Trailers	15	712
Spare--Grease shield	32	48

	PS	Page
TIRES, (Cont'd)		
Stenciling data on dashboard	24	32
Traction--Mount in right direction	22	44
Trailers--Replacing on lowboys	59	61
Truck, Fire--Requisitioning	54	42
Trucks--1/4-ton, M38-M38A1	41	33
Tubes		
Hot patching of	21	962
Repair or salvage	85	37
Tubeless Flats--Driver fixes own	54	32
Vans--Fire Control	46	33
Wear--Display stand	8	331
Wheeled Vehicles--Follow TM 9-1870-1	45	36
TOE--You need to know it	57	1
TOE-IN PROCEDURE		
Truck, 2 1/2-ton--Follow TM 9-819A	27	36
TOOLS		
AA-Gun 90-MM--Omissions from Ord SNL	18	842
Carbine--Bolt	25	47
Carpenter's tool kits in Eng SM's	80	17
Carriages--M41, M41A1, M42--Crow-bar stowage	22	17
Common Air Force Items	16	754
Copper Hammers--Replacement	15	709
Correction to article in PS #60 on--Special Tool for Tactical Wheeled Vehicles	66	65
Engineer--Engine powered maintenance responsibility	43	45
Hand		
Cleaning--Coating	68	54
Files--Proper use--Care	4	140
Handles, wooden--Care of	55	42
	92	45
Hydraulic-Jack-Handle--Modification	20	913
Pliers--Proper use of	6	228
Saws--Proper use of	3	122
Screwdriver		
Flammable handles	77	65
Proper use of	5	184
Tech Service responsibility	88	65
Torque Wrenches		
Color coding	87	44
With field fixes	13	518
Wrench--Wheel spindle nut	40	39
Howitzer M44--Check change list	43	38
Improvised		
Anvil, "I" Beam	43	48
Generator, Hobart--Spark plug wrench	38	34
Gun 90MM		
For tripping extractors	58	47
Lug wrench rest	56	62
Rifle, M1--Gas-plug cleaning tool	31	48
Starter pinion--Starter adjustment	8	340
Tank, Light, M24--Track tension testing	24	49
Tank, Medium--Connector puller	26	44
Tank, M41--Spark plug wrench	14	645

	PS	Page
TOOLS (Cont'd)		
Improvised		
Tank, M48		
Mud hook	24	12
Special	28	10
	40	47
Wrench, torsion bar, end plug	38	19
Tank track--Sprocket wear gage	24	14
Test light--Emergency circuit tester	27	48
Tire measuring	13	589
Track adjusting	16	746
	17	775
	35	16
Transmission--Hydramatic guzzler for changing oil	28	46
Trucks		
Air tank bleeder, scrap pipe	38	48
Battery lifter	22	16
Feeler-gage holder	25	46
Janitor Tools for truck cleaning	25	17
Pioneer Tool rack--Truck mounted	55	18
Speedwrench battery cover	24	45
2 1/2-ton, M135--Rear axle puller	20	952
Universal-joint oil-seal puller	31	46
Wrench		
For removing auxiliary generator	20	951
Spark plug	8	327
Kits (See Sets)		
Mount, 90MM Gun AA--Wrench, bogie	25	35
Multimeter--Hickock Model 4977	92	62
Nike, General		
Electronic Assemblies Tools	73	48
Launching section	75	13
Missile guidance section wrenches	63	4
Phillips, R & P screwdrivers	67	20
Shop Equipment, Guided Missile Special, Org Maint.	84	20
Special--Allen Wrench	51	37
Send in UER on damaged tools	87	37
Tool Kit, Org Mechanical Assembler	84	20
Truck 1/4-Ton (See OVM)		
Use screwdriver to tighten missile battery box cover	66	4
Ordnance Tool Sets--Order by individual items	79	65
Pneumatic	24	41
Radio--Alinement	79	25
Ramming-Extracting--Proper use	61	36
RCAT		
Tool, organizational maintenance	29	33
Torque wrench values	29	34
Report battered tools on UER	87	37
Shop Equipment Set No. 2		
Exhaust pipe muffler rusting	88	28
Sets-Kits		
Aircraft Mechanics Tool Kit	92	52
Antiaircraft Artillery Mechanic	70	14
Armorers'	69	45
Artillery--Introducing five new sets	70	14
Artillery Mechanic (105mm - 155mm Howitzer)	70	14

	PS	Page
TOOLS (Cont'd)		
Sets-Kits		
Artillery Mechanic (155-MM Gun and 8-in Howitzer)	70	14
Artillery Mechanic (8-in Guns and 240-MM Howitzer)	70	14
General Mechanics	51	16
	78	20
Inventory and requisition	22	36
M76, Cargo carrier--Roadwheel arm-lifter	69	12
Oxygen-Acetylene No. 5	58	33
2d Echelon No. 1 Common		
Add Holding Tool, valve, tire repair	81	12
Add 1/2" sq drive to torque wrench	60	16
Breakdown of kit	90	8
Delete scale	58	30
Know your tools	35	2
2d Echelon No. 1 Supplemental	35	12
2d Echelon No. 2 Common	40	2
2d Echelon No. 2 Supplemental	46	36
Shop		
Field Maintenance	54	49
How to order	18	824
Spark plug wrench set--Machine to fit	15	671
Special sets	60	9
Special sets A & B--Procurement	33	10
Special sets A & B--Vehicles	60	10
Welders	58	34
Wrench Set, wheel stud nut--Loosen corroded, frozen nuts	47	34
Wrench sets--Breakdown of	84	65
	81	14
Turret Mechanic	70	14
Signal		
TE-33, Signal	82	61
TE-41	72	42
TE-41--Cartridge for soldering iron	92	15
Tank, M41--Special	14	662
Tank, M47--Wrench, track adjusting	55	48
Torque Wrenches		
Clean threads	26	49
1/2-drive, 2d Echelon No. 1 Common	60	16
RCAT	29	34
Testing	30	8
Use	77	28
	30	4
Using extension adapter	81	60
Trailers, Van--Torque wrench	60	16
Truck-Tractor, M52--Wrong torque-rod	34	35
Truck, 2 1/2-Ton GMC, Model 424	57	18
Truck, 2 1/2-Ton M34		
Use wrenches from general Mechanics tool set	17	767
Truck, 2 1/2-Ton--Wheel-bearing wrenches	17	791
UER	83	1
Valve Clearance--Common set	32	30
Wrench, Flange		
To remove air compressor pulley from 2-1/2 ton truck	89	11

	PS	Page
TOOLS (Cont'd)		
Wrenches		
Bore evacuators	57	46
Mount, 90-mm AA Gun--Bogie wrench	25	35
Wheel-bearing nut	34	47
	40	20
Wheel-bearing nut--Modification	21	965
TOOLS, PIONEER		
Responsibility	41	40
TB on Stowing	75	65
Stowage Location	78	65
TORQUE		
Chassis rod	59	24
Check for right torque	30	6
Converter on heavy equipment	29	19
Converter Filters (See STRAINER ASSEMBLIES)		
Converters--Right oil	88	65
Dual wheel, M172	87	11
Proper wrench for tightening	74	40
Rods, Truck-tractor, M52--No tool	34	35
Scintilla-type connectors	58	19
Wheel bearing--Adjusting on	41	49
TOWING		
Commercial-type vehicles not used	44	44
Spreader bar fix for hoisting	33	48
TOWING OTTER		
Land and water	20	913
TOWING TANKS		
Disabled	35	20
How to	77	29
Over a hill	34	16
Tips on M41	14	636
Use of radio	46	49
TOWING, TRAILER (SEE TRAILER)		
TOWING TRUCK		
Chain clamps--How to use	92	38
Chains for towbar, M62	85	38
Fageol and Brill Buses	88	41
1/4-ton--How to make sling	2	88
2 1/2-Ton		
How to tow truck backwards	50	10
Hydramatic transmission precautions	45	37
	69	52
Hydramatic transmission--Put transfer levers in neutral	16	757
5-ton, M62--Use of	16	725
5-ton, M62--Use of tow bar and boom	22	31
Use pintle for light hauls	42	49
TRACK JACKS		
Right Size	88	22
Tank, M4, M26, M46, M46A1, M47, Stop end connector puller pins	9	368
TRACK, LOCK, TANK--Smug gun in lock	17	799
TRACK SHOES--Unit of issue	51	11
TRACK SUPPORT ROLLER--Fix for static ground spring trouble	28	47
TRACK SUSPENSION LUBES--For all vehicles	27	16

	PS	Page
TRACK TENSION		
How to adjust	66	44
Testing tool not issued	16	746
The right sag, Measuring	16	744
Tips on tightening	16	743
TRACK EQUIPMENT, ENGINEER		
Breaking in a new set of tracks	26	43
Items being revised	30	49
TRACKED VEHICLE		
Open and close hull drain valve daily	66	65
Track Fixture--Right size track jack for your vehicle	88	22
TRACTOR, CARGO M8A1		
Generator hoist--Uncouple frame hold downs	65	19
Transmission CD-850 Series		
Band Adjustment	86	37
TRACTOR, CARGO, M8E1--Oil filter element	53	41
TRACTOR, CARGO, M8E2		
Generator frame oversize	48	30
Hubcap--Repair	64	8
Spotlight cord rubber fix	51	12
Track tension adjustment--Care and lubing of adjusting nut	64	13
TRACTOR, CRAWLER		
Hourmeter	84	7
Improved track shoe nuts and bolts	78	56
Operation		
As bulldozer	39	46
Muddy terrain	24	42
Take slopes gradually	42	44
Trainee buddy seat	35	40
Track roller, bottom--Proper lubrication by using pressure-relief adapters	65	38
TRACTOR, CRAWLER, CAT		
Adjustments	30	44
Hydraulic Hose--Keep in place	38	33
Lubrication--Clutch, bearing	42	43
Use as stationary power plant	25	43
TRACTOR, CRAWLER, CAT., D7		
Canvas seat covers	71	61
Crank, tilt mechanism--Local fabrication of	65	64
Lube--To free track adjusting nuts	38	33
TRACTOR, CRAWLER, CAT., D8		
Be Your Own Inspector	79	42
Bellows Seals--Leaky	23	42
Lubrication--Hit all fittings	29	44
Magneto--Starting Engine	90	28
Mfg manuals, 9A series	81	44
Right transmission oil	22	42
Series 9A--Radiator shield clearance	84	60
Starting 9A series	81	47
Steering clutch housing	29	43
TRACTOR, CRAWLER IHC		
TD-18		
Angledozer Pins	91	63
Drawbar Pin -- Lock	87	63
Hood--Don't overtorque bolts	80	51
Mfg Manual--How to get	78	26

	PS	Page
TRACTOR, ENGINE, PONY		
Keep water out of fuel tank	36	40
TRACTOR, HIGH SPEED, M4		
Differential, lubing practices	27	37
Strainer assy, nomenclature, stock no	26	31
Torque Converter--Hot oil change	27	37
Transmission, check level daily when hot	27	37
Transmission, checking oil level	10	427
TRACTOR, HIGH SPEED, M5		
Clutches--How to operate and adjust	33	30
TRACTOR, HIGH SPEED, M5A4		
Clutch adjustment	34	34
Lubrication--Auxiliary	35	31
Use of high-low range	35	31
TRACTOR, HIGH SPEED, M6		
Strainer assembly, nomenclature	26	31
TRACTOR, HIGH SPEED, M8A1		
Lights--Correct one	73	38
TRACTOR TRUCK		
M52		
Tow only 12-Ton Van semitrailers	52	33
Used with M172--Load and speed	83	28
TRACTOR, WHEELED		
MRS--Important lube points	21	994
MRS--Model 150--Bearing adjustment	25	45
MRS--Reinforcing push plates	70	40
TRAILER		
Acquisition Antenna--Brake buzzer fails	46	33
Air Brake Hose--Keep out of squeeze	17	773
Brake Hose--Connections	59	64
	93	52
Cable, Tail Light, Stop Light--Don't step on	27	49
Connections--Pull up when disconnecting	43	49
Don't use M75 to pull M104-M105	41	30
Fabricated step for loading and unloading	92	64
Inter-vehicular receptacle--Correct nomenclature	63	38
Light Cable--Fix to prevent dragging	49	46
Light Cable Adapters	49	19
Light Cable Receptacle--Jeep, rotate	48	48
Maintenance--Scheduling PM services	47	29
Marking procedure	56	39
Paint--Flaking, peeling	32	15
Pole-Type--Use the right LO	28	42
Roofs--Stop leaks	51	49
Tires--Rotate	15	712
Towing--Adapter Assemblies	49	19
Towing--Tips	57	2
Use of DA Form--PM Roster	20	924
TRAILER CARGO		
Connection receptacles--Keep clean	32	15
TRAILER, CARGO, 1 1/2 TON		
Quick fix for a short chain	22	48
Tarpaulins--Correct positioning	57	9
TRAILER, FIRE CONTROL		
Battery--Adjust charge rate	30	38
King Pin inspection	67	63

	PS	Page
TRAILER FLAT BED GUIDED MISSILE M261		
Tool boxes--Drill drain holes as per MWO 9-2330-212-20/3	74	19
TRAILER, LOWBOY--Tire replacement	59	61
TRAILER, LUBRICATION M104E1		
Gaskets for lids	73	62
TRAILER, 1/4 TON		
Floorboards--Bracing	56	24
Frame--Cracks when old shock absorbers used	57	11
Storage Box Hinges--Lube at C Service	28	17
TRAILER, 2-WHEEL, 1/4 TON, M100		
Inter-vehicular electrical cable--How to get	22	32
Lunettes--Care	71	60
Operation--With 1/4 ton truck	25	30
Safety Chains--Hooking up	4	166
	77	40
Shock Absorbers--Replace	57	11
Steel washer under reflector bolt heads	15	708
Storage Boxes--Keep equipment off lids	17	808
Stowage Box--Move to one side	24	33
Tire Pressure--Same as 1/4 ton M38	18	820
TRAILER, 3/4 TON		
Easy on the tailgate	57	20
Wheel hubs--Inspect before starting	23	16
TRAILERS, 1 1/2-TON G754 SERIES		
Block vehicle and release hand brake during storage	88	63
Front caster assembly--Substitute thicker washer	67	27
TRAILER, 1 1/2 TON, M104		
Brackets--Brace on third wheels	44	34
Lubrication--Handbrake cable	28	18
Rear support leg--MWO	60	15
TRAILER, 1 1/2 TON, M104A1, M105A1, M105A2		
Rear support leg--MWO	60	15
TRAILER, 1 1/2-TON M106, M106A1, M107, M107A1		
Corrosion Remover	92	65
MWO for refinishing inside	82	65
Water tanks--Who cleans 'em	69	37
TRAILER, 2-TON, M143A1		
Axles and hubs--Repair parts	84	9
TRAILER, 2-WHEEL, 2 1/2 TON		
Protect electrical cable in rear	21	994
TRAILER, SHOP 12 TON		
Publications--For Hercules engine	33	42
TRAILER, SEMI, 6-TON, M118A1		
Brake--Right wheel cylinder	84	10
TRAILER, SEMI, 2 WHEEL, 6 TON, M119		
How to requisition truck tractors	68	40
Prime mover for	64	33
TRAILER, SEMI, 12 TON, M127		
Landing Support Feet--Fix	18	812
Lock brackets	53	38
Spare Tire Rack--Fix	58	47
Tailgate--Fix	18	812
Use with M52 Truck Tractor	75	39
TRAILER, SEMI, 12-TON, M127A1		
Parts switch, axles and brakes	80	39

	PS	Page
TRAILER, SEMI, 12-TON, M131		
Brake--Right wheel cylinder	84	10
Cleaning gas tank interior	80	14
TRAILER, SEMI, 12-TON, M127, M127A1		
Brake, Hydraulic--Release, fix.	83	27
TRAILER, SEMI, 12-TON, M131A1, M131A2		
Brake--Right wheel cylinder	84	10
TRAILER, SEMI, 12-TON, M132A2		
Landing support pads	85	17
TRAILER, SEMI, 12-TON, M270A1		
Brake--Right wheel cylinder	84	10
TRAILER, SEMI, 25 TON, M172		
Load and speed	83	28
Ordnance responsibility	51	43
Torque when mounting	87	11
Use with M52 Truck Tractor	75	39
TRAILER, M200		
Air Hoses--Raise them to prevent damage	52	45
Electric cable, receptacle and connector FSN's	84	39
TRAILER, TRANSPORTER		
Homemade spacers for air tanks	78	28
TRAINING, ORDNANCE		
Extension courses available	25	41
New training films	69	51
Officers PM Course	75	37
TRAILER, VAN, 7 1/2-TON, M349A1		
Brake--Right wheel cylinder	84	10
TRANSFER TUBE		
Install in heating system	20	916
TRANSIT, ENGINEER		
Handling, operating	60	42
TRANSMISSION		
Automatic--Operate smoothly	10	434
Cross Drive, Allison--Use OE 10	18	822
Engineer Equipment--Gear shift levers	35	42
Hydramatic		
Check--Hot or cold	89	14
Checking Oil--Use F-1 high range	49	14
Cold weather starting	27	35
Control Lever--Keep synchronized	26	30
Engine--Idle speed	30	49
Front Band--Adjustment	49	29
	24	16
Gasket, Flywheel--How to get torus cover	45	35
Guzzler--Save time while changing oil	28	46
Install transmission flywheel housings	34	15
Linkage--Coat with rust preventative	17	772
Lubrication--Check lube level	44	4
Malfunction--Use of diagnosis guide	36	45
MWO's--For relief of troubles	18	856
Oil Level		
Check idling RPM	52	18
Check when it's hot	26	48
Check in neutral	77	37
Oil weight		
Same as crankcase	21	3c
Use OE 30 oil	25	30

	PS	Page
TRANSMISSION (Cont'd)		
Hydramatic		
Operation		
High-low range	6	252
Right range	17	769
Shift control lever	61	20
Shifting positions-high range	17	790
Sling for hoisting	58	48
Studs	34	15
Tools--For removing drain plugs	26	32
Towing--Short-long hauls	45	37
When-how to shift	40	21
Mechanical--Lubrication--Use GO 90	61	29
Synchro-Mesh		
Operation--Lay off double-clutching	38	49
Truck, 5 Ton--Double-clutching	54	39
Tank		
Operation M48--Shifting into reverse	41	20
Torque-Converter Stator Screws--Backing off	27	12
Truck		
1/4 Ton Shift Lever--Oil leakage	55	33
Wheeled Vehicles		
Maintenance--Follow TB Ord 29	17	794
Oil level--Too much, cause and effect	45	15
TRANSMISSION, CD 500		
Brake apply rings--Reverse A, B rings	56	28
Filters--Servicing with jackscrew	36	10
Pal Nuts--Discard	45	49
TRANSMISSION, CD 850		
Brakes--How to adjust	16	739
	67	48
Care of sending unit	71	17
End Covers--Not interchangeable	35	49
Linkage--How to keep in shape	35	18
Operation--At high temperature	8	326
Pal Nuts--Not necessary	45	49
Slowing--Downshifting	21	966
Test plugs loosening	41	12
Tracked Vehicle--Rebuilt	76	26
TRANSPORTER M249, 250		
Tires--Types of	64	32
TRAVERSE, POWER		
Tank M48--Use only when power's on	51	7
TRIGGER-HOUSING PINS, CARBINE		
Avoid losing	32	31
TRIP TICKET, DD FORM 110 (See FORMS)		
Fabric--Envelope to protect	64	33
How long to keep it	32	40
Plastic Holder--Fabric envelope with key	18	817
TRIPOD M5		
Line up legs before closing	28	32
TRIPOD, RIGGING		
Use with disabled trucks	54	12
TRIPOD, WEAPON		
Keep teeth separated	24	34

	PS	Page
TROUBLESHOOTING		
Auxiliary Generator	61	30
Cooling System, WV	31	26
Engine	2	58
	29	21
Engine, Diesel	18	852
Engines, Truck 3/4-Ton	69	15
M-Series Vehicles	49	2
Radios--Personal check	78	42
Tank, M41		
Engine	14	656
Turret	14	605
Tanks	33	21
Transmission, Hydramatic	36	2
Truck		
2 1/2-Ton	55	2
M135	7	283
Vehicles, Commercial Type	47	2
24-Volt Electrical System (WV)	42	2
TRUCK, AMPHIBIAN, 2 1/2-Ton, DUKW-353		
Driving--Use lower range gears	23	49
Handbook--New driving	43	30
Maintenance--Tips, fixes	3	118
TRUCK, BRIDGE, TRANSPORT		
Stake body drainage holes	81	47
TRUCK, DODGE		
Accelerator Bracket--Quick fix when worn	49	45
TRUCK, DUMP		
Dump Body--Elevate when parked	37	47
Using tailgate wings	93	16
TRUCK, FORKLIFT (See MATERIALS HANDLING EQUIPMENT)		
TRUCK, GENERAL		
Batteries--Stencil show 24V hookup	81	64
Brakes--Use of warning buzzer	70	25
Canvas--Preservation of	65	37
Door Handles--Repositioning	38	19
Electric Brakes--General information	64	49
Fan Belts--Charging system	90	24
Fording kits--How to get	66	18
Fuel Pump--Refueling rate	76	27
Prevent dieseling	88	14
Rifle bracket assemblies (See RIFLE M1, CAL 30)		
Windshields--Treat kindly	88	19
TRUCK, MODEL KD-WW II--Fix to stop rusting	16	760
TRUCK, 1/4-TON, M38		
Accelerator Pedal--Take out footrest	26	27
Arc Welder, Electric--P.T.O. Attachment	25	16
Assembly Line Changes	7	290
Axles, Shaft, Rear--Measuring end play	57	31
Battery (Also see BATTERY)		
12-volt electrical system--Quick fix	4	145
Corroded carriers--Overcharged	22	33
Frames, Angle bracket	41	34
Ground Cable, Remove	58	29
Lifter	22	16
Wing-Nuts, Tighten battery hold-down	28	17

TRUCK, 1/4-TON, M38 (Cont'd)	PS	Page
Bell Housing		
Cover drain-plug hole without sealing	15	667
Sealed-Assembly line on some M38's	19	885
Belt Fan--Installation	46	20
Belt, Fan--Special alternator set	86	13
Belt V--How to adjust	24	14
Blackout Lights--Stock Number	62	65
Brake Pedal Assembly--Keep away from 24-volt lead	47	48
Braking--How to stop in a hurry	1	36
Carburetor--Repair kits	69	39
Clutch		
Disk--Don't use WWII type	27	13
Release Rod--Replacement	43	48
Release Rod--Replace worn rod	21	966
Compression		
Test with choke wide open	17	770
Crankcase--Capacity	25	16
	84	40
Crankshaft--Pulley, Rivet split weld	18	837
Curtains		
Rub plates too short	64	16
Stock numbers	40	49
CV Joint, Bell Housing--Boots	52	14
Cylinder Head--Fix leak	3	90
Data Plates--Correction to lube info	16	760
Differential Cover--Replacing	9	367
Dipstick		
The right one	26	29
	59	22
Distributor		
Correcting misses, backfires	9	368
Oil soaked points	41	35
Distributor assemblies fits M38A1	73	37
Drive-Shaft U-Joint--Keep out of sand	24	49
Engine		
Adjustments	5	201
	6	225
Filter, Oil, Cuno		
Cartridge type	25	16
Good gasket keeps it leakproof	9	366
Replace if needed	45	34
Flywheel housing drain plug	65	16
Fuel Pump		
Fix for high pressure trouble	15	666
Installing new AC Model	50	9
Fuel Pump--Locating vacuum leak	83	26
Fuel Tank		
Check filler neck connection for leaks	31	49
Remove annually	49	15
Generating System, 100-amp	59	41
Hood		
Keep from rattling	23	49
Two-piece weld	51	48
Windshield bumper	19	904

TRUCK, 1/4-TON, M38 (Cont'd)	PS	Page
Horn		
Button, Rod--Use centering disc	47	18
Use disc on end when installing	15	667
Ignition Switch--Resetting to vertical position	17	793
Key, Rear Axle Shaft--Put hub on first	42	20
Lights--Correct one	73	38
Lubrication (Also see LUBRICATION)		
Clutch levers	29	47
Fix for leaking seal	57	30
Keep bell crank well lubed	32	49
Maintenance		
Operational hints	4	166
Tips	2	82
Manifold Heat Control		
Counterweight shaft--How to loosen	56	24
Muffler--Combat fix	2	68
New Model (Part II)	11	464
Oil Filter (See Filter)		
Oil Seals--Leaking at steering knuckle	57	30
Parts		
Fitted with some M38A1 items	19	885
Spare replacement not interchangeable	34	15
Piston--"Heat Dam" groove	33	31
Radio Power Feed--Kit, Installation of for mounting radio	52	29
Rear axle shaft key--How to put on	68	26
Receptacle--Trailer light cable rotate	48	48
Regulator--Sparking	42	20
Seat, Passenger--Secure pivot pin	42	49
Serial numbers, chassis, manufacture--Location	74	38
Shaft--Manifold heat control counter-weight penetrating oil	44	36
Shimmy--Possible causes, remedy	23	30
Short rub plates	64	16
Speedometer		
Assembly flexible shaft	44	37
Cables--Eliminate kinks	4	167
Springs--Torque U-bolts	29	49
Starter--Troubleshooting, adjustment	40	32
Steering--Bell crank, MWO on pivot shaft	59	65
Tarpaulin--Stow with rods	31	15
Technical Manual--Up to date	47	49
Throttle Wire--Lubricate to prevent breakage	9	366
Timing--Hole in crankshaft pulley	29	29
Tire		
Pressure same as trailer M100	18	820
Valve stem on spare in right position	62	65
Tool (OVM) (See OVM)		
Tool Compartment--Draining	69	59
Tools--Improvised battery lifter	22	16
Transmission--Clogged vent lines	65	18
Transmission--Oil leak	55	33
Valve, crankcase ventilator	87	10
Welder (See ARC WELDER)		
Welding, reinforce body, fender splits	15	15

	PS	Page
TRUCK, 1/4-TON, M38 (Cont'd)		
Wheel		
"Peg-Leg"--Fix damaged rear wheel	54	13
Right Front--Fix to stop rubbing frame	16	760
Rubbing on turns--Fix for	22	3c
Turning when jacked	18	822
Windshield		
Broken	59	24
Clamp it tight	32	17
Hose as bumper	19	904
Support, rubber padded	44	36
Wiring harness assembly	40	49
TRUCK, 1/4-TON M38A1		
Air Cleaner--Neoprene gaskets	38	20
Axle Shaft, Rear		
Measuring end play	57	31
Put hub on shaft first	42	20
Battery		
How to keep cable connectors and supports from breaking	16	747
Remove ground cable	58	29
Take cover off and check regularly	22	15
Wing nuts on cover	24	45
Bellcrank Steering--MWO on pivot shaft	59	65
Belt, Fan--Special alternator set	86	13
Bracket--Oil pressure sending unit	50	11
Brake, Hand--MWO holes for lube	47	19
Brakes--Backing plate, nuts and washers	57	29
Canvas--Federal Stock Numbers	60	14
Canvas Rod Cover--Stow rods with tarp	31	15
Carburetor--Repair kits	69	39
Clutch		
Lubricate levers	29	47
Release Rod--Replacement	43	48
Correct marker lights (FSN)	65	65
Crankcase		
Capacity	25	16
	84	40
Pulley--Rivet & weld split pulleys	18	837
Curtains		
Canvas closure kit	78	39
Stock numbers	40	49
Short rub plates	64	16
Dipstick--The right one	59	22
Distributor assy fits M38A1	73	37
Distributor--Placement of cables	65	18
Distributor--The right one	41	35
Fix for foot rest	75	64
Flywheel Housing Drain Plug	65	16
Flywheel Housing Drain Plug--Remove	24	32
Fuel Tank		
Connection leakage--How to prevent	30	30
Remove Annually--Paint to stop rust	49	15
Fuel Pump--Locating vacuum leak	83	26

	PS	Page
TRUCK, 1/4-TON M38A1 (Cont'd)		
Gas Tank--Fix for leakage	60	47
Generating System, 100-amp	59	41
Hood		
Tighten lifting ring mount bolts	19	874
Weld hinge pins when loose	27	13
Ignition System--Corrected	28	46
Intake manifold cap screw--Remove	63	9
Lights--Correct one	73	38
Lubrication		
Fix for leaking seal	57	30
Universal joint greasing changed	15	670
Map Compartment Door--Adjust lock	20	920
Mount Machine Gun--M48 and M48E1 not used	78	65
Muffler--Combat fix	2	68
New Model (Part I)	10	414
Oil Filter		
Changing the element	26	29
Cuno--Cartridge type	25	16
Oil Seals--Leaking at steering knuckles	57	30
Parts--Assembly line fitted on M38's	19	885
Parts Replacement--Not interchangeable	34	15
Piston--"Heat Dam" groove	33	31
Radio Power Feed Kit	52	29
Rear axle shaft key--How to put on	68	26
Rifle, Recoilless--Special handling needed	17	770
Rocker Arms--May be hitting valve cover	17	770
Rod, Horn Button--Use centering disc	47	18
Regulator--Sparking	42	20
Serial numbers, chassis, manufacture--Location	74	38
Short rub plates	64	16
Spark Plugs--Only one type to use	17	770
Springs--Clearance from frame	66	26
Springs--Torque U-bolts	29	49
Steering		
Bellcrank--MWO on pivot shaft	59	65
Bellcrank nut--Tie-rod end nuts loose	25	48
Timing		
MWO to install indicator on timing	27	15
Paint mark on pulley	22	3c
Tire--Fix for broken weld	19	903
Tool Compartment--Draining	69	59
Tools, Improvised--Speed wrench	24	45
Trailer Light Cable Receptacle--Rotate	48	48
Transmission--Clogged vent	65	18
Transmission--Oil leak	55	33
Universal Joint		
Method of lubing changed	15	670
Replace plugs with fittings	47	19
Valves--Clearance	41	32
Valve, crankcase ventilator	87	10
Wheels--Turning when jacked	18	822
Windshield		
Broken	59	24
Correct Stock number for assembly	26	32

	PS	Page
TRUCK, 1/4-TON, M170, AMBULANCE		
Bellcrank steering--MWO on pilot shaft	59	65
Brake, Hand--MWO holes for lube	47	19
Canvas--Nomenclature and Stock Nos.	69	17
Cover Assembly Top--Not used on M38A1	59	65
Flywheel housing drain plug	65	16
TM 9-8014--New.	39	49
TM & SNL--Same as M38A1	35	30
TRUCK, 1/2-TON		
Chevrolet		
Carburetor--Fouling up	29	37
Lubrication--Steering gear assembly	59	23
Steering, Loose--Check angle of caster.	50	11
Chevrolet M3100		
Rear reflectors--Relocation	68	28
Seat--Back frame seat adjustment	57	19
Commercial Pickup		
Drain Holes--Drill in body	35	48
Floor--Wooden replaced with steel	61	49
Fuel Line--Move away from clutch pedal	9	367
Ford F-100		
Carburetor Air Cleaner--Brace it	59	23
Steering--What to do when it locks	48	18
TRUCK, 3/4-TON G741 SERIES		
Air Cleaner Elbow Assembly--Replace if Serial Number is below T245-2291	44	38
Be Your Own Inspector	82	42
CV Joint Bell Housing--Truck w/o boots	52	14
Data Plates		
Correction--Lube information.	16	760
Road weights	18	817
Engine Compression--Check every 6000 miles.	57	49
Flywheel housing drain plug	65	16
Fuel Pump--Locating vacuum leak	83	26
Generating System 100 AMP.	59	41
Headlight Circuit Switch--Circuit breaker	45	32
Propeller Shaft--Tighten nuts & bolts	45	20
Spare Wheel Carrier--Reweld if it cracks	26	49
Towing--Disconnect transmission	92	16
Valve, crankcase ventilator.	87	10
Wheels		
Brace for tightening nuts	56	62
"Peg-Leg"--Fix for damaged rear wheel	54	13
Winch--Cable	65	37
TRUCK, 3/4-TON, M37, M42		
Bows--How to stow.	81	42
Brake--Hand		
Adjusting--Change in TM.	22	14
Fix for chipped, rounded ratchet teeth	22	33
Brakes		
How to adjust the right way	11	472
Linings--Adjusting	39	14
Brakes and Clutch--Installation of pedal draft pads	41	11
Distributor--Oil soaked points	41	35
Door Check Brackets--Reinforcement	55	49

	PS	Page
TRUCK, 3/4-TON, M37, M42 (Cont'd)		
Engine--Troubleshooting	69	15
Engine Compression--Check every 6000 miles	57	49
Hood		
Holder--Use support	41	48
Hold-up Rod--Fix for rubber bumpers	32	46
Ignition timing marks	71	65
Manifold--Heat adjustment	58	31
Publication--SNL available	43	49
Regulator--Sparking	42	20
Spark Plug Cables--Avoid sharp edges	15	712
Spark Plugs--How to requisition hot plugs	36	29
Steering Idler Arm--Worn bushings	18	820
Steering knuckle bearings--Correct torque	72	38
Timing--Adjusting	47	49
TM 9-8030--New	39	49
Tools, Improvised--Battery lifter	22	16
Troubleshooting--Getting the bugs out	4	163
TRUCK, 3/4-TON M37B1		
Hook up with M101, 3/4-ton trailer	82	17
TRUCK, 3/4-TON, M43		
Painting--Change to AR	86	38
Extension for exhaust pipe	78	38
Ignition timing mark	71	65
MWO to add swinging tire carrier	23	49
Spring--Spacer for	65	40
TRUCK, 3/4-TON M201		
Ignition timing mark	71	65
TRUCK, 2 1/2-TON, REO (G742 Series)		
A-Frame Kit--How to requisition	44	38
Air compressor--Use of	67	28
Air Compressor Line--To Governor	58	49
Air Tanks--Handle extension	15	708
	38	48
Battery Cable--Replace with shorter lead	77	18
Bearings, Rear Spring Seat--Lubrication	49	14
Blocks, Snatch--For use with	88	39
Brake		
Electric Kit--Install on prime movers	58	49
Hand-Grease fitting added	27	47
Master cylinder for G742 only	88	37
Brake shoe washers	67	27
Canvas Cover--For M34, M35, M135 trucks, M35 cover not interchangeable	52	19
Carburetor		
Check the numbers	86	14
Fuel Filter Strainer	45	37
Not interchangeable with G749	43	30
Throttle stop--Remove from governor housing after break-in	87	12
Clutch--Maintaining of	66	21
Correction to Special Tool Sets A&B (See Tools)		
Crankcase Breather Assembly--To clean	41	13
Crossmembers--Fix for loose rivets	72	39
CV Joint Bell Housing--Protective boot	52	14

	PS	Page
TRUCK, 2 1/2-TON, REO (G742) (Cont'd)		
Data Plates--Correction, lube info	16	760
Differential carrier--Drive flanges	67	41
Door		
Checks--Fix broken ones	50	64
Window--MWO to prevent breaking	41	48
Fan Blades--Spaced evenly for quiet	27	36
Flywheel housing drain hole leaking--Get new oil seal	75	27
Flywheel housing drain plug	65	16
Front axle steering knuckles--Getting spaces	68	38
Fuel Filter--Replace on earlier models	48	49
Generating System 100 Amp	59	41
Headlight Circuit, Reo--Circuit breaker	45	32
Hood		
Fabricate--Install handle	45	47
Safety Catch--To prevent damage	35	47
Side Panel--Replace	49	45
Horn Button Plate--Removing bad lips	47	46
Hose, Radiator--Turn hard lengths in	46	49
Inspection--Be your own inspector	55	2
Lubrication		
Brake, Hand--Grease fittings added	27	47
Front Wheel U-Joint Bearings	48	29
Rear Spring Seat Bearings	49	14
New radiator kit	73	24
Pulley, generator--Unserviceable	92	18
Radiator, two kinds--Requisition	66	24
Rear Axle--Removing shaft	64	48
Registration numbers	69	59
Seal		
Crankshaft--Replace if leaking	81	37
Rearwheel outer bearing--Lip outward	81	42
Shaft, Propeller--Tighten nuts, bolts	45	20
Shop Sets--Field maintenance	54	49
Speedometer Adapter---Reverse seal	41	17
Starter--Corroding	29	18
Tail Pipe--Extension of	57	20
Tools	38	48
Torque, Wheel-Bearing--Adjusting	41	49
Transmission--Shift to low range weekly	29	17
Troubleshooting	55	2
Valve--Air supply shutoff	76	28
Valve, crankcase ventilator	87	10
Wheels--Brace for tightening nuts	56	62
Winch--Shear pins	17	772
Winch--To check	65	63
Winch, dipstick--To check level on winch	65	63
TRUCK, 2 1/2-TON, M34		
Battery Cables--Be careful with slack	31	14
Brake, Hand--Adjust linkage	17	767
Clutch		
Assembly, Overrunning--Order new kit	19	904
Look for return spring	22	29
Door Windows--MWO to prevent breakage	41	48
Flywheel Housing--Blind-tapped boss added	23	49

	PS	Page
TRUCK, 2 1/2-TON, M34 (Cont'd)		
Fuel Strainer--Maintenance procedure	8	341
Maintenance Hints	3	96
New Vehicles--Check and adjust	20	906
Oil Seals--Transfer case leaks caused by plugged vent	17	766
Operation		
Maintenance Operating tips	2	50
	5	218
Steering Knuckle--Proper installation	8	341
Tools		
Improvised--U-Joint, Oil Seal Puller	31	46
Set, General Mechanics--Use to adjust handbrake	17	767
Transfer Case		
Adapter Brackets--Installing, removing	8	343
Oil Seals--Leakage due to stopped vent	17	766
Transmission--Shifter, interlock plates bent	38	47
Universal Joint--Removing oil seals	31	46
Wheels--Get right ones	63	31
TRUCK, 2 1/2-TON, M35		
Air-Line and Starter Cable Production change--		
Fixes completed	15	712
Battery Cables--Be careful with slack	31	14
Distributors--M35-M41 trucks not interchangeable	32	15
Drain Plug, Magnetic--Differential, transmission		
plugs not interchangeable	22	29
Flywheel Housing--Blind-tapped boss added	23	49
Universal Joint--Removing oil seals	31	46
TRUCK, 2 1/2-TON, M44		
Steering		
Gear Housing--Check Lube level	37	19
Knuckle--Clean boots when mud cakes	35	17
TRUCK, 2 1/2-TON, M47		
Battery--Reroute cables to prevent shorts	23	17
Hoist Control Valve--Rubber boots added	18	816
TRUCK, 2 1/2-TON, M48		
Trailers--Those authorized	64	33
TRUCK, 2 1/2-TON, M59		
Hydraulic Fluid--Care in checking level	15	670
TRUCK, 2 1/2-TON, M108		
Lubrication--Boom pivot post housing	58	14
TRUCK, 2 1/2-TON, M109		
Driving--Use lower range gears	23	49
TRUCK, 2 1/2-TON, M215		
Gas Mileage--Average for tactical vehicles	24	31
TRUCK, 2 1/2-TON, M220		
Heater Kit Secondary--Braze hole in elbow	30	5
TRUCK, 2 1/2-TON, M275		
Trailers--Those authorized	64	33
TRUCK, 2 1/2-TON, G749 Series		
Air compressor--Use of	67	28
A-Frame Kit--How to requisition	44	38
Air Tanks--Handle extension	15	708
	38	48
Batteries (Also see BATTERIES)		
MWO to stop voltmeter drainage	46	49

TRUCK, 2 1/2-TON, G749 (Cont'd)	PS	Page
Battery--Replace hold-down wing nuts	68	64
Battery switching--Hold down	68	26
Bearings--Rear spring seat lubrication	49	14
Brake		
Freeing when frozen	17	805
Hand--Grease fitting added	27	49
Master Cylinder		
Checking fluid level	59	62
Dipstick for checking level	27	46
Master cylinder for G749 only	88	37
Parking		
Improper Use	42	29
Release before moving	40	18
Proper use of temporary parking brake (electrical)	88	16
Blocks, Snatch--For use with	88	39
Carburetor		
Check the numbers	86	14
Fuel filter strainer	45	37
Not interchangeable with G742	43	30
Carrier Assembly--Tighten slip lock washer	35	16
Channels--MWO Ord G1-W101 does not apply	64	49
Crankcase breather assembly--Keeping it tight	69	62
CV Joint Bell Housing--Truck w/o boots	52	14
Data Plates--Correction to lube info	16	760
Differential--Weld top filler plug	50	64
Differential--Wrench for plug	65	62
Distributors--Comparison w/Truck 5-T G744	69	12
Door sills and bottoms--MWO Ord G1-W102 does not apply	65	65
Door Window--MWO to prevent breaking	41	48
Engine--90 PSI ±10	55	49
Exhaust Stack--Check bellows section	30	47
Fan Blades--Spaced unevenly for quiet	27	36
Flywheel Housing		
Cover--Tap-in drain plug	40	19
Installation of drain plug	26	17
Mate with engine	56	22
Flywheel housing drain plug	65	16
Gear shift handle--Wrong control level knob	70	65
Generating System, 100 Amp	59	41
Governor--Working loose from carubretor	51	30
Hood--Fabricate install handle	45	47
Horns--Air or electric	51	14
Hose--Radiator--Turn hard lengths in	46	49
Inspection--Be your own inspector	55	2
Lifting and towing eyes--Use of bar hoisting assy	75	25
Lights--Correct one	73	38
Line Air Bleed, Vacuum--Rubbing against firewall	47	17
Lubrication		
Differential	50	64
Handbrake--Grease fitting added	27	47
Transmission--Crankcase same weight	21	3c
Manifold--Correct torque of nuts	55	19
Pedal Accelerator--Fabricate reinforcer	44	49
Pintles--Safety pin	53	64

	PS	Page
TRUCK, 2 1/2-TON, G749 (Cont'd)		
Pitman Arm Shafts--Twisted splines, deadline vehicle	26	17
Plug Drain--Flywheel housing, tap-in	40	19
Radiators--Dampen vibrations	59	65
Rusted starters--Preventing	75	62
Seal		
Rear Wheel Outer Bearing--Lip inward	81	42
Shaft Propeller--Tighten nuts, bolts	45	20
Shop Sets (See TOOLS)		
Splash Shields--Reinforced	53	63
Starter--Corroding	29	18
Steering--New pitman arm shaft	66	24
Steering adjustment--New spanner wrench for notched worm-bearing-adjuster nut	74	39
Steering Knuckle--Torque retaining screws	17	768
Tail Pipe--Extension of	57	20
Thermostats--How to check	45	17
Timing		
Use of damper	66	40
Tools		
How to get	57	18
Improvised air tank bleeder	38	48
Transmission and differential plug wrench	79	64
Wheel Bearing adjusting	41	49
	54	32
Torque		
Change in TM	54	32
Front brake backing plate--retaining screws changed	17	768
Towing--Hydramatic transmission	45	37
Transmission, Hydramatic		
Cold weather starting	27	35
Engine--Idle speed	30	49
Front Band		
Adjustment	49	29
Check and adjust	24	16
Gasket, Flywheel--Get torus cover	45	35
Guzzler--Save time while changing oil	28	46
Linkage--Coat with rust preventive	17	772
Lubrication--Check lube level	44	4
Malfunction--Use of diadonis guide	36	45
MWO's--For relief of troubles	18	856
Oil level	16	731
	26	48
	52	18
Oil Level--Check in neutral	80	65
Oil level, hot or cold	89	14
Oil weight		
Same as crankcase	21	3c
Use OE 30 oil	25	30
Operation	71	21
Operation		
High-low range	6	252
Right range	17	769
Shifting positions-high range	17	790
Shift control lever	61	20
Sling for hoisting	58	48

	PS	Page
TRUCK, 2 1/2-TON, G749 (Cont'd)		
Transmission, Hydramatic		
Studs	34	15
Tools--For removing drain plugs	26	32
Towing--Hydramatic	69	52
Towing--Short-long hauls	45	37
When-how to shift	40	21
Troubleshooting	55	2
Turn ignition off when engine is not running	80	40
Valve--Air supply shutoff	76	28
Valve, crankcase ventilator	87	10
Winch		
Cable--How to use	81	40
Dipstick--To check level on winch	65	63
Shear pins	17	772
TRUCK, 2 1/2-TON, M135 (G749 SERIES)		
Air-Tanks--Handle Extension	15	708
Battery--Overcharging	22	33
Belt, V--Fix for replacing fan belts	20	950
Brake, Air Tanks--Petcock handle extension improvised	15	708
Brake, Parking, Temporary--Use of	18	810
Brake Power Unit--Use OHC to lube	36	32
Bumper--Shackles are "G" item	17	808
Clips--Fasten on wooden spacers	18	815
Clutch, Starter-Drive--Starter control linkage fix	8	832
Engines--Remove with right sling	20	918
Grease Shield--For spare tires	32	48
Ignition Coil--How to hook-up in negative grounded system	15	681
Lubrication		
Brake power unit	36	32
Cold lubricant level	40	34
Filling differential	16	731
Fittings missing	16	760
LO 9-819A incorrect	29	18
No go on U-joint shield	19	886
Parts--Replacement	15	678
Spark Plug--14mm correct, TM in error	15	712
Spring Pressure Regulator--Discard	16	746
Tarpaulin Hooks--Replace, weld	52	48
Tools--Improvised		
Feeler-gage holder	25	46
Rear axle puller	20	952
Transmission--Hydramatic		
Checking fluid level	16	731
F-2 High range, shifting positions	17	790
Gear shift lever	31	20
Keep cap and dipstick clean	23	48
Operation of	6	252
Procedure when being towed	16	757
Valve, Gas, Protector--Field fix	16	758
Winch, Dipstick--To check level on winch	32	47
Wrenches, Wheel Bearing--Listed in tool set, 2d echelon, Special Set B	17	791

	PS	Page
TRUCK, 2 1/2-TON, M211 (G749 SERIES)		
Air tanks--Handle extension	15	708
Brake Power Unit--Use OHC to lube	36	32
Grease Shield--For spare tires	32	48
Lubrication--Brake power unit	36	32
Tarpaulin Hook, Lashing--Replace, weld	52	48
Tools, Improvised--Feeler-gage holder	25	46
Transmission, Hydramatic shifting	17	790
TRUCK, 2 1/2-TON, M215 (G749 SERIES)		
Bolts, Mounting--Check transfer case and pillow-block bolts daily	25	48
Shimmy--MWO's for correction	49	31
Tarpaulins--Info on	55	29
TRUCK, TANK, 2 1/2-TON, M49		
Cleaning gas tank interior	80	14
Publication on servicing gasoline segregators	83	46
TRUCK, TANK, 2 1/2-TON, M217		
Cleaning gas tank interior	80	14
Publication on servicing gasoline segregators	83	46
TRUCK, 5-TON, G744 SERIES		
Accelerator stop screw--General information	64	31
Air compressor--Use of	67	28
Belts, V--Adjusting deflection	21	967
Brake, Hand		
Brake, Electric, Kit--Installation	58	49
Grease fittings added	27	47
Needs cable-knob adjustment	27	14
Strap, retaining	79	62
Brake Wheel Cylinders		
Larger cylinders on rear wheels	24	29
Stock Number listed	35	49
Blocks, Snatch--For use with	88	39
Carburetors		
Cold engine	52	16
Diesel degasser	44	35
Clutch		
Cap screws left in	54	14
Free pedal travel	20	3c
Kit--Improved	86	65
Minimize failures	19	872
Not enough pedal travel	45	14
Clutch Pedal		
Control too short	26	19
Measuring free travel	34	48
Clutching, Double		
How to	64	41
Syncho-mesh	54	29
Control Linkage--5-ton dump trucks misprint TM 9-3028	50	10
Crankcase--Fix stops explosions	27	2
CV Joint Bell Housing--Protective boots	52	14
Degasser		
How it works	26	18
Required on carburetor, urgent MWO	44	35
Differential carrier--Drive flanges	67	41

	PS	Page
TRUCK, 5-TON, G744 SERIES (Cont'd)		
Dipstick		
Oil level readings	92	19
Sizes and markings	53	25
Distributor--Comparison w/Truck 2 1/2-T G749	69	12
Door Window--MWO to prevent breaking	41	48
Engine		
Cold, stop backfiring	52	16
G744-5 Ton, removal of	55	49
Fenders--To prevent cracks	65	21
Flywheel housing drain plug	65	16
Fuel tank filler-neck--Filler cap damage	65	20
Governor, Air Compressor--Right cut-in pressure	58	13
Governor		
Proper setting of	41	48
RPM limit--Observation of	45	16
Lubrication--Handbrake, grease fittings	27	47
Hood, Side Panels--Replace	49	45
Hood--Warning notice	74	18
Oil		
Pressure--Low gage reading	54	14
Pump Tubes	54	14
OVM--Rundown on material	61	2
Pivot Post--Drain plug	91	38
Propeller Shaft--Tighten nuts, bolts	45	20
Radiator--Flexing motion necessary	17	771
Sprag Units--Prevent breakdowns	34	20
Steering		
Capacity of hydraulic reservoir	63	30
Gear Case--Lube level	29	16
Hydraulic gear case	51	14
Hydraulic reserve	28	49
Modification required	23	31
Power steering pumps--Breakdown	62	20
Tail pipe extensions--Requisition right one	74	18
Tighten wing nuts on--Hydraulic line connectors	75	28
Tools--Lug wrench	70	64
Torque Rods, Rear--Change in torque	48	49
Transmission--Keep pressure normal	60	48
Universal Joint--Four concealed bolts	25	48
Valve, crankcase ventilator	87	10
Winch		
Control switched	26	49
Shear pins	17	772
Winch-jaw clutch self-lubed	24	14
Windows--MWO to prevent breakage	41	48
TRUCK 5-TON, 6x6 M39		
Transmission Kit, Repair, U-Joint	19	904
TRUCK, 5-TON, M41		
Distributors--M35-M41 not interchangeable	32	15
TRUCK 5-TON, M51		
Cowls--Reweld Cracks	39	48
Differential--Keep lube from working out	22	30
Drive Shaft--How to install from hydraulic pump to the power-take-off	77	39
Dump Body--Use of safety pins	69	41
Fittings, Zerk--Change to 90° fittings	48	46

	PS	Page
TRUCK, 5-TON, M51 (Cont'd)		
Frame--Inspection of	71	37
Fuel tank splash guard	79	38
Hinge-Bracket--Tighten subframe-bolts	19	876
Hydraulic Hoist--Adjust control valve	19	876
Hydraulic Reservoir		
Check level	82	18
Correction to LO	23	49
Hydraulic System--Fluids to use	18	816
Lubrication--Correction to LO 9-8028	29	49
Maintenance--Rundown	5	208
Operation	48	8
TRUCK, TRACTOR, 5-TON M52		
Hose, air cleaner to compressor hose--		
Don't need 'em	77	17
Hydraulic Fluid--Don't add mineral oil	21	981
Muffler		
Flame and spark arrester	76	65
Torque Rod--No tightening tool authorized	34	35
Trailer compatibility	75	39
Trailers M119--Not authorized	64	33
Wheels		
Fifth, breaking	52	33
Wedges under wheel control tilt	20	921
TRUCK, TRACTOR 5-TON M632		
Fifth wheel--Fixing	68	26
TRUCK, TRACTOR, M26, M26A1		
Brakes, Emergency	53	39
Lubrication, Leak	41	13
TRUCK, TRACTOR-WRECKER, 5-TON M246		
Muffler		
Flame and spark arrester	76	65
Safe Load Limit	88	65
Springs, Rear--Installation	46	20
TRUCK, WRECKER, 5-TON M62		
A-Frame--Use of in vehicle recovery	54	11
Air-Cylinder--Control valve assy	60	17
Air-Declutching Linkage--Adjusting	28	49
Anchor, Scotch--Used in vehicle recovery	54	6
Axle Tow Clamp--How to use	56	38
Blocks, Snatch--For use with	88	39
Boom		
Extension marker	28	46
Shipper Lines on bolts	22	30
Boom Jack--How to order	67	37
Bridge--Markings reading	28	29
Bridge classification	73	25
Cable		
Keep in line	28	30
Rear throttle control	77	65
Cable Blocks--Side pulls	28	15
Chains for towbar	85	38
Clutch		
Adjustment	22	46
Adjustment--Combine with roto chamber adjustment	83	65
Lever--Front winch	29	30

	PS	Page
TRUCK, WRECKER, 5-TON M62 (Cont'd)		
Crane		
Boom--Drain and Lube	85	39
Boom--Grease pivot post housing	58	14
How to lube	21	982
Safety shield	18	811
Safety shield--For operators	55	18
Safety shield--Protection from boom	33	32
Directives--Pub revisions for	17	794
Drill hole in boom hoist housing	66	64
Driver Training--Guide pole	43	47
Exhaust Pipe--Add extension	28	17
Governor--Installation of restrictor	48	18
Ground Anchors	41	33
Hydraulic System		
Drain, flush, refill if dirty	31	49
Flush out dirt	31	49
Paint Flaking	39	18
To prevent chaffing	64	47
Light, Warning		
Installation	51	29
Tracing circuit	49	15
Lubrication		
Access holes--Motor "Kick" cover	21	982
Crane--Adding new oil	29	18
Operation	13	554
Outrigger--Hold securing pins	38	47
Outriggers--Safety retaining kit	73	65
OVM--Rundown	61	2
Publications	17	794
Paint--Safety stripes	45	18
Safe Load Limit	88	65
Springs, Rear--Installation	46	20
	80	38
Supply Data--Ord 8 SNL G744	15	679
Towing		
Hooking crippled vehicle	22	31
Tow in any gear	28	34
Vehicle classification	69	38
Winch		
Cable	53	26
Drive Lubrication	21	998
Engaged--Control lever freeze	19	902
Rear--Ordering Replacement	24	32
Trolley Wheels--Send in UER	21	3c
TRUCK, 10-TON, GENERAL		
Air compressor--Use of	67	28
Front wheel stud nuts--Keep tight	71	17
Hood--Warning notice	74	18
Steering Angle Shaft--Lube change	87	41
Tools--Lug wrench	70	64
Valve crankcase ventilator	87	10
Winch brake adjustment	89	10
TRUCK, 10-TON, M123		
Brake, Electric, Kit--Install	58	49
Flywheel housing drain plug	65	16
Hydraulic Brake System--Keep 3/4 full	62	17

	PS	Page
TRUCK, 10-TON, M123 (Cont'd)		
Lube with GO	58	49
Rotochambers--How to prevent icing	88	18
Wheel lubrication	74	37
TRUCK, 10-TON, M125		
Hydraulic Brake System--Keep 3/4 full	62	17
Tighten Pintle	89	65
Wheel lubrication	74	37
Winch Fairlead--Lubing	86	10
TRUCKS, M249-250 HEAVY GUN-LIFTING		
Lights--Correct one	73	38
TRUNNION TILT		
Skysweeper (See GUN 75mm AA)		
TUBE, TIRE		
Care, repair	42	21
Cold patch application	44	49
When to repair or salvage	85	37
TURRET, TANK		
Anti-recoil failures, M46, M46A1	9	365
Electric Motor-Turn on only when ready	32	14
Floor Latch		
Safety switch fix for M48	20	914
Safety switch fix should apply to M47		
Correction to item PS 20--P 914	23	48
Keep rust-proof	32	37
Painting-Interior, Exterior	47	32
Proper interior paint	19	886
Retainer Bolts--Tighten, cut vertical play	36	49
Taboos, M48	51	2
Traverse--Exercise weekly	27	14
Traverse with care	53	65
Watch out when traversing	76	26
TYPEWRITER		
Maintenance	50	48
	66	60
TYR-TRACS		
For dual-wheeled trucks	53	27

U

UNIVERSAL-JOINT		
Truck, 5-ton--Four concealed bolts	25	48
Trucks, M34-M35--Oil seal remove	31	46
UNSATISFACTORY EQUIPMENT REPORT		
(See FORM 468)		

V

V-BELTS (See BELTS-V)		
VACUUM GAGES		
AV-1790 Engine--Two needed	35	49
VACUUM PUMP DIAPHRAGM		
Fast engine idle ruptures	24	14
VACUUM TEST		
Manifold--M-series vehicles	49	10

	PS	Page
VALVE		
Donaldson		
Clean all connecting lines	50	65
Clean regularly	40	17
Clean it	87	38
Fouls up spark plugs when loose or dirty	22	16
Two types--Tactical vehicles	87	10
Engine--Proper clearance	49	4
Fording--Keep out when not in water	36	13
Governor Assembly--M62, rear winch	24	32
Stems--Sodium filled make dangerous	20	3c
Tire--Dual wheels--position valves out	47	18
VALVES, TAPPET		
Clearances, required	31	12
VAN, RADAR (SEE NIKE)		
VAN, SHOP, M220		
Access ladder, Use	24	47
VARSOL, SOLVENT		
Clean NIKE zero set	46	34
Working solution	50	46
VEHICLES, GENERAL		
Cooling system--Ordering antifreeze	66	28
Don't paint lube points	81	15
Fire extinguishers--Removal of	20	919
Interpreting TM 9-2810	87	1
Inter-vehicle receptacle--Correct nomenclature	63	38
Maintenance Allocation Chart (MAC)		
See if they are out	85	18
Maintenance 1st and 2d Echelon--Teamwork	68	1
Operation--Tips on	41	21
Precautions against exhaust fumes	78	27
Radio Shut-off Stencil	90	41
Recovery--Use of Wrecker, M62	54	2
Route Reconnaissance--Making of	68	24
Safety--Fabricate warning kit	64	46
Tactical, Administrative--Determined by use	41	2
Use AR to report rebuilds	81	15
VEHICLE, COMMERCIAL		
Distributor--Burned points	91	37
Distributor--Troubleshooting	47	9
Directional Signals--How to procure	33	29
Mirror--Outside, rear view	18	821
Sedan		
Chevrolet 1951, Differential	17	792
Chevrolet 1951, Generator	48	18
Chevrolet 1956, Lube steering	59	23
Chevrolet 1957, Rear view mirrors	67	28
Chevy 1956-57--Faulty tansmission idler-gear thrust washer	70	24
Troubleshooting	47	2
Truck		
Dodge 1 1/2-T, 400-Series 1957		
Battery Box--Bracket fix	81	62
Ford F600		
Brake Diaphragm--Don't use oil	88	40

	PS	Page
VEHICLE, COMMERCIAL (Cont'd)		
Truck		
M424, Stake and Platform		
Axle, Rear--Pinion nuts loose	56	23
Brake Drum--Front brake drags	50	11
Canvas protector	69	64
Distributors--Dust cap	64	17
Door Panels--Drill holes in bottom	59	23
Fix radiator grille	64	17
Load--Cross country maximum	60	30
Lubrication		
Mechanical transmissions take GO 90	61	29
Rundown on lubing	60	18
Oil, Leakage--Valve cover gasket	61	29
Reinforced spare tire hanger	70	63
Retractable bumper step	69	17
Springs--Keep front spring shock bolts tight	80	65
Seat, Back Frame--Adjustment	57	19
Tarps, Local Purchase Of	50	40
M424		
Tires, Mounting Spare--Tighten down	60	15
Tool Compartment--Drill drain holes	54	47
Transmission--Repairing	68	27
M3100, 1/2-Ton Pickup		
Differential	17	792
Distributors--Dust cap	64	17
King Pins	69	16
Oil Leaks	65	19
Washing--Protecting engine parts	70	61
VEHICLES, TACTICAL GENERAL		
Electrical System		
Is the 100-amp system waterproof?	66	42
VEHICLE TANK RECOVERY M51		
New TM number	91	65
Oil cooler rotor fans--Check	82	17
Starting procedure	89	65
VEHICLE TANK RECOVERY M74		
Boom		
How to use	34	6
Lower while moving	33	11
Deflector, Rear Exhaust		
Keep down--Avoid overheating	36	49
Fan belt substitute	67	39
Final Drive--Not interchangeable	53	40
Gage, oil level--Chain case, installation of	46	45
Hoisting--Methods of	16	724
Hydraulic System--How it works	16	717
Lubrication--Oil--Don't mix OE with hydraulic	28	29
Operation		
Don't lug engine	65	65
Functions of controls	16	721
Versatility/Limitations	16	716
Publication--Supply	43	49
Torsion Bar--Proper installation	58	18
Towing--Disabled tanks	34	16
Up pressure on relief valve	78	65
Winch--Keep winch brake on	31	15

	PS	Page
VEHICLE, TRACK		
Deprocessing	38	31
Engine		
Fuel injection system vapor separator lines	78	64
Generator--How to test voltage	34	5
Mud shields--How to remove	46	30
Nozzle primer--Assembly clogged	54	17
Periscope Sight M28--Ord fills with nitrogen	76	65
Use care in cleaning	86	19
VEHICLE, TRAINING		
PM inspections, standards	39	41
VIBRATION DAMPERS		
Trucks, 5-ton, IHC	21	3c
VOLTMETER		
Engine used for quick check	15	674
M-series vehicles--To replace all ammeters	44	32
Trucks, G749-Series--Have rewired	46	49

W

WARRANTY		
New equipment	44	2
WARNING LIGHT (See TRUCK, 5-Ton, M62, Light Warning)		
WATER CANS		
Don't paint or coat the inside	82	37
WATERCRAFT		
Batteries--Care of	65	51
Floating equipment data reports--LCM 6's pointers on operation	67	42
WATER TANKS		
MWO for refinishing inside	82	65
Who cleans them	69	37
WATERPROOF ELECTRICAL SYSTEM (See Electrical System)		
WAXING		
For Gloss use cornstarch on vehicles	15	680
Wax interiors of FCS M33 van	22	10
WEAPON (See MAJOR ITEM)		
WEAPON RECORD BOOK, DA FORM 9-13 (See FORMS)		
WEAPON RECORD BOOK CONTAINER		
Drill holes in bottom	86	11
WEAPONS, LUBE (See Lubrication)		
WEAPONS SPECIAL		
Send UER's on Atomic Materiel	88	65
WEB EQUIPMENT		
Maintenance--According to DA Circular 700-40	72	27
WELDING		
Electric--Proper grounding	78	16
Electric Rod--Keep sealed	34	2
Reinforce body, fender splits (See TRUCK, 1/4-TON, WELDING)		
WHEEL		
Alinement	44	20
Bearings		
Lubricate and adjust	70	29
Pack with grease	38	16
Blocking for limited storage	33	46

	PS	Page
WHEELS (Cont'd)		
Bogie, Artillery--Keep nuts tight	47	16
Choice of proper	63	31
Compressed air--Keep away from bearings	51	49
Hub bearings--Correct inner oil seal, FSN for WV	66	65
Hubs, Replacing	38	17
Idler, Use GAA on M48 and M48A1	56	27
"Peg-Leg" for trucks with smashed rear wheel	54	13
Stud nuts--Paint line to show they're tight	24	47
Toe-in--How to check	39	37
Track suspension flange wear	4	58
Truck		
Brace for tightening nuts	56	62
Center before tightening	16	758
Fix for removing	46	47
Inspect brake cylinders for rust	28	31
WHEEL PULLER, UNIVERSAL		
Oil forcing screw	60	49
WHEEL SCRAPER (ENGINEER)		
Operation	56	52
WHEELED VEHICLE, GENERAL		
Batt-Gen Indicator Hookup	88	65
Brakes--Care, cleaning	74	19
Cooling system--Antiseepage compound	62	46
Deep water fording	89	2
Drive Shafts--How to install	76	39
Driving tips	72	29
Handbrake--Caution	93	39
Hose Lines--quick fix	86	64
How to canvas	77	39
Lifting and slinging	93	41
M123, M125--Introductory Article	77	50
WHEELED VEHICLES, TACTICAL		
Headlight dimmer switch--Maintenance	68	63
Propeller shafts--Detecting lossness	68	39
U-Joints--How to lube	81	16
WINCH		
Adjusting screw	27	46
Brakes--How to adjust	27	10
Cable		
How to tie	81	40
Proper cable for G741	65	37
Caution plate--How to install	18	815
	39	49
Clutch--Releasing w/load	17	773
Cold weather care--Operation	25	28
	37	28
Control lever lock	46	19
Controls switched in 5-ton	26	49
Dipstick--Improvised	32	47
	65	63
Dog clutch pin shears off	39	20
Front auxiliary--Unchaining spade at yoke	31	13
Housing--Lube	50	10
Housing--Unlock drum-lock know	38	49
Operation	54	2

	PS	Page
WINCH (Cont'd)		
Parts, accessories--How they work	.27	4
Pins--Proper size	.54	13
Power-take off lever--Retaining bracket	.56	62
Power-take off lock--How to make	17	806
Reversing cable--Change brake	17	805
Safety brake	.89	10
Safety tips	.27	11
Shear pin		
Right ones	.17	772
Taper groove	41	30
Tractor Cable--Work at less than capacity	.43	44
Tractor, M26A1--Shear pin modification	.51	31
Wrecker, M62		
Universal joint yoke seized	.21	998
Warning plate	39	49
WINCH, CARGO, TD TRACTORS		
Replace pinion shaft pins with cap screws	93	20
WINDOW		
Door, Trucks 2 1/2-Ton, 5-Ton, MWO	41	48
Rear, Cargo Trucks, Protect with screen	30	48
Regulator handles--Replacement	28	48
Trucks--Slamming doors break 'em	.26	49
WINDSHIELDS		
Cold weather frames	50	7
Condensation--Fix for drainage	36	47
Crack if heater's turned high	17	774
Truck, 1/4-Ton, M38-M38A1		
Broken	59	24
Tie down for protection	31	16
WINDSHIELD WIPERS		
For commercial type vehicles	59	37
WINTERIZATION (See SEASONAL MAINTENANCE)		
WIRE EQUIPMENT		
Care of DR-15 reels	.84	49
Care of RL-31	89	17
WRECKER, M62 (SEE TRUCK, WRECKER, 5-TON M62)		

Z

ZEROING IN (See Gun, Tank M47)		
FCS in tank--How to boresight	33	41
Gun, Tank M47--Short cuts to	15	690

INDEX
TRANSMISSION, HYDRAMATIC
(SEE HYDRAMATIC TRANSMISSION)
INDEX
HYDRAMATIC TRANSMISSION,
(SEE TRANSMISSION, HYDRAMATIC)